



# SAFETY DATA SHEET

## 1. Identification

<b>Product identifier</b>	<b>De-Squeak™ (Australia)</b>	
<b>Other means of identification</b>		
<b>Product Code</b>	No. M0404 (Item# 1007561)	
<b>Recommended use of the chemical and restrictions on use</b>		
<b>Recommended use</b>	Not available.	
<b>Restrictions on use</b>	Not available.	
<b>Details of manufacturer or importer</b>		
<b>Manufacturer</b>		
<b>Company name</b>	CRC Industries Australia Pty. Ltd.	
<b>Address</b>	9 Gladstone Road Castle Hill, NSW 2154 Australia	
<b>Telephone</b>	1800 224 227	Technical Assistance
<b>Website</b>	www.crcindustries.com.au	
<b>E-mail</b>	info@crcind.com.au	
<b>Emergency phone number</b>	13 11 26	ChemAlert

## 2. Hazard(s) identification

### Classification of the hazardous chemical

<b>Physical hazards</b>	Flammable liquids	Category 3
<b>Health hazards</b>	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Specific target organ toxicity, repeated exposure	Category 2
	Aspiration hazard	Category 1
<b>Environmental hazards</b>	Not classified.	

### Label elements, including precautionary statements

#### Hazard symbol(s)



**Signal word** Danger

**Hazard statement(s)** Flammable liquid and vapor. May be fatal if swallowed and enters airways. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statement(s)

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection.

**Response** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. In case of fire: Do not use water jet as an extinguisher, as this will spread the fire.

**Storage** Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Other hazards which do not result in classification</b>	None known.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
light aliphatic hydrocarbon	64742-47-8	30 - 40
aluminum	7429-90-5	5 - 10
amorphous silica	7631-86-9	5 - 10
paraffin oil	64742-62-7	5 - 10

### 4. First-aid measures

#### Description of necessary first aid measures

<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Personal protection for first-aid responders** Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

**Symptoms caused by exposure** Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhea. Direct contact with eyes may cause temporary irritation. May cause respiratory irritation. Prolonged exposure may cause chronic effects.

**Medical attention and special treatment** Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

### 5. Fire-fighting measures

#### Extinguishing media

<b>Suitable extinguishing media</b>	Dry chemicals. Carbon dioxide (CO <sub>2</sub> ). Water spray. Foam.
<b>Unsuitable extinguishing media</b>	Do not use water jet.

**Specific hazards arising from the chemical** Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for fire fighters** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Fire fighting equipment/instructions** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Hazchem code** None.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**For emergency responders** Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**Methods and materials for containment and cleaning up** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

---

## 7. Handling and storage

**Precautions for safe handling** Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist/vapors. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Keep away from heat and sources of ignition. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

---

## 8. Exposure controls and personal protection

**Control parameters** Follow standard monitoring procedures.

### Occupational exposure limits

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value	Form
aluminum (CAS 7429-90-5)	TWA	5 mg/m <sup>3</sup>	Fume.
		5 mg/m <sup>3</sup>	
		10 mg/m <sup>3</sup>	Dust.
amorphous silica (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	Respirable dust.

#### Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
aluminum (CAS 7429-90-5)	TWA	5 mg/m <sup>3</sup>	Welding fume.
		5 mg/m <sup>3</sup>	Pyrophoric powder.
		10 mg/m <sup>3</sup>	Dust.
amorphous silica (CAS 7631-86-9)	TWA	2 mg/m <sup>3</sup>	Respirable fraction.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
aluminum (CAS 7429-90-5)	TWA	1 mg/m <sup>3</sup>	Respirable fraction.
paraffin oil (CAS 64742-62-7)	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
aluminum (CAS 7429-90-5)	TWA	4 mg/m <sup>3</sup>	Respirable dust.
		10 mg/m <sup>3</sup>	Inhalable dust.
amorphous silica (CAS 7631-86-9)	TWA	6 mg/m <sup>3</sup>	Inhalable dust.
		2.4 mg/m <sup>3</sup>	Respirable dust.

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value	Form
aluminum (CAS 7429-90-5)	TWA	4 mg/m <sup>3</sup>	Inhalable dust.
		1.5 mg/m <sup>3</sup>	Respirable dust.
amorphous silica (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Inhalable fraction.
light aliphatic hydrocarbon (CAS 64742-47-8)	TWA	5 mg/m <sup>3</sup>	Respirable aerosol fraction
		350 mg/m <sup>3</sup>	Vapor.
		50 ppm	Vapor.
paraffin oil (CAS 64742-62-7)	TWA	5 mg/m <sup>3</sup>	Respirable fraction.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, for example personal protective equipment (PPE)****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear protective gloves such as: Nitrile. Viton/butyl. Polyvinyl chloride (PVC).

**Other**

Wear suitable protective clothing.

**Respiratory protection**

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance****Physical state**

Liquid.

**Form**

Liquid.

**Color**

Gray.

**Odor**

Slight petroleum.

**Odor threshold**

Not available.

**pH**

Not available.

<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	298.4 °F (148 °C)
<b>Flash point</b>	105.8 °F (41 °C) Pensky-Martens Closed Cup
<b>Evaporation rate</b>	Slow.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	1
<b>Flammability limit - upper (%)</b>	6
<b>Explosive limit - lower (%)</b>	1
<b>Explosive limit - upper (%)</b>	6
<b>Vapor pressure</b>	0.2 kPa (1.27 mm Hg)
<b>Vapor pressure temp.</b>	68 °F (20 °C)
<b>Vapor density</b>	5 (air = 1)
<b>Relative density</b>	0.93
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	< 0.21 cm <sup>2</sup> /s (104 °F (40 °C))
<b>Other physical and chemical parameters</b>	
<b>Heat of combustion</b>	16.5 kJ/g
<b>Percent volatile</b>	42 %

---

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Heat, flames and sparks. Contact with incompatible materials.
<b>Incompatible materials</b>	Oxidizing agents.
<b>Hazardous decomposition products</b>	Carbon oxides. Nitrogen oxides (NO <sub>x</sub> ). Sulfur oxides. Metal oxides.

---

## 11. Toxicological information

### Information on possible routes of exposure

<b>Inhalation</b>	May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	May be fatal if swallowed and enters airways. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
<b>Symptoms related to exposure</b>	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhea. May cause respiratory irritation.
<b>Acute toxicity</b>	May be fatal if swallowed and enters airways.

Components	Species	Test Results
aluminum (CAS 7429-90-5)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 15900 mg/kg
amorphous silica (CAS 7631-86-9)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 22500 mg/kg
light aliphatic hydrocarbon (CAS 64742-47-8)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	> 2000 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 5.2 mg/l, 4 hours
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg, 2.5 hours
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Serious eye damage/irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.	
<b>ACGIH Carcinogens</b>		
aluminum (CAS 7429-90-5)	A4 Not classifiable as a human carcinogen.	
paraffin oil (CAS 64742-62-7)	A4 Not classifiable as a human carcinogen.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
amorphous silica (CAS 7631-86-9)	3 Not classifiable as to carcinogenicity to humans.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
<b>Specific target organ toxicity - single exposure</b>	May cause respiratory irritation. May cause drowsiness and dizziness.	
<b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.	
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.	
<b>Chronic effects</b>	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.	

## 12. Ecological information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
<b>Product</b>	<b>Species</b>	<b>Test Results</b>	
De-Squeak™ (Australia)			
<b>Aquatic</b>			
Fish	LC50	Fish	39.25 mg/l, 96 hours estimated
<b>Acute</b>			
Crustacea	EC50	Daphnia	2857.1428 mg/l, 48 hours estimated

Components	Species	Test Results
aluminum (CAS 7429-90-5)		
<b>Aquatic</b>		
Fish	LC50	Grass carp, white amur (Ctenopharyngodon idella)
		0.21 - 0.31 mg/l, 96 hours
light aliphatic hydrocarbon (CAS 64742-47-8)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50	Water flea (Daphnia magna)
		> 1000 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
		> 1000 mg/l, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.	
<b>Bioaccumulative potential</b>		
<b>Mobility in soil</b>	No data available for this product.	
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

### 13. Disposal considerations

<b>Disposal methods</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

<b>ADG</b>	
<b>UN number</b>	1993
<b>UN proper shipping name</b>	Flammable liquid, n.o.s. (light aliphatic hydrocarbon)
<b>Transport hazard class(es)</b>	
<b>Class</b>	3
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>Hazchem code</b>	None.
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>IATA</b>	
<b>UN number</b>	1993
<b>UN proper shipping name</b>	Flammable liquid, n.o.s. (light aliphatic hydrocarbon)
<b>Transport hazard class(es)</b>	
<b>Class</b>	3
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>ERG Code</b>	3L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.
<b>IMDG</b>	
<b>UN number</b>	1993
<b>UN proper shipping name</b>	FLAMMABLE LIQUID, N.O.S. (light aliphatic hydrocarbon)

**Transport hazard class(es)**

**Class** 3

**Subsidiary risk** -

**Packing group** III

**Environmental hazards**

**Marine pollutant** No.

**EmS** F-E, S-E

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**ADG**



**IATA; IMDG**



---

## 15. Regulatory information

### Safety, health and environmental regulations

#### National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

**Australia Medicines & Poisons Appendix A**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix B**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix D**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix E**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix F**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix G**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix H**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix I**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix J**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Appendix K**

Poisons schedule number not allocated.



**Australia Medicines & Poisons Schedule 10**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 2**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 3**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 4**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 5**

light aliphatic hydrocarbon (CAS 64742-47-8)

**Australia Medicines & Poisons Schedule 6**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 7**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 8**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 9**

Poisons schedule number not allocated.

**High Volume Industrial Chemicals (HVIC)**

aluminum (CAS 7429-90-5)

100000 - 999999 TONNES See the regulation for additional information.

amorphous silica (CAS 7631-86-9)

10000 - 99999 TONNES See the regulation for additional information.

light aliphatic hydrocarbon (CAS 64742-47-8)

1000 - 9999 TONNES See the regulation for additional information.

paraffin oil (CAS 64742-62-7)

1000 - 9999 TONNES See the regulation for additional information.

**Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)**

Not listed.

**National Pollutant Inventory (NPI) substance reporting list**

aluminum (CAS 7429-90-5)

2000 TONNES/YR Threshold Category: 2B

400 TONNES/YR Threshold Category: 2A

**Prohibited Carcinogenic Substances**

Not regulated.

**Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)**

Not listed.

**Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)**

Not listed.

**Restricted Carcinogenic Substances**

Not regulated.

**International regulations****Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Montreal Protocol**

Not applicable.

**Basel Convention**

Not applicable.

**International Inventories****Country(s) or region****Inventory name****On inventory (yes/no)\***

Australia

Australian Inventory of Chemical Substances (AICS)

Yes

Canada

Domestic Substances List (DSL)

Yes

Canada

Non-Domestic Substances List (NDSL)

No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

<b>Issue date</b>	02-19-2019
<b>Disclaimer</b>	CRC Industries Australia Pty. Ltd. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.