



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: Welder's Anti Spatter

Issue date: 11-05-2014
Revision date: 01-29-2018
Version #: 02
SDS No: -

SECTION 1 Chemical product and company identification

Product name Welder's Anti Spatter
Product Code No. PR03083 (Item# 1007692)
Manufactured or sold by:
Company name CRC Industries Trading (Shanghai) Co., Ltd.
Address Room 1710, No. 488 South Wuning Road
Jingan District - 200042
Shanghai, PR China
General Information +86 21 6236 6035
24-Hour Emergency +86 532 83889090
Website www.crcindustries.cn

Recommended use and Limitations on use

Recommended use Prevents spatter from adhering to surrounding metal surfaces during welding
Issue date 11-05-2014
Revision date 01-29-2018
Supersedes date 11-05-2014

SECTION 2 Hazards identification

Emergency overview Aerosol. CONTENTS UNDER PRESSURE.
Pressurized container may explode when exposed to heat or flame. Causes mild skin irritation.

Hazard categories

Physical hazards Aerosols Category 1
Health hazards Skin corrosion/irritation Category 3
Environmental hazards Not classified.

Label elements

Pictograms



Signal word Danger

Hazard statement

H222 Extremely flammable aerosol.
H229 Pressurized container: May burst if heated.
H316 Causes mild skin irritation.

Precautionary statement

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.

Response

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Physical and chemical hazards Extremely flammable aerosol. The product is stable and non-reactive under normal conditions of use, storage and transport.

Health hazards	Causes mild skin irritation. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.
Environmental hazards	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Supplemental information	None.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name	Concentration (%)	CAS Number	
white mineral oil	3 - 5	8042-47-5	

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
Most important symptoms and health effects	Mild skin irritation.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Dry powder. Carbon dioxide (CO ₂).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Protection of fire-fighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
General fire hazards	Extremely flammable aerosol.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Clean-up methods and materials and containment measures Stop leak if you can do so without risk. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards Not available.

SECTION 7 Handling and storage

Handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Storage	Level 1 Aerosol. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Occupational Exposure Limits are not relevant to the current physical form of the product.
Monitoring methods	Follow standard monitoring procedures.
Engineering measures	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Personal protective equipment	
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.
Hand protection	Wear protective gloves such as: Nitrile. Neoprene.
Eye protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing.
Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	White.
Odor	Slight ethereal.
pH	7 - 8
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	450 °F (232.2 °C) estimated
Flash point	> 265 °F (> 129.4 °C)
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	1264.8 hPa estimated
Vapor density	> 1 (air = 1)
Relative density	0.92 estimated
Density	Not available.

Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Other data	
Percent volatile	84.5 % estimated

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Acrid smoke.

SECTION 11 Toxicological information

Acute toxicity	Not known.	
Components	Species	Test Results
white mineral oil (CAS 8042-47-5)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 5 mg/l, 4 hours
Routes of exposure	Inhalation. Skin contact. Eye contact.	
Symptoms	Mild skin irritation.	
Skin corrosion/irritation	Causes mild skin irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitizer	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
IARC Monographs. Overall Evaluation of Carcinogenicity		
white mineral oil (CAS 8042-47-5)	3 Not classifiable as to carcinogenicity to humans.	
Toxic to reproduction	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity following single exposure	Not classified.	
Specific target organ toxicity following repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

SECTION 12 Ecological information

Ecotoxicological data

Product	Species	Test Results
Welder's Anti Spatter		
Aquatic		
<i>Acute</i>		
Crustacea	EC50 Daphnia	23214.2852 mg/l, 48 hours estimated
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulation		
Mobility in soil	This product is miscible in water.	
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

UN number	UN1950
UN proper shipping name	AEROSOLS, Limited Quantity
Transport hazard class(es)	
Class	2
Subsidiary risk	-
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number	UN1950
UN proper shipping name	Aerosols, flammable, Limited Quantity
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.


IMDG

UN number	UN1950
UN proper shipping name	AEROSOLS, Limited Quantity
Transport hazard class(es)	
Class	2
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

CNDG; IMDG



IATA



SECTION 15 Regulatory information

Inventory of Existing Chemical Substances in China

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Applicable regulations

This safety data sheet conforms to the following laws, regulations and standards:
Regulations on the Control over Safety of Dangerous Chemicals
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Measures for the Safe Use of Chemicals in Workplaces
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Packing Symbol of Dangerous Goods(GB190-2009)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

Occupational exposure limits for hazardous agents in the workplace (GBZ 2.1-2007)

Not listed.

National Catalogue of Hazardous Wastes

white mineral oil (CAS 8042-47-5)

Restricted Import/Export Toxic Chemical List (MEP and GCA Announcement No. 2008-66, Dec. 1, 2008, amended through MEP and Customs Notice No. 2013-85, December 30, 2013)

Not regulated.

Classification and code of dangerous goods (GB 6944-2012)

Regulated.

List of Dangerous Goods (GB 12268-2012)

Regulated.

The Principle of Classification of Transport Packaging Groups of Dangerous Goods (GB/T15098-2008)

Regulated.

General Specifications for Transport Packages of Dangerous Goods (GB 12463-2009)

Regulated.

Regulations on Road Transport of Dangerous Goods

Regulated.

Regulations on Rail Road Transport of Dangerous Goods

Regulated.

UN Recommendations on the Transport of Dangerous Goods (UN RTDG)

Regulated.

SECTION 16 Other information**References**

EPA: AQUIRE database
GB6944-2012: Classification and Code of Dangerous Goods.
GB12268-2012: List of Dangerous Goods.
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries Trading (Shanghai) Co., Ltd..

Revision information

This document has undergone significant changes and should be reviewed in its entirety.