



# SAFETY DATA SHEET

## SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

**Name of the hazardous chemical substance or mixture**      **Guaranteed To Pass Emissions System Cleaner - 354 mL**

**Other means of identification**

**Product Code**      No. MX05063 (Item# 1008061)

**Recommended use of the hazardous chemical substance or mixture, and restrictions of use**

**Recommended use**      Fuel system additive

**Recommended restrictions**      None known.

**Suppliers details**

**Company name**      CRC Industrias de Mexico S. de R. L. de C.V.

**Address**      Cerrada Canadá 201-H  
Fraccionamiento Industrial Martel  
Santa Catarina, NL 66367  
Mexico

**Telephone**      General Information      81-2139-0572

**Website**      www.crc-mexico.com

**E-mail**      SoporteTecnico@crcind.com

**Emergency phone number**      24-Hour Emergency      01-800-681-9531

## SECTION 2. Hazard identification

**Classification of the substance or mixture**

|                              |  |             |
|------------------------------|--|-------------|
| <b>Physical hazards</b>      | Flammable liquids                                      | Category 4  |
| <b>Health hazards</b>        | Acute toxicity, oral                                   | Category 4  |
|                              | Acute toxicity, dermal                                 | Category 5  |
|                              | Acute toxicity, inhalation                             | Category 4  |
|                              | Skin corrosion/irritation                              | Category 1B |
|                              | Serious eye damage/eye irritation                      | Category 1  |
|                              | Sensitization, skin                                    | Category 1  |
|                              | Germ cell mutagenicity                                 | Category 2  |
|                              | Carcinogenicity  | Category 2  |
| <b>Environmental hazards</b> | Aspiration hazard                                      | Category 1  |
|                              | Hazardous to the aquatic environment, acute hazard     | Category 2  |
|                              | Hazardous to the aquatic environment, long-term hazard | Category 2  |

**Elements of labeling, including precautionary statements and warning pictograms**



**Signal word**      Danger

**Hazard statement**

|      |   |
|------|---|
| H227 | Combustible liquid.                           |
| H302 | Harmful if swallowed.                         |
| H304 | May be fatal if swallowed and enters airways. |
| H313 | May be harmful in contact with skin.          |
| H314 | Causes severe skin burns and eye damage.      |
| H317 | May cause an allergic skin reaction.          |
| H332 | Harmful if inhaled.                           |

|      |  |
|------|--|
| H341 | Suspected of causing genetic defects.            |
| H351 | Suspected of causing cancer.                     |
| H401 | Toxic to aquatic life.                           |
| H411 | Toxic to aquatic life with long lasting effects. |

**Precautionary statement****Prevention**

|      |  |
|------|--|
| P201 | Obtain special instructions before use.  |
| P202 | Do not handle until all safety precautions have been read and understood.                      |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe vapor.  |
| P264 | Wash thoroughly after handling.  |
| P270 | Do not eat, drink or smoke when using this product.  |
| P271 | Use only outdoors or in a well-ventilated area.  |
| P272 | Contaminated work clothing should not be allowed out of the workplace.                         |
| P273 | Avoid release to the environment.  |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection.                     |

**Response**

|                    |  |
|--------------------|--|
| P301 + P310        | IF SWALLOWED: Immediately call a POISON CENTER/doctor.   |
| P330               | Rinse mouth.   |
| P331               | Do NOT induce vomiting.  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P333 + P313        | If skin irritation or rash occurs: Get medical advice/attention.   |
| P363               | Wash contaminated clothing before reuse.   |
| P304 + P340        | IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |
| P310               | Immediately call a POISON CENTER/doctor.   |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310               | Immediately call a POISON CENTER/doctor.   |
| P308 + P313        | IF exposed or concerned: Get medical advice/attention.   |
| P370 + P378        | In case of fire: Use appropriate media to extinguish.  |
| P391               | Collect spillage.  |

**Storage**

|      |                                   |
|------|-----------------------------------|
| P403 | Store in a well-ventilated place. |
| P405 | Store locked up.                  |

**Disposal**

|      |   |
|------|---|
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
|------|---|

**Other hazards which do not result in classification** None known.

**Supplemental information** None.

**SECTION 3. Composition/information on ingredients****Mixtures**

| Chemical identity                                 | Common name(s), synonym(s) | CAS number and other unique identifiers | Concentration |
|---|----------------------------|---|---------------|
| distillates (petroleum), hydrodesulfurized middle | Diesel Fuel No. 2          | 64742-80-9                              | 40 - 50       |
| distillates (petroleum), hydrotreated light       |                            | 64742-47-8                              | 30 - 40       |
| polyether amine                                   |                            | Proprietary                             | 20 - 30       |
| alkyl aminoester                                  |                            | Proprietary                             | 1 - 3         |

**Composition comments** Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**SECTION 4. First-aid measures****Description of necessary first-aid measures****Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a poison center or doctor/physician if you feel unwell.

|   |  |
|---|--|
| <b>Skin contact</b>   | Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.   |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.  |
| <b>Ingestion</b>  | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Aspiration may cause pulmonary edema and pneumonitis. Headache. Dizziness. Nausea, vomiting. Diarrhea. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.         |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed. |
| <b>General information</b>  | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.  |

## SECTION 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                | Water fog. Alcohol resistant foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO <sub>2</sub> ).   |
| <b>Unsuitable extinguishing media</b>              | Do not use water jet as an extinguisher, as this will spread the fire.  |
| <b>Specific hazards arising from the chemical</b>  | The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.  |
| <b>Special protective actions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |
| <b>Fire fighting equipment/instructions</b>        | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. |
| <b>Specific methods</b>                            | Use standard firefighting procedures and consider the hazards of other involved materials.  |
| <b>General fire hazards</b>                        | Combustible liquid.   |

## SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

### Personal precautionary measures, protective equipment and emergency procedure

|  |  |
|--|--|
| <b>For non-emergency personnel</b>   | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.   |
| <b>For emergency responders</b>  | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the SDS.  |
| <b>Environmental precautions</b>   | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.   |
| <b>Methods and materials for containing and cleaning up spills or releases</b> | Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Prevent product from entering drains.<br><br>Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.<br><br>Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. |

## SECTION 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).   |

## SECTION 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

##### Mexico. Occupational Exposure Limit Values

| Components   | Type | Value     |
|--|------|-----------|
| distillates (petroleum), hydrodesulfurized middle (CAS 64742-80-9) | TWA  | 5 mg/m3   |
| distillates (petroleum), hydrotreated light (CAS 64742-47-8)       | TWA  | 200 mg/m3 |

##### US. ACGIH Threshold Limit Values

| Components   | Type | Value   | Form                |
|--|------|---------|---------------------|
| distillates (petroleum), hydrodesulfurized middle (CAS 64742-80-9) | TWA  | 5 mg/m3 | Inhalable fraction. |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

#### Exposure guidelines

##### Mexico OELs: Skin designation

distillates (petroleum), hydrotreated light (CAS 64742-47-8) Can be absorbed through the skin.

**Control banding approach** Not available.

**Appropriate engineering controls** Not available.

##### Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I, 9/6/2012)

distillates (petroleum), hydrotreated light (CAS 64742-47-8) 4600 KG

#### Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection** Wear safety glasses with side shields (or goggles).

##### Skin protection

**Hand protection** Wear protective gloves such as: Nitrile. Neoprene. Polyvinyl chloride (PVC).

**Other** Wear suitable protective clothing.

**Respiratory protection** If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

**Thermal hazards** Not available.

## SECTION 9. Physical and chemical properties

### Appearance

|                       |         |
|-----------------------|---------|
| <b>Physical state</b> | Liquid. |
| <b>Form</b>           | Liquid. |
| <b>Color</b>          | Yellow. |

|   |                            |
|---|----------------------------|
| <b>Odor</b>   | Petroleum.                 |
| <b>Odor threshold</b>                               | Not available.             |
| <b>pH</b>   | Not available.             |
| <b>Melting point/freezing point</b>                 | Not available.             |
| <b>Initial boiling point and boiling range</b>      | 120.2 °F (49 °C) estimated |
| <b>Flash point</b>                                  | 160 °F (71.1 °C) Setflash  |
| <b>Evaporation rate</b>                             | Slow.                      |
| <b>Flammability (solid, gas)</b>                    | Not available.             |
| <b>Upper/lower flammability or explosive limits</b> |                            |
| <b>Flammability limit - lower (%)</b>               | 0.5 % estimated            |
| <b>Flammability limit - upper (%)</b>               | 7.5 % estimated            |
| <b>Vapor pressure</b>                               | 0.4 hPa estimated          |
| <b>Vapor density</b>                                | > 1 (air = 1)              |
| <b>Relative density</b>                             | 0.84                       |
| <b>Solubility(ies)</b>                              |                            |
| <b>Solubility (water)</b>                           | Negligible.                |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.             |
| <b>Auto-ignition temperature</b>                    | 410 °F (210 °C) estimated  |
| <b>Decomposition temperature</b>                    | Not available.             |
| <b>Viscosity</b>                                    | Not available.             |
| <b>Molecular weight</b>                             | Not available.             |
| <b>Other information</b>                            |                            |
| <b>Percent volatile</b>                             | 77 % estimated             |

---

## SECTION 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.   |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.   |
| <b>Conditions that must be avoided</b>    | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Nitrogen oxides (NOx). Aldehydes. Hydrocarbon fumes and smoke.   |

---

## SECTION 11. Toxicological information

### Information about likely routes of entry

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Harmful if inhaled.  |
| <b>Skin contact</b> | Causes severe skin burns. May be harmful in contact with skin. May cause an allergic skin reaction.  |
| <b>Eye contact</b>  | Causes serious eye damage.   |
| <b>Ingestion</b>    | Causes digestive tract burns. Harmful if swallowed. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. |

**Symptoms related to the physical, chemical and toxicological characteristics**      Aspiration may cause pulmonary edema and pneumonitis. Headache. Dizziness. Nausea, vomiting. Diarrhea. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

### Delayed and immediate effects and also chronic effects from short and long term exposure

### Numerical measures of toxicity (such as acute toxicity estimates)

**Acute toxicity** May be fatal if swallowed and enters airways. Harmful if inhaled. May be harmful in contact with skin.

| Components   | Species  | Test Results            |
|--|--|-------------------------|
| distillates (petroleum), hydrodesulfurized middle (CAS 64742-80-9) |  |                         |
| <b>Acute</b>   |  |                         |
| <b>Dermal</b>  |  |                         |
| LD50   | Rabbit   | > 2000 mg/kg            |
| <b>Inhalation</b>  |  |                         |
| <i>Vapor</i>   |  |                         |
| LC50   | Rat  | 10 - 20 mg/l, 4 hours   |
| <b>Oral</b>  |  |                         |
| LD50   | Rat  | > 5000 mg/kg            |
| distillates (petroleum), hydrotreated light (CAS 64742-47-8)       |  |                         |
| <b>Acute</b>   |  |                         |
| <b>Dermal</b>  |  |                         |
| LD50   | Rat  | > 2000 mg/kg            |
| <b>Oral</b>  |  |                         |
| LD50   | Rat  | > 5000 mg/kg, 2.5 hours |
| <b>Skin corrosion/irritation</b>                                   | Causes severe skin burns and eye damage.                                     |                         |
| <b>Serious eye damage/eye irritation</b>                           | Causes serious eye damage.   |                         |
| <b>Respiratory or skin sensitization</b>                           |  |                         |
| <b>Respiratory sensitization</b>                                   | Not a respiratory sensitizer.  |                         |
| <b>Skin sensitization</b>  | May cause an allergic skin reaction.   |                         |
| <b>Germ cell mutagenicity</b>                                      | Suspected of causing genetic defects.  |                         |
| <b>Carcinogenicity</b>   | Suspected of causing cancer.   |                         |
| <b>ACGIH Carcinogens</b>   |  |                         |
| distillates (petroleum), hydrodesulfurized middle (CAS 64742-80-9) | A2 Suspected human carcinogen.   |                         |
| <b>Reproductive toxicity</b>                                       | This product is not expected to cause reproductive or developmental effects. |                         |
| <b>Specific target organ toxicity - single exposure</b>            | Not applicable.  |                         |
| <b>Specific target organ toxicity - repeated exposure</b>          | Not classified.  |                         |
| <b>Aspiration hazard</b>   | May be fatal if swallowed and enters airways.                                |                         |
| <b>Other information</b>   | Not available.   |                         |

## SECTION 12. Ecotoxicological information

| <b>Toxicity</b>  | Toxic to aquatic life with long lasting effects. |   |  |
|--|--|---|--|
| Components   | Species  | Test Results  |  |
| distillates (petroleum), hydrodesulfurized middle (CAS 64742-80-9) |  |   |  |
| <b>Aquatic</b>   |  |   |  |
| Crustacea  | EC50   | Water flea (Daphnia pulex)                          |  |
|  |  | 2.7 - 5.1 mg/l, 48 hours                            |  |
| Fish   | LC50   | Rainbow trout,donaldson trout (Oncorhynchus mykiss) |  |
|  |  | 8.8 mg/l, 96 hours                                  |  |
|  |  | 8.8 mg/l, 96 hours                                  |  |
| distillates (petroleum), hydrotreated light (CAS 64742-47-8)       |  |   |  |
| <b>Aquatic</b>   |  |   |  |
| <i>Acute</i>   |  |   |  |
| Crustacea  | EC50   | Water flea (Daphnia magna)                          |  |
|  |  | > 1000 mg/l, 48 hours                               |  |
| Fish   | LC50   | Rainbow trout,donaldson trout (Oncorhynchus mykiss) |  |
|  |  | > 1000 mg/l, 96 hours                               |  |

| Components   | Species   | Test Results                   |
|--|---|--------------------------------|
| polyether amine  |   |                                |
| <b>Aquatic</b>   |   |                                |
| <i>Acute</i>   |   |                                |
| Crustacea  | EC50  | Crustacea > 120 mg/l, 48 hours |
| Fish   | LC50  | Fish > 100 mg/l, 96 hours      |
| <b>Persistence and degradability</b>                     | No data is available on the degradability of any ingredients in the mixture.  |                                |
| <b>Bioaccumulative potential</b>                         |   |                                |
| <b>Partition coefficient n-octanol / water (log Kow)</b> |   |                                |
| distillates (petroleum), hydrodesulfurized middle        | 3.3 - 6   |                                |
| <b>Mobility in soil</b>                                  | No data available.  |                                |
| <b>Other adverse effects</b>                             | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |                                |

### SECTION 13. Disposal considerations

#### Disposal methods

|  |  |
|--|--|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).   |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.   |

### SECTION 14. Transport information

#### SCT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1760  |
| <b>Proper shipping name</b>         | CORROSIVE LIQUID, N.O.S. (polyether amine), Limited Quantity            |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 8   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | II  |
| <b>Environmentally hazardous</b>    | Yes, but exempt from the regulations.                                   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Bulk special provisions</b>      | 274   |

#### DOT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1760  |
| <b>Proper shipping name</b>         | Corrosive liquids, n.o.s. (polyether amine), Limited Quantity           |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 8   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 8   |
| <b>Packing group</b>                | II  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | B2, IB2, T11, TP2, TP27   |
| <b>Packaging exceptions</b>         | 154   |
| <b>Packaging non bulk</b>           | 202   |
| <b>Packaging bulk</b>               | 242   |

#### IATA

|                                   |  |
|-----------------------------------|--|
| <b>UN number</b>                  | UN1760                                     |
| <b>Proper shipping name</b>       | Corrosive liquid, n.o.s. (polyether amine) |
| <b>Transport hazard class(es)</b> |  |
| <b>Class</b>                      | 8  |
| <b>Subsidiary risk</b>            | -  |
| <b>Packing group</b>              | II   |

**ERG Code** 8L  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Other information**

**Passenger and cargo aircraft** Allowed with restrictions.

**Cargo aircraft only** Allowed with restrictions.

**IMDG**

**UN number** UN1760  
**Proper shipping name** CORROSIVE LIQUID, N.O.S. (polyether amine), Limited Quantity

**Transport hazard class(es)**

**Class** 8

**Subsidiary risk** -

**Packing group** II


**Environmental hazards**

**Marine pollutant** Yes, but exempt from the regulations.

**EmS** F-A, S-B

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**DOT; IMDG; SCT****IATA**


---

**SECTION 15. Regulatory information**
**Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question****Mexico. Hazard identification guidance list (NOM-018-STPS)**

distillates (petroleum), hydrodesulfurized middle Listed.  
 (CAS 64742-80-9)

distillates (petroleum), hydrotreated light Listed.  
 (CAS 64742-47-8)

**Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)**

Not listed.

**International regulations****Montreal Protocol**

Not applicable.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.



**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

|                              |  |
|------------------------------|--|
| <b>Issue date</b>            | 08-13-2019   |
| <b>Version #</b>             | 01   |
| <b>List of abbreviations</b> | Not available.   |
| <b>Further information</b>   | CRC # 1750781  |
| <b>Disclaimer</b>            | The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industrias de Mexico S. de R. L. de C.V.. |
| <b>Revision information</b>  | Product and Company Identification: Material Attributes<br>Transport Information: Material Transportation Information  |