

# SAFETY DATA SHEET

## 1. Identification

|  |   |
|--|---|
| <b>Product identifier</b>                                      | <b>WELD-KLEEN HD</b>  |
| <b>Other means of identification</b>                           |   |
| <b>Product Code</b>  | No. 007030IWWS (Item# 1008298)                              |
| <b>Recommended use of the chemical and restrictions on use</b> |   |
| <b>Recommended use</b>   | Protects parts, fixtures, and tooling from spatter build-up |
| <b>Restrictions on use</b>                                     | Not available.  |

### Details of manufacturer or importer

#### Distributed by:

|                     |   |
|---------------------|---|
| <b>Company Name</b> | IWWS  |
| <b>Address</b>      | Unit 2 170 Power Street<br>Glendenning NSW 2761 Australia |
| <b>Telephone</b>    | 02 8834 2400  |
| <b>Website</b>      | www.iwws.net  |
| <b>Email</b>        | iwws@iwws.net   |

## 2. Hazard(s) identification

### Classification of the hazardous chemical

|                              |   |                             |
|------------------------------|---|-----------------------------|
| <b>Physical hazards</b>      | Gases under pressure                              | Compressed gas              |
| <b>Health hazards</b>        | Acute toxicity, oral                              | Category 4                  |
|                              | Skin corrosion/irritation                         | Category 2                  |
|                              | Serious eye damage/eye irritation                 | Category 2A                 |
|                              | Carcinogenicity                                   | Category 1B                 |
|                              | Specific target organ toxicity, single exposure   | Category 3 narcotic effects |
|                              | Specific target organ toxicity, repeated exposure | Category 2                  |
| <b>Environmental hazards</b> | Not classified.                                   |                             |

### Label elements, including precautionary statements

#### Hazard symbol(s)



Gas cylinder      Health hazard      Exclamation mark

**Signal word**                      Danger

**Hazard statement(s)**        Contains gas under pressure; may explode if heated. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause cancer. May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statement(s)

##### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection/face protection. Wear protective gloves. Use personal protective equipment as required.

|  |  |
|--|--|
| <b>Response</b>  | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. |
| <b>Storage</b>   | Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place.   |
| <b>Disposal</b>  | Dispose of contents/container in accordance with local/regional/national/international regulations.  |
| <b>Other hazards which do not result in classification</b> | None known.  |
| <b>Supplemental information</b>                            | When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.  |

### 3. Composition/information on ingredients

#### Mixture

| Identity of chemical ingredients | CAS number and other unique identifiers | Concentration of ingredients |
|----------------------------------|---|------------------------------|
| methylene chloride               | 75-09-2                                 | 80 - 90                      |
| carbon dioxide                   | 124-38-9                                | 5 - 10                       |
| high oleic safflower oil         | 8001-23-8                               | 5 - 10                       |

### 4. First-aid measures

#### Description of necessary first aid measures

|   |  |
|---|--|
| <b>Inhalation</b>                                   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.  |
| <b>Skin contact</b>                                 | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.  |
| <b>Eye contact</b>                                  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.  |
| <b>Ingestion</b>                                    | Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.  |
| <b>Personal protection for first-aid responders</b> | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.                                 |
| <b>Symptoms caused by exposure</b>                  | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. |
| <b>Medical attention and special treatment</b>      | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.   |

### 5. Fire-fighting measures

#### Extinguishing media

|   |   |
|---|---|
| <b>Suitable extinguishing media</b>                                   | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).   |
| <b>Unsuitable extinguishing media</b>                                 | Do not use water jet as an extinguisher, as this will spread the fire.  |
| <b>Specific hazards arising from the chemical</b>                     | During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene. |
| <b>Special protective equipment and precautions for fire fighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |

**Fire fighting equipment/instructions** In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.

**Hazchem code** None.

**General fire hazards** Contents under pressure. Pressurized container may explode when exposed to heat or flame.  
**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**For emergency responders** Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**Methods and materials for containment and cleaning up** Stop leak if you can do so without risk. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

## 7. Handling and storage

**Precautions for safe handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not re-use empty containers. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls and personal protection

**Control parameters** Follow standard monitoring procedures.

### Occupational exposure limits

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components                               | Type | Value                   | Form            |
|--|------|-------------------------|-----------------|
| carbon dioxide (CAS 124-38-9)            | STEL | 54000 mg/m <sup>3</sup> |                 |
|  |      | 30000 ppm               |                 |
|  | TWA  | 22500 mg/m <sup>3</sup> |                 |
| high oleic safflower oil (CAS 8001-23-8) | TWA  | 12500 ppm               | Inhalable mist. |
| methylene chloride (CAS 75-09-2)         | TWA  | 10 mg/m <sup>3</sup>    |                 |
|  |      | 174 mg/m <sup>3</sup>   |                 |
|  |      | 50 ppm                  |                 |

**Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)**

| Components                               | Type | Value   | Form             |
|--|------|---|------------------|
| carbon dioxide (CAS 124-38-9)            | STEL | 54000 mg/m <sup>3</sup>                           |                  |
|  | TWA  | 30000 ppm<br>22500 mg/m <sup>3</sup><br>12500 ppm |                  |
| high oleic safflower oil (CAS 8001-23-8) | TWA  | 10 mg/m <sup>3</sup>                              | Inspirable dust. |
| methylene chloride (CAS 75-09-2)         | TWA  | 174 mg/m <sup>3</sup>                             |                  |
|  |      | 50 ppm  |                  |

**US. ACGIH Threshold Limit Values**

| Components                       | Type | Value     |
|----------------------------------|------|-----------|
| carbon dioxide (CAS 124-38-9)    | STEL | 30000 ppm |
|                                  | TWA  | 5000 ppm  |
| methylene chloride (CAS 75-09-2) | TWA  | 50 ppm    |

**UK. EH40 Workplace Exposure Limits (WELs)**

| Components                       | Type | Value   |
|----------------------------------|------|---|
| carbon dioxide (CAS 124-38-9)    | STEL | 27400 mg/m <sup>3</sup>                         |
|                                  | TWA  | 15000 ppm<br>9150 mg/m <sup>3</sup><br>5000 ppm |
| methylene chloride (CAS 75-09-2) | STEL | 1060 mg/m <sup>3</sup>                          |
|                                  | TWA  | 300 ppm<br>350 mg/m <sup>3</sup><br>100 ppm     |

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

| Components                       | Type | Value                  |
|----------------------------------|------|------------------------|
| carbon dioxide (CAS 124-38-9)    | TWA  | 9100 mg/m <sup>3</sup> |
|                                  |      | 5000 ppm               |
| methylene chloride (CAS 75-09-2) | TWA  | 180 mg/m <sup>3</sup>  |
|                                  |      | 50 ppm                 |

**Biological limit values**

**Germany. TRGS 903, BAT List (Biological Limit Values)**

| Components                       | Value    | Determinant   | Specimen | Sampling Time |
|----------------------------------|----------|---------------|----------|---------------|
| methylene chloride (CAS 75-09-2) | 500 µg/l | Dichlormethan | Blood    | *             |

\* - For sampling details, please see the source document.

**ACGIH Biological Exposure Indices**

| Components                       | Value    | Determinant     | Specimen | Sampling Time |
|----------------------------------|----------|-----------------|----------|---------------|
| methylene chloride (CAS 75-09-2) | 0.3 mg/l | Dichloromethane | Urine    | *             |

\* - For sampling details, please see the source document.

**Exposure guidelines**

**Australia OELs: Skin designation**

methylene chloride (CAS 75-09-2) Can be absorbed through the skin.

|  |   |
|--|---|
| <b>Appropriate engineering controls</b>  | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended. |
| <b>Individual protection measures, for example personal protective equipment (PPE)</b> |   |
| <b>Eye/face protection</b>   | Wear safety glasses with side shields (or goggles).   |
| <b>Skin protection</b>   |   |
| <b>Hand protection</b>   | Wear protective gloves such as: Polyvinyl alcohol (PVA). Viton/butyl.   |
| <b>Other</b>   | Wear appropriate chemical resistant clothing.   |
| <b>Respiratory protection</b>  | If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.  |
| <b>Thermal hazards</b>   | Wear appropriate thermal protective clothing, when necessary.   |
| <b>Hygiene measures</b>  | Observe any medical surveillance requirements. When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.  |

## 9. Physical and chemical properties

### Appearance

|   |                              |
|---|------------------------------|
| <b>Physical state</b>                               | Liquid.                      |
| <b>Form</b>   | Aerosol.                     |
| <b>Color</b>  | Colorless.                   |
| <b>Odor</b>   | Ether-like.                  |
| <b>Odor threshold</b>                               | Not available.               |
| <b>pH</b>   | Not available.               |
| <b>Melting point/freezing point</b>                 | -139 °F (-95 °C) estimated   |
| <b>Initial boiling point and boiling range</b>      | 104 °F (40 °C) estimated     |
| <b>Flash point</b>                                  | None.                        |
| <b>Evaporation rate</b>                             | Fast.                        |
| <b>Flammability (solid, gas)</b>                    | Not available.               |
| <b>Upper/lower flammability or explosive limits</b> |                              |
| <b>Flammability limit - lower (%)</b>               | 15.5 % estimated             |
| <b>Flammability limit - upper (%)</b>               | 66.4 % estimated             |
| <b>Vapor pressure</b>                               | 3890.8 hPa estimated         |
| <b>Vapor density</b>                                | > 1 (air = 1)                |
| <b>Relative density</b>                             | 1.31 estimated               |
| <b>Solubility(ies)</b>                              |                              |
| <b>Solubility (water)</b>                           | Negligible.                  |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.               |
| <b>Auto-ignition temperature</b>                    | 1033 °F (556.1 °C) estimated |
| <b>Decomposition temperature</b>                    | Not available.               |
| <b>Viscosity</b>                                    | Not available.               |
| <b>Other physical and chemical parameters</b>       |                              |
| <b>Percent volatile</b>                             | 87.5 % estimated             |

## 10. Stability and reactivity

|                           |   |
|---------------------------|---|
| <b>Reactivity</b>         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b> | Material is stable under normal conditions.   |

|   |  |
|---|--|
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to avoid</b>                | Heat. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.   |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Hydrogen chloride. Phosgene.  |

## 11. Toxicological information

### Information on possible routes of exposure

|                                     |  |
|-------------------------------------|--|
| <b>Inhalation</b>                   | May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting.   |
| <b>Skin contact</b>                 | Causes skin irritation.  |
| <b>Eye contact</b>                  | Causes serious eye irritation.   |
| <b>Ingestion</b>                    | Harmful if swallowed.  |
| <b>Symptoms related to exposure</b> | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. |

**Acute toxicity** Harmful if swallowed.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

methylene chloride (CAS 75-09-2)

#### Acute

#### Oral

LD50

Rat

1400 mg/kg Female Rat

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye irritation.

### Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** May cause cancer.

#### ACGIH Carcinogens

methylene chloride (CAS 75-09-2)

A3 Confirmed animal carcinogen with unknown relevance to humans.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

methylene chloride (CAS 75-09-2)

2A Probably carcinogenic to humans.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** May cause drowsiness and dizziness.

**Specific target organ toxicity - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

methylene chloride (CAS 75-09-2)

#### Aquatic

Crustacea

EC50

Water flea (Daphnia magna)

1250 mg/l, 48 hours

| Components   | Species   | Test Results   |
|--|---|--|
| Fish   | LC50  | Fathead minnow ( <i>Pimephales promelas</i> ) 140.8 - 277.8 mg/l, 96 hours |
| <b>Persistence and degradability</b>                             | No data is available on the degradability of any ingredients in the mixture.  |  |
| <b>Bioaccumulative potential</b>                                 |   |  |
| <b>Partition coefficient<br/>    n-octanol / water (log Kow)</b> |   |  |
| methylene chloride   |   | 1.25   |
| <b>Mobility in soil</b>  | This product is miscible in water.  |  |
| <b>Other adverse effects</b>                                     | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |  |

### 13. Disposal considerations

|                               |   |
|-------------------------------|---|
| <b>Disposal methods</b>       | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Residual waste</b>         | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |
| <b>Contaminated packaging</b> | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.              |

### 14. Transport information

#### ADG

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | 1950  |
| <b>UN proper shipping name</b>      | AEROSOLS  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.2   |
| <b>Subsidiary risk</b>              | 6.1(PGIII)  |
| <b>Packing group</b>                | Not available.  |
| <b>Environmental hazards</b>        | No.   |
| <b>Hazchem code</b>                 | 2YE   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |

#### IATA

|   |   |
|---|---|
| <b>UN number</b>                            | 1950  |
| <b>UN proper shipping name</b>              | Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III |
| <b>Transport hazard class(es)</b>           |   |
| <b>Class</b>                                | 2.2   |
| <b>Subsidiary risk</b>                      | 6.1   |
| <b>Packing group</b>                        | Not available.  |
| <b>Environmental hazards</b>                | No.   |
| <b>ERG Code</b>                             | 2P  |
| <b>Special precautions for user</b>         | Read safety instructions, SDS and emergency procedures before handling.           |
| <b>Other information</b>                    |   |
| <b>Passenger and cargo<br/>    aircraft</b> | Allowed with restrictions.  |
| <b>Cargo aircraft only</b>                  | Allowed with restrictions.  |


#### IMDG

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | 1950  |
| <b>UN proper shipping name</b>      | AEROSOLS  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.2   |
| <b>Subsidiary risk</b>              | 6.1   |
| <b>Packing group</b>                | Not available.  |
| <b>Environmental hazards</b>        |   |
| <b>Marine pollutant</b>             | No.   |
| <b>EmS</b>                          | Not available.  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

ADG



IATA; IMDG



## 15. Regulatory information

### Safety, health and environmental regulations

#### National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

#### Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix E

methylene chloride (CAS 75-09-2)

#### Australia Medicines & Poisons Appendix F

methylene chloride (CAS 75-09-2)

#### Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix I

methylene chloride (CAS 75-09-2)

#### Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 10

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

#### Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.



**Australia Medicines & Poisons Schedule 5**

methylene chloride (CAS 75-09-2)

**Australia Medicines & Poisons Schedule 6**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 7**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 8**

Poisons schedule number not allocated.

**Australia Medicines & Poisons Schedule 9**

Poisons schedule number not allocated.

**Australia National Pollutant Inventory (NPI): Threshold quantity**

methylene chloride (CAS 75-09-2)

10 TONNES/YR Threshold Category: 1

**High Volume Industrial Chemicals (HVIC)**

carbon dioxide (CAS 124-38-9)

100000 - 999999 TONNES See the regulation for additional information.

methylene chloride (CAS 75-09-2)

1000 - 9999 TONNES See the regulation for additional information.

**Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)**

Not listed.

**National Pollutant Inventory (NPI) substance reporting list**

Not listed.

**Prohibited Carcinogenic Substances**

Not regulated.

**Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)**

Not listed.

**Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)**

Not listed.

**Restricted Carcinogenic Substances**

Not regulated.

**International regulations****Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

carbon dioxide (CAS 124-38-9)

Listed.

**Montreal Protocol**

Not applicable.

**Basel Convention**

Not applicable.

**International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand          | New Zealand Inventory  | Yes                    |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan               | Taiwan Toxic Chemical Substances (TCS)                                 | Yes                    |

| Country(s) or region        | Inventory name                                | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

**Issue date** 05-22-2018

**Disclaimer** The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of our knowledge or obtained from sources believed to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or IWWS.