MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: Corrosion Shell[™]

Product Number (s): 10630

Manufactured By: CRC Industries, Inc. (215) 674-4300

885 Louis Drive, Warminster, PA 18974

24-Hour Emergency Information: CHEMTREC (800) 424-9300

Section 2: Composition/Information on Ingredients

Component	CAS	ACGIH	OSHA	OTHER	%
	NUMBER	TLV	PEL	LIMITS	
Metal Alkyl Aryl Sulfonate	Mixture	NE	NE	NE	2-12
Oxygenated Hydrocarbon	Mixture	NE	NE	NE	31-41
Petroleum Distillate	8052-41-3	NE	NE	100 ppm	< 10
n-Hexane	110-54-3	50 ppm	50 ppm	NE	< 10
Propane	74-98-6	NE	1000 ppm	NE	10-20
Isobutane	75-28-5	NE	NE	1000 ppm	10-20
Dipropylene glycol methyl ether	34590-94-8	100 ppm	100 ppm	NE	< 10
Isohexanes	107-83-5	500 ppm	500 ppm	NE	28-38

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: Dark amber viscous liquid, petroleum odor.

DANGER: Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Potential Health Effects:

Inhalation: Headaches, nausea, dizziness, anesthetic effects, drowsiness, unconsciousness & other

central nervous system effects.

Eyes: Irritation
Skin: Irritation
Ingestion: NA

Carcinogenicity: OSHA: No IARC: No NTP: No

Chronic Overexposure: Repeated overexposure may cause harm to the peripheral

nervous system.

Medical Conditions Aggravated by Exposure: Pre-existing lung problems.

Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.

Eyes: Flush with large amounts of water for 15 minutes.

Skin: Remove contaminated clothing and wash area with soap and water.

Ingestion: Call a physician. Do not induce vomiting.

Section 5: Fire-Fighting Measures

Product Name: Corrosion Shell™

Product Number (s): 10630

Flashpoint: <0°F Method: TCC LEL: 1.8 UEL: 9.5

Extinguishing Media: CO₂, dry chemical and foam

Hazardous Combustion Products: Thermal - carbon monoxide and carbon dioxide

Fire-fighting Instructions: Remove containers from fire area if possible. Use self-contained

breathing apparatus for fire fighting. Aerosol cans may explode if heated

above 120°F.

NFPA: Health: 2 Flammability: 4 Reactivity: 0

HMIS: Health: 2 Flammability: 4 Reactivity: 0 PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Aerosol Level: III

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State: Liquid Appearance & Odor: Dark amber viscous liquid,

petroleum odor.

Specific Gravity: 0.7860 Boiling Point: 141°F
Freezing Point: ND Vapor Pressure: ND
Evaporation Rate: NA Vapor Density (air = 1) > air

pH: NA Solubility: Negligible in water.

Volatile Organic Compounds %: 79 g/L: 547 lbs./gal: 4.57

Section 10: Stability and Reactivity

Stability: Stable Hazardous Polymerization: No

Chemical Incompatibilities: Strong oxidizers.

Materials to Avoid: Strong oxidizers.

Hazardous Decomposition Products: None

Product Name: Corrosion Shell™

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

Section 12: Ecological Information

Ecotoxicity: No data available.

No data available for biodegradation. Environmental Fate:

Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Section 14: Transportation Information

Shipping Name: **Consumer Commodity**

Hazard Class: ORM-D UN Number: NA Packing Group: NA

Placard. Label: NA NA

Special Provisions: NA

Section 15: Regulatory Information

All components are either listed under TSCA or are exempt. TSCA:

Section 311/312: Section 313*: SARA Title III: Acute n-Hexane

CERCLA/Superfund (RQ): NA Extremely Hazardous Substances:

California Prop 65: This product contains chemicals known to the State of

California to cause cancer, birth defects and other

Product Number (s): 10630

reproductive harm.

* See section 2 for percentage

Section 16: Additional Information

Adam M. Selisker Prepared By: Date: June 6, 2002

Technical Information: (800) 521-3168 CRC # 522D

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by

CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service Not Applicable NA: Parts per Million ND: Not Determined ppm: Tag Closed Cup Not Established NE: TCC: Lower Explosive Limit LEL: g/L: grams per Liter Upper Explosive Limit pounds per gallon UEL: lbs./gal: Personal Protection Equipment PPE: RQ: Reportable Quantity