



# SAFETY DATA SHEET

## 1. Identification

|   |   |
|---|---|
| <b>Product identifier</b>                                     | <b>Super Degreaser™</b>                           |
| <b>Other means of identification</b>                          |   |
| <b>Product code</b>   | 03110   |
| <b>Recommended use</b>  | General purpose degreaser                         |
| <b>Recommended restrictions</b>                               | None known.                                       |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |   |
| <b>Company name</b>   | CRC Industries, Inc.                              |
| <b>Address</b>  | 885 Louis Dr.<br>Warminster, PA 18974 US          |
| <b>Telephone</b>  |   |
| <b>General Information</b>                                    | 215-674-4300                                      |
| <b>Technical Assistance</b>                                   | 800-521-3168                                      |
| <b>Customer Service</b>                                       | 800-272-4620                                      |
| <b>24-Hour Emergency (CHEMTREC)</b>                           | 800-424-9300 (US)<br>703-527-3887 (International) |
| <b>Website</b>  | www.crcindustries.com                             |

## 2. Hazard(s) identification

|                              |  |  |
|------------------------------|--|--|
| <b>Physical hazards</b>      | Gases under pressure                               | Compressed gas                             |
|                              | Gases under pressure                               | Liquefied gas                              |
| <b>Health hazards</b>        | Skin corrosion/irritation                          | Category 2                                 |
|                              | Serious eye damage/eye irritation                  | Category 2                                 |
|                              | Carcinogenicity                                    | Category 2                                 |
|                              | Reproductive toxicity                              | Category 1B                                |
|                              | Specific target organ toxicity, single exposure    | Category 3 respiratory tract irritation    |
|                              | Specific target organ toxicity, single exposure    | Category 3 narcotic effects                |
|                              | Specific target organ toxicity, repeated exposure  | Category 2 (kidney, liver, nervous system) |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment, acute hazard | Category 3                                 |
| <b>OSHA defined hazards</b>  | Not classified.                                    |  |
| <b>Label elements</b>        |  |  |



**Signal word**

Danger

**Hazard statement**

Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs (kidney, liver, nervous system) through prolonged or repeated exposure. Harmful to aquatic life.

## Precautionary statement

### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49°C/120°F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid release to the environment.

### Response

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If exposed or concerned: Get medical attention.

### Storage

Store locked up. Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.

### Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

### Hazard(s) not otherwise classified (HNOC)

None known.

### Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide and hydrogen fluoride.

---

## 3. Composition/information on ingredients

### Mixtures

| Chemical name             | Common name and synonyms | CAS number | %       |
|---------------------------|--------------------------|------------|---------|
| 1,1,1,2-tetrafluoroethane | HFC-134a                 | 811-97-2   | 40 - 50 |
| n-propyl bromide          | 1-bromopropane           | 106-94-5   | 40 - 50 |
| carbon dioxide            |                          | 124-38-9   | 3 - 5   |
| t-butanol                 |                          | 75-65-0    | 1 - 3   |
| butylene oxide            |                          | 106-88-7   | < 1     |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

---

## 4. First-aid measures

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

### Skin contact

Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

### Ingestion

In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.

### Most important symptoms/effects, acute and delayed

May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Behavioral changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. Edema. Jaundice. Prolonged exposure may cause chronic effects.

### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

### General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

---

## 5. Fire-fighting measures

### Suitable extinguishing media

Water spray. Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

### Unsuitable extinguishing media

None known.

### Specific hazards arising from the chemical

Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide and hydrogen fluoride.

|  |   |
|--|---|
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |
| <b>Fire-fighting equipment/instructions</b>                          | In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. |
| <b>General fire hazards</b>  | Contents under pressure. Pressurized container may rupture when exposed to heat or flame.   |

## 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.   |
| <b>Environmental precautions</b>   | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.  |

## 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, please see the product label. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Level 1 Aerosol.<br><br>Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).   |

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                    | Type | Value                            |
|-------------------------------|------|----------------------------------|
| carbon dioxide (CAS 124-38-9) | PEL  | 9000 mg/m3                       |
| t-butanol (CAS 75-65-0)       | PEL  | 5000 ppm<br>300 mg/m3<br>100 ppm |

#### US. ACGIH Threshold Limit Values

| Components                      | Type | Value              |
|---------------------------------|------|--------------------|
| carbon dioxide (CAS 124-38-9)   | STEL | 30000 ppm          |
| n-propyl bromide (CAS 106-94-5) | TWA  | 5000 ppm           |
| t-butanol (CAS 75-65-0)         | TWA  | 0.1 ppm<br>100 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components                    | Type | Value       |
|-------------------------------|------|-------------|
| carbon dioxide (CAS 124-38-9) | STEL | 54000 mg/m3 |
|                               |      | 30000 ppm   |
|                               | TWA  | 9000 mg/m3  |
| t-butanol (CAS 75-65-0)       |      | 5000 ppm    |
|                               | STEL | 450 mg/m3   |
|                               | TWA  | 150 ppm     |
|                               |      | 300 mg/m3   |
|                               |      | 100 ppm     |

**US. AIHA Workplace Environmental Exposure Level (WEEL) Guides**

| Components                               | Type | Value      |
|--|------|------------|
| 1,1,1,2-tetrafluoroethane (CAS 811-97-2) | TWA  | 4240 mg/m3 |
| butylene oxide (CAS 106-88-7)            |      | 1000 ppm   |
|  | TWA  | 5.9 mg/m3  |
|  |      | 2 ppm      |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines****US - California OELs: Skin designation**

n-propyl bromide (CAS 106-94-5)

Can be absorbed through the skin.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear protective gloves such as: Viton®. Silver Shield®

**Other**

Wear appropriate chemical resistant clothing.

**Respiratory protection**

Use a NIOSH-approved cartridge respirator with an organic vapor cartridge unless exposure is below the TLV. Air monitoring is required to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance****Physical state**

Liquid.

**Form**

Aerosol.

**Color**

Colorless.

**Odor**

Solvent.

**Odor threshold**

Not available.

**pH**

Not available.

**Melting point/freezing point**

-266.8 °F (-166 °C) estimated

**Initial boiling point and boiling range**

158 °F (70 °C) estimated

**Flash point**

None (Tag Closed Cup)

**Evaporation rate**

Fast

**Flammability (solid, gas)**

Not available.

## Upper/lower flammability or explosive limits

|   |                           |
|---|---------------------------|
| Flammability limit - lower (%)          | 3.8 % estimated           |
| Flammability limit - upper (%)          | 9.5 % estimated           |
| Vapor pressure                          | 4968.8 hPa estimated      |
| Vapor density                           | 4.3 (air = 1)             |
| Relative density                        | 1.29 estimated            |
| Solubility (water)                      | 0.003 g/ml                |
| Partition coefficient (n-octanol/water) | Not available.            |
| Auto-ignition temperature               | 914 °F (490 °C) estimated |
| Decomposition temperature               | Not available.            |
| Viscosity (kinematic)                   | Not available.            |
| Percent volatile                        | 96.9 %                    |

---

## 10. Stability and reactivity

|                                    |  |
|------------------------------------|--|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport.  |
| Chemical stability                 | Material is stable under normal conditions.  |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.  |
| Conditions to avoid                | Heat, flames and sparks. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide and hydrogen fluoride. Contact with incompatible materials. |
| Incompatible materials             | Strong oxidizing agents. Strong acids. Strong bases.   |
| Hazardous decomposition products   | Hydrogen bromide. Hydrogen fluoride. Carbonyl fluoride. Carbon oxides.   |

---

## 11. Toxicological information

### Information on likely routes of exposure

|  |  |
|--|--|
| Inhalation   | May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system.   |
| Skin contact   | Causes skin irritation.  |
| Eye contact  | Causes serious eye irritation.   |
| Ingestion  | Health injuries are not known or expected under normal use.  |
| Symptoms related to the physical, chemical and toxicological characteristics | May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Behavioral changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. Edema. Jaundice. |

### Information on toxicological effects

Acute toxicity Not known.

| Components                      | Species | Test Results |
|---------------------------------|---------|--------------|
| butylene oxide (CAS 106-88-7)   |         |              |
| <b>Acute</b>                    |         |              |
| <b>Dermal</b>                   |         |              |
| LD50                            | Rabbit  | 1760 mg/kg   |
| <b>Oral</b>                     |         |              |
| LD50                            | Rat     | 1180 mg/kg   |
| n-propyl bromide (CAS 106-94-5) |         |              |
| <b>Acute</b>                    |         |              |
| <b>Dermal</b>                   |         |              |
| LD50                            | Rabbit  | > 2000 mg/kg |

| Components              | Species | Test Results         |
|-------------------------|---------|----------------------|
| <b>Inhalation</b>       |         |                      |
| LC50                    | Rat     | 14374 ppm, 4 hours   |
| <b>Oral</b>             |         |                      |
| LD50                    | Rat     | 4260 mg/kg           |
| t-butanol (CAS 75-65-0) |         |                      |
| <b>Acute</b>            |         |                      |
| <b>Dermal</b>           |         |                      |
| LD50                    | Rabbit  | > 2000 mg/kg         |
| <b>Inhalation</b>       |         |                      |
| LC50                    | Rat     | > 14100 ppm, 4 hours |
| <b>Oral</b>             |         |                      |
| LD50                    | Rat     | 3500 mg/kg           |

\* Estimates for product may be based on additional component data not shown.

|   |   |
|---|---|
| <b>Skin corrosion/irritation</b>  | Causes skin irritation.   |
| <b>Serious eye damage/eye irritation</b>                                  | Causes serious eye irritation.  |
| <b>Respiratory sensitization</b>  | Not a respiratory sensitizer.   |
| <b>Skin sensitization</b>   | This product is not expected to cause skin sensitization.   |
| <b>Germ cell mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.                                      |
| <b>Carcinogenicity</b>  | Suspected of causing cancer.  |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>             |   |
| butylene oxide (CAS 106-88-7)   | 2B Possibly carcinogenic to humans.   |
| n-propyl bromide (CAS 106-94-5)   | 2B Possibly carcinogenic to humans.   |
| <b>US. National Toxicology Program (NTP) Report on Carcinogens</b>        |   |
| n-propyl bromide (CAS 106-94-5)   | Reasonably Anticipated to be a Human Carcinogen.  |
| <b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |   |
| Not regulated.  |   |
| <b>Reproductive toxicity</b>  | May damage fertility or the unborn child.   |
| <b>Specific target organ toxicity - single exposure</b>                   | May cause respiratory irritation. May cause drowsiness and dizziness.   |
| <b>Specific target organ toxicity - repeated exposure</b>                 | May cause damage to organs (kidney, liver, nervous system) through prolonged or repeated exposure.  |
| <b>Aspiration hazard</b>  | Not an aspiration hazard.   |
| <b>Chronic effects</b>  | May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. |

## 12. Ecological information

| Components                           | Species | Test Results  |
|--------------------------------------|---------|---|
| Ecotoxicity Harmful to aquatic life. |         |   |
| n-propyl bromide (CAS 106-94-5)      |         |   |
| <b>Aquatic</b>                       |         |   |
| Fish                                 | LC50    | Fathead minnow ( <i>Pimephales promelas</i> ) 67.3 mg/l, 96 hours |
| t-butanol (CAS 75-65-0)              |         |   |
| <i>Acute</i>                         |         |   |
|                                      | EC10    | Bacteria 2050 mg/l, 18 hours                                      |
|                                      | EC50    | Bacteria 11263 mg/l   |
| <b>Aquatic</b>                       |         |   |
| <i>Acute</i>                         |         |   |
| Algae                                | EC50    | Green algae ( <i>Chlamydomonas variabilis</i> ) > 976 mg/l        |
| Crustacea                            | EC50    | Water flea ( <i>Daphnia magna</i> ) 5504 mg/l, 48 hours           |

| Components | Species | Test Results   |
|------------|---------|--|
| Fish       | LC50    | Fathead minnow ( <i>Pimephales promelas</i> ) > 961 mg/l, 96 hours |

\* Estimates for product may be based on additional component data not shown.

#### Persistence and degradability

##### Hydrolysis

###### Half-life (Hydrolysis)

n-propyl bromide 26 days

#### Bioaccumulative potential

##### Partition coefficient n-octanol / water (log Kow)

1,1,1,2-tetrafluoroethane 1.274

n-propyl bromide 2.1

t-butanol 0.35

##### Bioconcentration factor (BCF)

n-propyl bromide 23

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal of waste from residues / unused products** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.

**Hazardous waste code** Not regulated.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

**UN number** UN1950

**UN proper shipping name** Aerosols, non-flammable, Limited Quantity

**Transport hazard class(es)**

**Class** 2.2

**Subsidiary risk** -

**Label(s)** 2.2

**Packing group** Not applicable.

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Packaging exceptions** 306

**Packaging non bulk** None

**Packaging bulk** None

#### IATA

**UN number** UN1950

**UN proper shipping name** Aerosols, non-flammable, Limited Quantity

**Transport hazard class(es)**

**Class** 2.2

**Subsidiary risk** -

**Packing group** Not applicable.

**ERG Code** 2L

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

##### Other information

**Passenger and cargo aircraft** Allowed with restrictions.

**Cargo aircraft only** Allowed with restrictions.

#### IMDG

**UN number** UN1950

**UN proper shipping name** AEROSOLS, LIMITED QUANTITY

|                                     |   |
|-------------------------------------|---|
| <b>Transport hazard class(es)</b>   |   |
| Class                               | 2   |
| Subsidiary risk                     | -   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        |   |
| Marine pollutant                    | No.   |
| <b>EmS</b>                          | F-D, S-U  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |

---

## 15. Regulatory information

|  |  |
|--|--|
| <b>US federal regulations</b>  | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.<br>All components are on the U.S. EPA TSCA Inventory List.  |
| <b>TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)</b>   | Not regulated.   |
| <b>SARA 304 Emergency release notification</b>   | Not regulated.   |
| <b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>  | Not regulated.   |
| <b>US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance</b>  | acetonitrile (CAS 75-05-8)<br>butylene oxide (CAS 106-88-7)<br>n-propyl bromide (CAS 106-94-5)<br>t-butanol (CAS 75-65-0)  |
| <b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>  | Not listed.  |
| <b>CERCLA Hazardous Substances: Reportable quantity</b>  | Not listed.<br><br>Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee. |
| <b>Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List</b>  | Not regulated.   |
| <b>Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)</b>  | Not regulated.   |
| <b>Safe Drinking Water Act (SDWA)</b>  | Not regulated.   |
| <b>Food and Drug Administration (FDA)</b>  | Not regulated.   |
| <b>Superfund Amendments and Reauthorization Act of 1986 (SARA)</b>   |  |
| <b>Section 311/312 Hazard categories</b>   | Immediate Hazard - Yes<br>Delayed Hazard - Yes<br>Fire Hazard - No<br>Pressure Hazard - Yes<br>Reactivity Hazard - No  |
| <b>SARA 302 Extremely hazardous substance</b>  | No   |
| <b>US state regulations</b>  |  |
| <b>US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))</b> | butylene oxide (CAS 106-88-7)<br>n-propyl bromide (CAS 106-94-5)<br>t-butanol (CAS 75-65-0)  |
| <b>US. New Jersey Worker and Community Right-to-Know Act</b>   | acetonitrile (CAS 75-05-8)<br>butylene oxide (CAS 106-88-7)<br>carbon dioxide (CAS 124-38-9)<br>n-propyl bromide (CAS 106-94-5)<br>t-butanol (CAS 75-65-0)   |



**US. Massachusetts RTK - Substance List**

carbon dioxide (CAS 124-38-9)  
 n-propyl bromide (CAS 106-94-5)  
 t-butanol (CAS 75-65-0)

**US. Pennsylvania Worker and Community Right-to-Know Law**

acetonitrile (CAS 75-05-8)  
 butylene oxide (CAS 106-88-7)  
 carbon dioxide (CAS 124-38-9)  
 n-propyl bromide (CAS 106-94-5)  
 t-butanol (CAS 75-65-0)

**US. Rhode Island RTK**

acetonitrile (CAS 75-05-8)  
 butylene oxide (CAS 106-88-7)  
 carbon dioxide (CAS 124-38-9)  
 t-butanol (CAS 75-65-0)

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

**US - California Proposition 65 - CRT: Listed date/Developmental toxin**

n-propyl bromide (CAS 106-94-5) Listed: December 7, 2004

**US - California Proposition 65 - CRT: Listed date/Female reproductive toxin**

n-propyl bromide (CAS 106-94-5) Listed: December 7, 2004

**US - California Proposition 65 - CRT: Listed date/Male reproductive toxin**

n-propyl bromide (CAS 106-94-5) Listed: December 7, 2004

**Volatile organic compounds (VOC) regulations****EPA**

**VOC content (40 CFR 51.100(s))** 49.9 %

**Consumer products (40 CFR 59, Subpt. C)** Not regulated

**State**

**Consumer products** This product is regulated as a General Purpose Degreaser (aerosol). This product is not compliant to be sold for use in California, Delaware, New Hampshire, and the following counties in Utah: Box Elder, Cache, Davis, Salt Lake, Tooele, Utah and Weber. This product is compliant in all other states.

**VOC content (CA)** 49.9 %

**VOC content (OTC)** 49.9 %

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 11-10-2014

Material name: Super Degreaser™

03110 Version #: 03 Revision date: 01-03-2017 Issue date: 11-10-2014

SDS US

9 / 10

**Revision date** 01-03-2017  
**Prepared by** Allison Cho  
**Version #** 03  
**Further information** CRC # 435-435A  
**HMIS® ratings** Health: 2\*  
Flammability: 0  
Physical hazard: 0  
Personal protection: B  
**NFPA ratings** Health: 2  
Flammability: 0  
Instability: 0

**NFPA ratings**



**Disclaimer**

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc..

**Revision Information**

This document has undergone significant changes and should be reviewed in its entirety.