



# Material Safety Data Sheet

## Section 1: Product & Company Identification

**Product Name:** Quick Clean™ (Bulk)

**Product Number (s):** 03183, 03184

**Manufactured By:**

CRC Industries, Inc.  
885 Louis Drive  
Warminster, PA 18974  
[www.crcindustries.com](http://www.crcindustries.com)

General Information	(215) 674-4300
Technical Assistance	(800) 521-3168
Customer Service	(800) 272-4620
24-Hr Emergency (CHEMTREC)	(800) 424-9300

## Section 2: Hazards Identification

### Emergency Overview

Appearance & Odor: Colorless liquid, irritating odor at high concentrations

**DANGER**  
Vapor Harmful.

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

### Potential Health Effects:

- EYE:** May cause slight temporary eye irritation. Vapors may irritate the eyes at concentrations of 100 ppm.
- SKIN:** Short single exposure may cause skin irritation. Prolonged exposure may cause severe skin irritation, even a burn. A single prolonged exposure is not likely to result in the material being absorbed through skin in harmful amounts.
- INHALATION:** Dizziness may occur at concentrations of 200 ppm. Progressively higher levels may also cause nasal irritation, nausea, incoordination, and drunkenness. Very high levels or prolonged exposure could lead to unconsciousness and death.
- INGESTION:** Single dose oral toxicity is considered to be extremely low. Swallowing large amounts may cause injury if aspirated into the lungs. This may be rapidly absorbed through the lungs and result in injury to other body systems.
- CHRONIC EFFECTS:** Repeated contact with skin may cause drying or flaking of skin. Excessive or long term exposure to vapors may increase sensitivity to epinephrine and increase myocardial irritability.
- TARGET ORGANS:** Central nervous system. Possibly liver and kidney.

See Section 11 for toxicology and carcinogenicity information on product ingredients.

**Section 3: Composition/Information on Ingredients**

COMPONENT	CAS NUMBER	% by Wt.
Tetrachloroethylene (PERC)	127-18-4	100

**Section 4: First Aid Measures**

**Eye Contact:** Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

**Skin Contact:** Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.

**Inhalation:** Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.

**Ingestion:** Do NOT induce vomiting. Call a physician immediately.

*Note to Physicians:* Because rapid absorption may occur through lungs if aspirated and cause systemic effects, the decision of whether to induce vomiting or not should be made by a physician. If lavage is performed, suggest endotracheal and/or esophageal control. If burn is present, treat as any thermal burn, after decontamination. Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary. No specific antidote.

**Section 5: Fire-Fighting Measures**

**Flammable Properties:** This product is nonflammable.

Flash Point: None (TCC)                      Upper Explosive Limit: None  
 Autoignition Temperature: None                      Lower Explosive Limit: None

**Suitable Extinguishing Media:** This material does not burn. Use extinguishing agent suitable for surrounding fire.

**Products of Combustion:** Hydrogen chloride. Trace amounts of phosgene, and chlorine.

**Protection of Fire-Fighters:** Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

**Section 6: Accidental Release Measures**

**Personal Precautions:** Use personal protection recommended in Section 8. Do not breathe vapors.

**Environmental Precautions:** Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

## Section 7: Handling and Storage

Handling Procedures: Vapors of this product are heavier than air and will collect in low areas. Make sure ventilation removes vapors from low areas. Keep containers closed when not in use. Do not eat, drink or smoke while using this product. Do not cut, drill or weld on or near empty containers.

Storage Procedures: Store in a cool dry area out of direct sunlight.

Aerosol Storage Level: NA

## Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

COMPONENT	OSHA		ACGIH		OTHER		UNIT
	TWA	STEL	TWA	STEL	TWA	SOURCE	
Tetrachloroethylene	100	N.E.	25	100	N.E.		ppm
N.E. – Not Established      (c) – ceiling      (s) – skin      (v) – vacated							

Engineering Controls: Area should have ventilation to provide fresh air. Use local exhaust to prevent accumulation of vapors. Provide proper exhaust to remove vapors from low areas. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations

Respiratory Protection: None required for normal work where adequate ventilation is provided. Use NIOSH-approved self-contained positive pressure respirators in low circulation areas and for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as PVA, Teflon or Viton. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

## Section 9: Physical and Chemical Properties

Physical State: liquid

Color: colorless

Odor: irritating odor

Specific Gravity: 1.619

Initial Boiling Point: 250 F

Freezing Point: ND

Vapor Pressure: 13 mmHg @ 68 F

Vapor Density: 5.76 (air = 1)

Evaporation Rate: &gt; 1 (ether = 1)

Solubility: 0.015 g/ 100 g @ 77 F in water

pH: NA

Volatile Organic Compounds: wt %: 0 g/L: 0 lbs./gal: 0**Section 10: Stability and Reactivity**

Stability: Stable

Conditions to Avoid: Avoid direct sunlight or ultraviolet sources. Avoid open flames, welding arcs, and other high temperature sources which induce thermal decomposition.

Incompatible Materials: Avoid contact with metals such as: aluminum powders, magnesium powders, potassium, sodium, and zinc powder. Avoid unintended contact with amines. Avoid contact with strong bases and strong oxidizers.

Hazardous Decomposition Products: Hydrogen chloride, trace amounts of chlorine and phosgene

Possibility of Hazardous Reactions: No

**Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

**ACUTE EFFECTS**

<u>Component</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
tetrachloroethylene	LD50	> 10 g/kg	dermal	rabbit
tetrachloroethylene	LD50	2629 mg/kg	oral	rat
tetrachloroethylene	LC50	5200 mg/kg/4H	inhalation	mouse

**CHRONIC EFFECTS****Carcinogenicity:**

	<u>Component</u>	<u>Result</u>
OSHA:	Tetrachloroethylene	Hazard communication carcinogen
IARC:	Tetrachloroethylene	2A (Probably carcinogenic)
NTP:	Tetrachloroethylene	Reasonably anticipated to be a carcinogen

Mutagenicity: tetrachloroethylene  
in vitro studies were negative  
animal studies were negative

Other: None

**Section 12: Ecological Information**Ecotoxicity: Tetrachloroethylene -- 96 Hr LC50 Rainbow Trout: 5.28 mg/L (static)  
96 Hr LC50 Fathead minnow: 13.4 mg/L (flow-through)Persistence / Degradability: Biodegradation under aerobic conditions is below detectable limits.  
Biodegradation may occur under anaerobic conditions. Biodegradation rate may increase in soil and/or water with acclimation.

Bioaccumulation / Accumulation: Bioconcentration potential is low (BCF less than 100).

Mobility in Environment: Potential for mobility in soil is medium.

---

---

**Section 13: Disposal Considerations**

Disposal: This product is a RCRA hazardous waste for toxicity with the following potential waste codes: U210, F001, F002, D039. (See 40 CFR Part 261.20 – 261.33)  
If this waste is mixed with other wastes, the mixture will be a hazardous waste.

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

---

---

**Section 14: Transport Information**

Proper shipping description:

US DOT (ground):           **03183**      Tetrachloroethylene, 6.1, UN1897, PG III  
  **03184**      Tetrachloroethylene, 6.1, UN1897, PG III

Special Provisions:        Marine Pollutant

---

---

**Section 15: Regulatory Information**

**U.S. Federal**

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients:    Tetrachloroethylene (100 lbs)

**Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.**

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS):    None

Section 311/312 Hazard Categories:    Fire Hazard                            No  
  Reactive Hazard                    No  
  Release of Pressure                No  
  Acute Health Hazard                Yes  
  Chronic Health Hazard              Yes

Section 313 Toxic Chemicals:    This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  
  tetrachloroethylene (100%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs):    tetrachloroethylene

**State Regulations**

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: Tetrachloroethylene

State Right to Know:

New Jersey: tetrachloroethylene  
Pennsylvania: tetrachloroethylene  
Massachusetts: tetrachloroethylene  
Rhode Island : tetrachloroethylene

**Additional Regulatory Information:** None

---

**Section 16: Other Information**

NFPA: Health: 2 Flammability: 0 Reactivity: 0  
HMIS: Health: 2 Flammability: 0 Reactivity: 0 PPE: B

Prepared By: Michelle Rudnick  
CRC #: 491G  
Revision Date: August 7, 2006

Changes since last revision: Section 13 waste code revised

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service NA: Not Applicable  
ppm: Parts per Million ND: Not Determined  
TCC: Tag Closed Cup NE: Not Established  
PMCC: Pensky-Martens Closed Cup g/L: grams per Liter  
PPE: Personal Protection Equipment lbs./gal: pounds per gallon  
TWA: Time Weighted Average STEL: Short Term Exposure Limit  
OSHA: Occupational Safety and Health Administration  
ACGIH American Association of Governmental Industrial Hygienists  
NIOSH National Institute of Occupational Safety & Health