SAFETY DATA SHEET

1. Identification

Product identifier 7 Minute Radiator Rapid Flush

Other means of identification

Product code 401320

Recommended use Radiator cleaner Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

CRC Industries, Inc. Company name

885 Louis Dr. **Address**

Warminster, PA 18974 US

Telephone

General Information 215-674-4300 **Technical** 800-521-3168

Assistance

Customer Service 800-272-4620 24-Hour Emergency 800-424-9300 (US)

(CHEMTREC) 703-527-3887 (International) Website www.crcindustries.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

> Sensitization, skin Category 1 Reproductive toxicity Category 2

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

Not classified. **OSHA** defined hazards

Label elements





Signal word Warning

Hazard statement May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging fertility

or the unborn child. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Wash Response

contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical attention. If exposed or concerned: Get medical attention.

Storage Store locked up.

Disposal

Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national regulations.

None known.

Supplemental information

0.48% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 0.47% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	90 - 100
Tallow alkyl amines, ethoxylated		61791-26-2	1 - 3
Sodium Tetraborate Pentahydrate		12179-04-3	< 1
Sodium 2-mercaptobenzothiazole		2492-26-4	< 0.3
Sodium metasilicate		6834-92-0	< 0.2

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

General information

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. For product usage instructions, please see the product label.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGII	I Threshold	Limit Values
-----------	-------------	---------------------

Components	Туре	Value	Form
Sodium Tetraborate Pentahydrate (CAS 12179-04-3)	ntahydrate (CAS	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Cl	nemical Hazards		
Components	Туре	Value	
Sodium Tetraborate Pentahydrate (CAS	TWA	1 mg/m3	

Pentahydrate (CAS 12179-04-3)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Nitrile. Neoprene. Rubber.

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Yellow.
Odor Pleasant.
Odor threshold Not available.

pH 10

Melting point/freezing point 32 °F (0 °C) estimated

Initial boiling point and boiling 212 °F (100 °C) estimated

range

Flash point None (Tag Closed Cup)

Evaporation rate Slow.

Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

22.7 hPa estimated Vapor pressure

Vapor density Not available.

1 Relative density

Soluble. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Viscosity (kinematic) Not available. Percent volatile 99.4 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Product Species Test Results

7 Minute Radiator Rapid Flush

Acute Inhalation

LC50 Rat 645 mg/l, 4 Hours estimated

Oral

LD50 Rat 79956 mg/kg estimated

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: 7 Minute Radiator Rapid Flush 401320 Version #: 01 Issue date: 07-08-2015

^{*} Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Fish LC50 Fish 13.051 Components Species Test Residual Sodium 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m. Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	esults
Aquatic Acute Crustacea EC50 Daphnia 17.3368 Fish LC50 Fish 13.051 Components Species Test Re Sodium 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Acute Crustacea EC50 Daphnia 17.3369 Fish LC50 Fish 13.051 Components Species Test Re Sodium 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Crustacea EC50 Daphnia 17.3368 Fish LC50 Fish 13.051 Components Species Test Re Sodium 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Fish LC50 Fish 13.051 Components Species Test Re Sodium 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Components Species Test Residum 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	9 mg/l, 48 hours estimated
Sodium 2-mercaptobenzothiazole (CAS 2492-26-4) Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	mg/l, 96 hours estimated
Aquatic Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	esults
Acute Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Fish LC50 Trout family (Salmonidae) 1.3 - 2.4 Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Sodium metasilicate (CAS 6834-92-0) Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	4 mg/l, 96 hours
Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0 Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Fish LC50 Western mosquitofish (Gambusia affinis) 1800 m Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	
Sodium Tetraborate Pentahydrate (CAS 12179-04-3) Acute	.57 mg/l, 48 hours
Acute	g/l, 96 hours
Other LC50 Activated sludge, industrial 175 mg.	
	/I, 3 hours
Chronic	
Other NOEC Collembola 31 - 37	mg/kg, 35 days
Aquatic	
Acute	
Crustacea EC50 Water flea (Daphnia magna) 133 mg.	/I, 48 hours
Fish LC50 Flannelmouth sucker (Catostomus 125 mg. latipinnis)	/I, 96 hours
Chronic	
Crustacea NOEC Water flea (Daphnia magna) >= 6 mg	g/l, 21 days
Fish NOEC Zebra danio (Danio rerio) > 5.6 m	g/l, 34 days
Tallow alkyl amines, ethoxylated (CAS 61791-26-2)	
Aquatic	
Crustacea EC50 Water flea (Daphnia magna) 3.7 - 7.2	

Material name: 7 Minute Radiator Rapid Flush 401320 Version #: 01 Issue date: 07-08-2015

Components **Species Test Results** LC50 Fish Bluegill (Lepomis macrochirus) 1.1 - 1.6 mg/l, 96 hours

Bioaccumulative potential

Persistence and degradability

Partition coefficient n-octanol / water (log Kow)

Sodium Tetraborate Pentahydrate -0.757

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

No data is available on the degradability of this product.

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal of waste from residues / unused products

This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 - 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

^{*} Estimates for product may be based on additional component data not shown.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Section 311/312 Immediate Hazard - Yes
Hazard categories Delayed Hazard - Yes
Fire Hazard - No

Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Sodium Tetraborate Pentahydrate (CAS 12179-04-3)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Massachusetts RTK - Substance List

None.

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium hydroxide (CAS 1310-58-3)

US. Rhode Island RTK

None.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR

51.100(s))

Consumer products Not regulated

(40 CFR 59, Subpt. C)

State

VOC content (CA) 0 %

VOC content (OTC) 0 %

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	07-08-2015	
Prepared by	Allison Cho	

Material name: 7 Minute Radiator Rapid Flush

Version # 01

Further information CRC # 613A

HMIS® ratings Health: 1*
Flammability: 0

Physical hazard: 0
Personal protection: B

NFPA ratings Health: 1

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.