

MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: K&W Tannery Vintage Leather Care
Product Number (s): 40145, 74145, 73145, 73146

Manufactured By: CRC Industries, Inc. (215) 674-4300
885 Louis Drive, Warminster, PA 18974
24-Hour Emergency Information: CHEMTREC (800) 424-9300

Section 2: Composition/Information on Ingredients

Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Water	7732-18-5	NE	NE	NE	70 -80
Ethylene glycol monobutyl ether	111-76-2	20 ppm	50 ppm	5 ppm	< 2
Isopropyl alcohol	67-63-0	400 ppm	400 ppm	NE	< 2
Petroleum distillate, aliphatic	64742-47-8	200 mg/m3	NE	NE	10 -15

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: Milky-white with distinct leather-like odor

Danger: Eye Irritant

Potential Health Effects:

- Inhalation: High concentrations are irritating to respiratory system; may cause headache & dizziness.
- Eyes: Contact causes irritation.
- Skin: Brief contact may cause slight irritation. Prolonged contact may cause moderate redness, swelling of the conjunctiva.
- Ingestion: Moderately toxic: may cause headache, dizziness, diarrhea and general weakness

Carcinogenicity: OSHA: No IARC: No NTP: No
Chronic Overexposure: Acute effects are possible irritation and discomfort; no known chronic effects have been established.

Medical Conditions Aggravated by Exposure: Pre-existing skin, eye or respiratory disorders may become aggravated through prolonged exposure.

Section 4: First Aid Measures

- Inhalation: Remove to fresh air, provide oxygen if breathing is difficult; seek medical attention.
- Eyes: Flush with large amounts of water for 15 minutes.
- Skin: Remove contaminated clothing and wash area with soap and water.

Product Name: K&W Tannery Vintage Leather Care

Product Number (s): 40145, 74145, 73145, 73146

Ingestion: DO NOT induce vomiting. If vomiting occurs spontaneously, keep below hips to prevent aspiration of liquids into lungs. Call a physician immediately. Vomiting can be induced under Physician's supervision.

Section 5: Fire-Fighting Measures

Flashpoint: >200°F Method: TCC LEL: ND UEL: ND

Extinguishing Media: CO₂, dry chemical, water, water fog, and chemical foam.

Hazardous Combustion Products: Thermal decomposition may yield CO;CO₂

Fire-fighting Instructions: Cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat.

NFPA: Health: 1 Flammability: 1 Reactivity: 0
HMIS: Health: 1 Flammability: 1 Reactivity: 0 PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Storage Procedures: Store in a cool, dry area.

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State: Cream Appearance & Odor: Milky-white cream with distinct leather-like odor.
Specific Gravity: 0.954 Boiling Point: 212°F
Freezing Point: ND Vapor Pressure: 17 mm Hg @ 20°C
Evaporation Rate: <1 Vapor Density (air = 1) <1
pH: 6.5 – 7.5 Solubility: Emulsifiable
Volatile Organic Compounds:%: 2.37 g/L: 23 lbs./gal: 0.19

Product Name: K&W Tannery Vintage Leather Care
Product Number (s): 40145, 74145, 73145, 73146

Section 10: Stability and Reactivity

Stability: Stable Hazardous Polymerization: No
Chemical Incompatibilities: Strong oxidizers, Strong acids
Materials to Avoid: Extreme Temperature
Hazardous Decomposition Products:

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

Section 12: Ecological Information

Ecotoxicity: No data available.
Environmental Fate: No data available for biodegradation.

Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Section 14: Transportation Information

Shipping Name: Not Regulated
Hazard Class: None UN Number: NA Packing Group: NA
Label: NA Placard: NA
Special Provisions:

Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.
SARA Title III: Section 311/312: NA
Section 313*: Ethylene glycol monobutyl ether (glycol ethers)
CERCLA/Superfund (RQ): NA
Extremely Hazardous Substances: NA
California Prop 65: NA

* See section 2 for percentage

Product Name: K&W Tannery Vintage Leather Care

Product Number (s): 40145, 74145, 73145, 73146

Section 16: Additional Information

Prepared By: Michelle Milburn
Technical Information: (800) 521-3168

Date: April 26, 2005
CRC #: 911

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service
ppm: Parts per Million
TCC: Tag Closed Cup
LEL: Lower Explosive Limit
UEL: Upper Explosive Limit
PPE: Personal Protection Equipment

NA: Not Applicable
ND: Not Determined
NE: Not Established
g/L: grams per Liter
lbs./gal: pounds per gallon
RQ: Reportable Quantity