

# MATERIAL SAFETY DATA SHEET

## Section 1: Product & Company Identification

**Product Name:** K & W Disc Brake Quiet- Aerosol  
**Product Number (s):** 401610

Manufactured By: CRC Industries, Inc. (215) 674-4300  
885 Louis Drive, Warminster, PA 18974  
24-Hour Emergency Information: CHEMTREC (800) 424-9300

## Section 2: Composition/Information on Ingredients

Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Acetone	67-64-1	500 ppm	1000 ppm	NE	30-40
Methyl Ethyl Ketone	78-93-3	200 ppm	200 ppm	NE	10-20
Butane	106-97-8	800 ppm	800 ppm	NE	20-30
Propane	74-98-6	2500 ppm	1000 ppm	NE	<10
Toluene	108-88-3	50 ppm	100 ppm	NE	<10
Copper	7440-50-8	1 MG/M <sup>3</sup>	1 MG/M <sup>3</sup>	NE	<10

## Section 3: Hazards Identification

### Emergency Overview

Appearance & Odor: Slightly copper colored liquid with a carbon solvent odor.

Danger: Extremely Flammable. Harmful or Fatal if Swallowed. Eye Irritant. Vapor Harmful. Contents Under Pressure.

### Potential Health Effects:

Inhalation: Headache, dizziness, nausea, and loss of coordination. Extreme overexposure may result in unconsciousness.  
Eyes: Redness, itching, or burning.  
Skin: Redness, itching, or burning.  
Ingestion: NA

Carcinogenicity: OSHA: No IARC: No NTP: No

Chronic Overexposure: Long term overexposure may cause lung, liver or kidney damage, may affect central nervous system.

Medical Conditions Aggravated by Exposure: None generally recognized.

## Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.

Eyes: Flush with large amounts of water for 15 minutes. Call a physician.

Skin: Remove contaminated clothing and wash area with soap and water.

Ingestion: Call a physician. Do not induce vomiting.

## Section 5: Fire-Fighting Measures

Flashpoint: <0 °F Method: TCC LEL: 1.0 UEL: 12.8

Extinguishing Media: CO<sub>2</sub>, Dry Chemical, Foam  
 Hazardous Combustion Products: CO<sub>2</sub> and carbon monoxide (fire)  
 Fire-fighting Instructions: Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting. Aerosol cans may explode if exposed to extreme heat. Water spray may be ineffective. If water is used, fog nozzles are preferable. Water may be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.

NFPA:	Health:	2	Flammability:	4	Reactivity:	0	
HMIS:	Health:	2	Flammability:	4	Reactivity:	0	PPE: B

## Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

## Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

## Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

## Section 9: Physical & Chemical Properties

Physical State:	Liquid	Appearance & Odor:	Slightly copper colored liquid with a hydrocarbon solvent odor.	
Specific Gravity:	0.74	Boiling Point:	ND	
Freezing Point:	ND	Vapor Pressure:	ND	
Evaporation Rate:	Faster than Ether	Vapor Density (air = 1)	Heavier than air	
pH:	NA	Solubility:	N.A.	
Volatile Organic Compounds:%:	54.2	g/L:	397	lbs./gal: 3.31

## Section 10: Stability and Reactivity

Stability:	Stable	Hazardous Polymerization:	No
Chemical Incompatibilities:	Strong oxidizers.		
Materials to Avoid:	Strong oxidizers.		
Hazardous Decomposition Products:	None		

## Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

---

## Section 12: Ecological Information

Ecotoxicity: No data available.  
Environmental Fate: No data available for biodegradation.

---

## Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

---

## Section 14: Transportation Information

Shipping Name: Consumer Commodity  
Hazard Class: ORM-D UN Number: NA Packing Group: NA  
Label: NA Placard: NA  
Special Provisions: NA

---

## Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.  
SARA Title III: Section 311/312: Acute, Pressure Section 313\*: Acetone  
CERCLA/Superfund (RQ): NA  
Extremely Hazardous Substances: No  
California Prop 65: This product contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm.

- See section 2 for percentage
- 

## Section 16: Additional Information

Prepared By: Adam M. Selisker Date: May 5, 2000  
Technical Information: (800) 521-3168 CRC #: 562A  
This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
LEL:	Lower Exposure Limit	g/L:	grams per Liter
UEL:	Upper Exposure Limit	lbs./gal:	pounds per gallon
PPE:	Personal Protection Equipment	RQ:	Reportable Quantity
COC:	Cleveland Closed Cup		