CRC MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: Disc Brake Quiet (aerosol)

Product Number (s): 05017, 05017-6, 75017

Product Use: apply to brakes to decrease noise

Manufacturer / Supplier Contact Information:

In United States: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 <u>www.crcindustries.com</u> 1-215-674-4300(General) (800) 521-3168 (Technical) (800) 272-4620 (Customer Service) In Canada: CRC Canada Co. 2-1246 Lorimar Drive Mississauga, Ontario L5S 1R2 <u>www.crc-canada.ca</u> 1-905-670-2291 In Mexico: CRC Industries Mexico Av. Benito Juárez 4055 G Colonia Orquídea San Luís Potosí, SLP CP 78394 www.crc-mexico.com 52-444-824-1666

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

DANGER: Extremely Flammable. Harmful or Fatal if Swallowed. Eye and Skin Irritant. Contents Under Pressure. Appearance & Odor: Red liquid with a solvent odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: Direct spray or vapors will irritate and may harm eyes.

- SKIN: Product may cause redness, irritation and de-fatting of the skin. Prolonged exposure may cause severe irritation.
- INHALATION: High concentrations of vapors may irritate the nose and throat and cause symptoms of intoxication such as dizziness, nausea, or headache.
- INGESTION: Causes irritation, narcosis, and liver and kidney damage.

CHRONIC EFFECTS: Unknown

TARGET ORGANS: Liver, kidney

Medical Conditions Aggravated by Exposure: None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
Acetone	67-64-1	15 - 40
Ethyl acetate	141-78-6	1 – 5
Petroleum Distillates	64742-89-8	1 - 5
Hexane	110-54-3	15 - 40
Propane	74-98-6	15 - 40
Butane	106-97-8	15 - 40

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.

- Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
- Ingestion: Do NOT induce vomiting. Get medical attention immediately.

Note to Physicians: Treat symptomatically.

Section 5: Fire-Fighting Measures

	is product is extremely flamr ee 16 CFR 1500.3(c)(6)).	nable in accordance with	aerosol flammability definitions.
Flash Point:	< 20°F / -7°C (TCC)	Upper Explosive Limit:	
Autoignition Temperature:	ND	Lower Explosive Limit:	

Fire and Explosion Data:

Suitable Extinguishing Media: Foam, dry chemical (B – C), carbon dioxide

Products of Combustion: Oxides of carbon

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode. Vapors may accumulate in a confined space and create a flammable atmosphere.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Eliminate all sources of ignition. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Use with adequate ventilation. Keep out of reach of children. Do not smoke while using. Do not use near heat, sparks or open flame. Do not incinerate cans. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the product label.
Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F / 49°C to prevent cans from rupturing.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	OS	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Acetone	1000	NE	500	750	NE		ppm
Ethyl acetate	400	NE	400	NE	NE		ppm
Petroleum distillates	NE	NE	NE	NE	NE		
Hexane	500	NE	50	NE	NE		ppm
Propane	1000	NE	1000	NE	NE		ppm
Butane	800 (v)	NE	1000	NE	NE		ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Controls and Protection:

- Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations.
- Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.
- Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
- Skin Protection: Use protective gloves such as nitrile. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: liquid		
Color: red		
Odor: solvent		
Odor Threshold: ND		
Specific Gravity: 0.770 – 0.780		
Initial Boiling Point: 133°F / 56°C		
Freezing Point: ND		
Vapor Pressure: ND		
Vapor Density: ND (air = 1)		
Evaporation Rate: fast		
Solubility: insoluble in water		
Coefficient of water/oil distribution: ND		
pH: NA		
Volatile Organic Compounds: <u>wt %</u> : 59.5	<u>g/L</u> : 461	<u>lbs./gal</u> : 3.8

Section 10: Stability and Reactivity

Stability:StableConditions to Avoid:Open flames; temperatures above 120°F / 49°CIncompatible Materials:Strong oxidizersHazardous Decomposition Products:Oxides of carbon, hydrocarbonsPossibility of Hazardous Reactions:No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Acetone	5800 mg/kg	No data	50,100 mg/m ³ /8H
Ethyl acetate	5620 mg/kg	> 20 mL/kg	160 ppm/8H
Petroleum distillates	No data	No data	103 g/m³/4H
Hexane	28,710 mg/kg	3000 mg/kg	48,000 ppm/4H
Propane	No data	No data	No data
Butane	No data	No data	658 g/m³/4H

Product Name: Disc Brake Quiet (aerosol) Product Number (s): 05017, 05017-6, 75017

Chronic Toxicity:

<u>Component</u> Acetone	OSHA <u>Carcinogen</u> No	IARC <u>Carcinogen</u> No	NTP <u>Carcinogen</u> No	<u>Irritant</u> E & S (moderate) / R (mild)	Sensitizer Yes
Ethyl acetate	No	No	No	E (moderate) / S (mild)	Unknown
Petroleum distillates	No	No	No	E & R (mild) / S (moderate)	Unknown
Hexane	No	No	No	E, S & R (moderate)	Unknown
Propane	No	No	No	No	No
Butane	No	No	No	No	No

E – Eye S – Skin

R - Respiratory

Reproductive Toxicity:No information availableTeratogenicity:No information availableMutagenicity:No information availableSynergistic Effects:No information available

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:	hexane – 48 H	r EC50 water flea: 3.87 mg/L
	96 Hr	LC50 Lepomis macrochirus: 4.12 mg/L
Persistence / Degr	adability:	No information available
Bioaccumulation /	Accumulation:	No information available
Mobility in Environ	ment:	No information available

Section 13: Disposal Considerations

<u>Waste Classification</u>: The dispensed liquid product is a RCRA hazardous waste for the characteristic of ignitability with a waste code of D001. (See 40 CFR Part 261.20 – 261.33) Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground):	UN1950, Aerosols, flammable, 2.1, Limited Quantity**
ICAO/IATA (air):	UN1950, Aerosols, flammable, 2.1, Limited Quantity
IMO/IMDG (water):	UN1950, Aerosols, 2.1, Limited Quantity
Special Provisions:	**This product can be classified and labeled as 'Consumer Commodity, ORM-D' for domestic ground shipping until December 31, 2020. If shipping as limited quantity by ground, note that shipping papers are not required.

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: Ethyl acetate (5000 lbs), Acetone (5000 lb), Hexane (5000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III: Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard Reactive Hazard Release of Pressure Acute Health Hazard Chronic Health Hazard	Yes No Yes Yes No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: Hexane (< 40%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): Hexane

Occupational Safety and Health Administration (OSHA):

This product is regulated under the Hazard Communication Standard.

U.S. State Regulations:

<u>California Safe Drinking Water and Toxic Enforcement Act (Prop 65)</u>: This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: None

<u>Consumer Products VOC Regulations</u>: This product is not regulated.

State Right to Know:

New Jersey:	141-78-6, 110-54-3, 74-98-6, 106-97-8
Pennsylvania:	141-78-6, 110-54-3, 74-98-6, 106-97-8
Massachusetts:	141-78-6, 110-54-3, 74-98-6, 106-97-8
Rhode Island :	141-78-6, 110-54-3, 74-98-6, 106-97-8

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, B5, D2B

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

Product Name: Disc Brake Quiet (aerosol) Product Number (s): 05017, 05017-6, 75017

<u>RoHS Compliance</u>: This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

NFPA

0

Additional Regulatory Information: None

Section 16: Other Information

HMIS® (I	I)
Health:	1
Flammability:	4
Reactivity:	0
PPE:	В

Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By:	Michelle Rudnick
CRC #:	05017
Revision Date:	10/16/2014

Changes since last revision: Section 13: Disposal Considerations Section 14: Transport Information

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

- ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstract Service
- CFR: Code of Federal Regulations
- DOT: Department of Transportation
- DSL: Domestic Substance List
- g/L: grams per Liter
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods IMO: International Maritime Organization
- lbs./gal: pounds per gallon
- LC: Lethal Concentration
- LD: Lethal Dose

NA: Not Applicable ND: Not Determined NIOSH: National Institute of Occupational Safety & Health NFPA: National Fire Protection Association NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PMCC: Pensky-Martens Closed Cup PPE: **Personal Protection Equipment** Parts per Million ppm: RoHS: Restriction of Hazardous Substances Short Term Exposure Limit STEL: TCC: Tag Closed Cup TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Information System