



Material Safety Data Sheet

Section 1: Product & Company Identification

Product Name: Battery Cleaner with Indicator

Product Number (s): 05033

Manufactured By:

CRC Industries, Inc.
885 Louis Drive
Warminster, PA 18974
www.crcindustries.com

General Information	(215) 674-4300
Technical Assistance	(800) 521-3168
Customer Service	(800) 272-8963
24-Hr Emergency (CHEMTREC)	(800) 424-9300

Section 2: Hazards Identification

Emergency Overview

Appearance & Odor: Yellow foam, no odor

CAUTION

Contents under Pressure.

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

Potential Health Effects:

- EYE:** May cause mild irritation including redness and burning.
- SKIN:** Prolonged or repeated contact can cause irritation and defatting of the skin.
- INHALATION:** Inhalation of a small amount is not expected to cause health effects. Prolonged exposure may cause dizziness or throat irritation.
- INGESTION:** Ingestion of a small amount is not expected to cause health effects. Ingestion of a larger amount may cause irritation to gastrointestinal tract
- CHRONIC EFFECTS:** None known
- TARGET ORGANS:** None known

Medical Conditions Aggravated by Exposure:

Pre-existing skin or eye disorders

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
Water	7732-18-5	80 - 90
2-Butoxyethanol	111-76-2	2.9
Sodium bicarbonate	144-55-8	5 - 10
Detergent	various	< 1
Liquefied Petroleum Gas	68476-85-7	3 - 8

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.

Ingestion: Do not induce vomiting. Call a physician.

Note to Physicians: This product contains 2-Butoxyethanol which, if ingested in significant quantities, may result in red blood cell hemolysis.

Section 5: Fire-Fighting Measures

Flammable Properties: This product is non-flammable in accordance with aerosol flammability definitions (16 CFR 1500.3(c)(6)).

Flash Point:	None	Upper Explosive Limit:	ND
Autoignition Temperature:	None	Lower Explosive Limit:	ND

Suitable Extinguishing Media: Use extinguishing agents appropriate for surrounding fire.

Products of Combustion: None

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Use with adequate ventilation. Avoid contact with skin and eyes. Wash hands after use. Do not expose aerosol containers to heat or flame. Do not incinerate container.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to prevent cans from rupturing.

Aerosol Storage Level: I

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

COMPONENT	OSHA		ACGIH		OTHER		UNIT
	TWA	STEL	TWA	STEL	TWA	SOURCE	
Water	NE	NE	NE	NE	NE		
2-Butoxyethanol	50 (s)	NE	20	NE	NE		ppm
Sodium bicarbonate	NE	NE	NE	NE	NE		
Detergent	NE	NE	NE	NE	NE		
Liquefied Petroleum Gas	1000	NE	1000	NE	NE		ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Engineering Controls: Area should have ventilation to provide fresh air. Use local exhaust to prevent accumulation of vapors. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations

Respiratory Protection: None required for normal work where adequate ventilation is provided. Use NIOSH-approved self-contained positive pressure respirators in low circulation areas and for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile. Also use full protective clothing if there is prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: liquid
 Color: yellow foamy
 Odor: no odor
 Specific Gravity: 1.04
 Initial Boiling Point: ~ 212 F
 Freezing Point: ~ 32 F
 Vapor Pressure: ND
 Vapor Density: > 1 (air = 1)
 Evaporation Rate: < 1 (ether = 1)
 Solubility: soluble in water
 pH: 8.5
 Volatile Organic Compounds: wt %: 2.9 g/L: 30.16 lbs./gal: 0.25

Section 10: Stability and Reactivity

Stability: Stable
 Conditions to Avoid: Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.
 Incompatible Materials: Strong oxidizers
 Hazardous Decomposition Products: Carbon monoxide, carbon dioxide
 Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

ACUTE EFFECTS

<u>Component</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
2-Butoxyethanol	LC50	450 ppm/4H	Inhalation	Rat
2-Butoxyethanol	LD50	470 mg/kg	Oral	Rat
2-Butoxyethanol	LD50	220 mg/kg	Dermal	Rabbit

CHRONIC EFFECTS

Carcinogenicity:

	<u>Component</u>	<u>Result</u>
OSHA:	None listed	
IARC:	None listed	
NTP:	None listed	

Mutagenicity: No information

Other: No information

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:	<u>2-Butoxyethanol</u>	96 Hr LC50, Bluegill sunfish: 1490 mg/L 24 Hr LC50, daphnia: 1720 mg/L
Persistence / Degradability:	No information	
Bioaccumulation / Accumulation:	No information	
Mobility in Environment:	No information	

Section 13: Disposal Considerations

Disposal: The liquid product is not a RCRA hazardous waste. Aerosol containers should be emptied and depressurized before disposal. Empty containers may be recycled or discarded.

All disposal activities must comply with federal, state and local regulations. Local regulations may be more stringent than state or national requirements.

Section 14: Transport Information

Proper shipping description:

US DOT (ground): Consumer Commodity, ORM-D

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	No
	Reactive Hazard	No
	Release of Pressure	Yes
	Acute Health Hazard	Yes
	Chronic Health Hazard	No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
 2-Butoxyethanol (glycol ethers): 2.9%

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

State RegulationsCalifornia Safe Drinking Water and Toxic Enforcement Act (Prop 65):

NONE

State Right to Know:

New Jersey: 111-76-2, 68476-86-8
 Pennsylvania: 111-76-2, 68476-86-8
 Massachusetts: 111-76-2, 68476-86-8
 Rhode Island : 111-76-2, 68476-86-8

Additional Regulatory Information: None

Section 16: Other Information

NFPA:	Health: 1	Flammability: 0	Reactivity: 0	
HMIS:	Health: 1	Flammability: 0	Reactivity: 0	PPE: B

Prepared By: Michelle Rudnick
 CRC #: 530C
 Revision Date: 12/15/2005

Changes since last revision: New

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
PMCC:	Pensky-Martens Closed Cup	g/L:	grams per Liter
PPE:	Personal Protection Equipment	lbs./gal:	pounds per gallon
TWA:	Time Weighted Average	STEL:	Short Term Exposure Limit
OSHA:	Occupational Safety and Health Administration		
ACGIH	American Association of Governmental Industrial Hygienists		
NIOSH	National Institute of Occupational Safety & Health		