

SAFETY DATA SHEET

1. Identification

| 1. Idollillioution | | |
|-------------------------------|-----------------------------------|------------|
| Product identifier | Enginseal™ Engine Gasket Sealer | |
| Other means of identification | | |
| Product code | 05339 | |
| Recommended use | Engine gasket sealer | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplie | r/Distributor information | |
| Manufactured or sold by: | | |
| Company name | CRC Industries, Inc. | |
| Address | 885 Louis Dr. | |
| | Warminster, PA 18974 US | |
| Telephone | | |
| General Information | 215-674-4300 | |
| Technical | 800-521-3168 | |
| Assistance | | |
| Customer Service | 800-272-4620 | |
| 24-Hour Emergency | 800-424-9300 (US) | |
| (CHEMTREC) | 703-527-3887 (International) | |
| Website | www.crcindustries.com | |
| 2. Hazard(s) identificatio | n | |
| Physical hazards | Not classified. | |
| Health hazards | Serious eye damage/eye irritation | Category 2 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |
| | | |



| Signal word | Warning |
|--|--|
| Hazard statement | Causes serious eye irritation. |
| Precautionary statement | |
| Prevention | Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear eye/face protection. |
| Response | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| Storage | Store away from incompatible materials. |
| Disposal | Dispose of contents/container in accordance with local/regional/national regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|---------|
| Distillates (petroleum), hydrotreated heavy naphthenic | | 64742-52-5 | 80 - 90 |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| Inhalation | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | Rinse skin with water/shower. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
|---|---|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|--|
| Methods and materials for containment and cleaning up | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| | |

| Precautions for safe handling | Provide adequate ventilation. Avoid contact with eyes. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. For product usage instructions, please see the product label. |
|---|---|
| Conditions for safe storage, including any incompatibilities | Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Туре | Value | Form |
|--|------|------------|-------|
| Distillates (petroleum), nydrotreated heavy naphthenic (CAS 14742-52-5) | PEL | 5 mg/m3 | Mist. |
| | | 2000 mg/m3 | |
| | | 500 ppm | |

| US. ACGIH Threshold Lim Components | Туре | Value | Form |
|--|--|---|---|
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| US. NIOSH: Pocket Guide | to Chemical Hazards | | |
| Components | Туре | Value | Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | Ceiling | 1800 mg/m3 | |
| | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| ological limit values | No biological exposure limits noted for the ingredient(s). | | |
| opropriate engineering ontrols | Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. | pplicable, use process enclose tain airborne levels below reco | ures, local exhaust ventilation, ommended exposure limits. If |
| dividual protection measure | s, such as personal protective equipm | ent | |
| Eye/face protection | Wear safety glasses with side shields | s (or goggles). | |
| Skin protection | | | |
| Hand protection | Wear protective gloves such as: Nitri | le. Neoprene. | |
| Other | Wear suitable protective clothing. | | |
| Respiratory protection | If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels. | | |
| Thermal hazards | Wear appropriate thermal protective | clothing, when necessary. | |
| eneral hygiene onsiderations | Always observe good personal hygie and before eating, drinking, and/or s | | |

9. Physical and chemical properties

| Liquid. |
|--------------------------------------|
| Liquid. |
| Light yellow. |
| Mild. |
| Not available. |
| Not available. |
| -40 °F (-40 °C) estimated |
| 620.6 °F (327 °C) estimated |
| > 315 °F (> 157.2 °C) Tag Closed Cup |
| Slow. |
| Not available. |
| plosive limits |
| Not available. |
| Not available. |
| 0.1 hPa estimated |
| > 5 (air = 1) |
| 0.91 |
| |

| Solubility (water) | Negligible. |
|--|-----------------------------|
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | 600 °F (315.6 °C) estimated |
| Decomposition temperature | Not available. |
| Viscosity (kinematic) | Not available. |
| Percent volatile | 87 % estimated |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | Carbon oxides. Sulfur oxides. |

11. Toxicological information

| Information on likely routes of | exposure |
|--|---|
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | Prolonged skin contact may cause temporary irritation. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |

Information on toxicological effects

| information on toxicological ene | 013 | | |
|--|--|----------------------|--|
| Acute toxicity | Not available. | | |
| Product | Species | Test Results | |
| Enginseal™ Engine Gasket Sealer | | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rat | 2300 mg/kg estimated | |
| Oral | | | |
| LD50 | Rat | 5750 mg/kg estimated | |
| * Estimates for product may be | based on additional component data not shown. | | |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | | |
| Respiratory sensitization | Not a respiratory sensitizer. | | |
| Skin sensitization | This product is not expected to cause skin sensitization. | | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. | | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | | |
| Specific target organ toxicity - single exposure | Not classified. | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | |
| Aspiration hazard | Not an aspiration hazard. | | |

12. Ecological information

| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Species Test Results | | | |
|--|---|---|-----------------------------|--|
| Components | | | Test Results | |
| Distillates (petroleum), hydro | treated heav | vy naphthenic (CAS 64742-52-5 | 5) | |
| Aquatic | | | | |
| Acute | | | | |
| Fish | LC50 | Fathead minnow (Pimepl | hales promelas) >30000 mg/l | |
| * Estimates for product may | be based on | additional component data not | shown. | |
| Persistence and degradability | No data i | No data is available on the degradability of this product. | | |
| Bioaccumulative potential | No data a | No data available. | | |
| Mobility in soil | No data available. | | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | | |
| 13. Disposal consideration | ons | | | |
| Disposal of waste from residues / unused products | container | This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. | | |
| Hazardous waste code | Not regul | lated. | | |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is | | | |

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

emptied. Empty containers should be taken to an approved waste handling site for recycling or

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

disposal.

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

| Food and Drug | Not regulated. |
|----------------------|----------------|
| Administration (FDA) | |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| Section 311/312 Hazard categories | Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No |
|---|---|
| SARA 302 Extremely hazardous substance | No |

US state regulations

- US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))
 - Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)
- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

US. Massachusetts RTK - Substance List

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Sulfur dioxide (CAS 7446-09-5)

US. Rhode Island RTK

None.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

| | (CAS 7446-09-5) | Sulfur dioxide |
|--|-----------------|----------------|
|--|-----------------|----------------|

Listed: July 29, 2011

Volatile organic compounds (VOC) regulations

EPA

| VOC content (40 CFR 51.100(s)) | 87 % |
|--|---------------|
| Consumer products (40 CFR 59, Subpt. C) | Not regulated |
| State | |

| Consumer products | Not regulated |
|-------------------|---------------|
| VOC content (CA) | 0 % |
| VOC content (OTC) | 0 % |

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|---|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |

Country(s) or region

Inventory name

On inventory (yes/no)* Yes

United States & Puerto Rico

erto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 05-26-2015 |
|---------------------|--|
| Prepared by | Allison Cho |
| Version # | 01 |
| Further information | CRC # 641D |
| HMIS® ratings | Health: 1 Flammability: 1 Physical hazard: 0 Personal protection: B |
| NFPA ratings | Health: 1 Flammability: 1 Instability: 0 |
| NFPA ratings | |

Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.