CRC MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: MARYKATE® Fiberglass Rubbing Compound

Product Number (s): MK64

Product Use: rubbing compound for marine vessels

Manufacturer / Supplier Contact Information:

In United States: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 <u>www.crcindustries.com</u> 1-215-674-4300(General) (800) 521-3168 (Technical) (800) 272-4620 (Customer Service) In Canada: CRC Canada Co. 2-1246 Lorimar Drive Mississauga, Ontario L5S 1R2 <u>www.crc-canada.ca</u> 1-905-670-2291 In Mexico: CRC Industries Mexico Av. Benito Juárez 4055 G Colonia Orquídea San Luís Potosí, SLP CP 78394 www.crc-mexico.com 52-444-824-1666

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

WARNING: Combustible.

As defined by OSHA's Hazard Communication Standard, this product is hazardous. Appearance & Odor: Viscous tan paste with an aliphatic hydrocarbon odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: Contact with eyes can cause irritation, redness and blurred vision.

- SKIN: Contact with skin can cause irritation (minor itching, burning, and/or redness), defatting and redness.
- INHALATION: Inhalation of vapors can cause dizziness.
- INGESTION: Ingestion of product can cause nausea, vomiting and abdominal cramps.
- CHRONIC EFFECTS: None known
- TARGET ORGANS: None known

Medical Conditions Aggravated by Exposure: None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
Water	7732-18-5	35 – 55
Tripoli	1317-95-9	20 - 30
Medium Aliphatic Hydrocarbon	64742-88-7	10 - 20
Silica	7631-86-9	5.0 - 10
Mineral Oil	8012-95-1	2.0-8.0
Stearic Acid	57-11-4	1.0 - 5.0

Section 4: First Aid Measures

Eye Contact:	Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.
Skin Contact:	Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.
Inhalation:	Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
Ingestion:	Do NOT induce vomiting. Give water to dilute. Call a physician.
Note to Physicians:	Treat symptomatically.

Section 5: Fire-Fighting Measures

 Flammable Properties:
 As defined by OSHA, this product is a Class IIIA Combustible Liquid.

 Flash Point:
 144 F (COC)
 Upper Explosive Limit:
 ND

 Autoignition Temperature:
 ND
 Lower Explosive Limit:
 ND

Fire and Explosion Data:

Suitable Extinguishing Media: Dry chemical, CO₂, foam, and water fog

Products of Combustion: Oxides of carbon

Explosion Hazards: Containers, when exposed to heat from fire, may build pressure and rupture.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate

respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: After handling product, always wash hands and face before consuming food or beverages or using smoking materials. For product use instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Containers should be tightly closed while in storage.

Aerosol Storage Level: NA

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	OS	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Water	NE	NE	NE	NE	NE		
Tripoli	0.1	NE	0.1	NE	NE		mg/m ³
Medium Aliphatic Hydrocarbon	100	NE	100	NE	NE		ppm
Silica	0.1 (v)	NE	NE	NE	NE		mg/m ³
Mineral Oil	5*	NE	5*	10*	NE		mg/m ³
Stearic Acid	NE	NE	NE	NE	NE		
N.E. – Not Established	(c) – ce	iling (s)) – skin	(v) – va	cated	* – oil mist	

Controls and Protection:

Engineering Controls:	Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations.
Respiratory Protection:	None required for normal work where adequate ventilation is provided. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.
Eye/face Protection:	For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin Protection:	Use protective gloves such as neoprene, nitrile or latex. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: viscous paste Color: tan Odor: aliphatic hydrocarbon odor

Odor Threshold: Specific Gravity: Initial Boiling Point:	ND 1.272 ND						
Freezing Point:	ND						
Vapor Pressure:	ND						
Vapor Density:	> 1	(air = '	1)				
Evaporation Rate:	slow						
Solubility: compl	ete in water						
Coefficient of water/o	oil distribution:	ND					
pH: 7.84							
Volatile Organic Con	npounds: <u>w</u>	/ <u>t %</u> :	0.98	<u>g/L</u> :	12.5	<u>lbs./gal:</u>	0.10

Section 10: Stability and Reactivity

Stability:StableConditions to Avoid:None knownIncompatible Materials:Strong acids and oxidizersHazardous Decomposition Products:Oxides of carbonPossibility of Hazardous Reactions:No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Water	No data	No data	No data
Tripoli	No data	No data	No data
Medium Aliphatic Hydrocarbon	25,000 mg/kg	No data	No data
Silica	No data	No data	No data
Mineral Oil	22 g/kg	No data	No data
Stearic Acid	No data	5 g/kg	No data

Chronic Toxicity:

	OSHA	IARC	NTP		
<u>Component</u>	<u>Carcinogen</u>	Carcinogen	Carcinogen	Irritant	Sensitizer
Water	No	No	No	No	No
Tripoli	No	No	No	Unknown	Unknown
Medium Aliphatic Hydrocarbon	No	No	No	E (mild) /	Unknown
				S (moderate)	
Silica	No	No	No	Unknown	Unknown
Mineral Oil	No	No	No	Unknown	Unknown
Stearic Acid	No	No	No	Unknown	Unknown

E – Eye S – Skin R - Respiratory

Reproductive Toxicity:	No information available
Teratogenicity:	No information available
Mutagenicity:	No information available
Synergistic Effects:	No information available

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:	No information available		
Persistence / Degr	adability:	No information available	
Bioaccumulation /	Accumulation:	No information available	
Mobility in Environ	ment:	No information available	

Section 13: Disposal Considerations

<u>Waste Classification</u>: This product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33) Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): Consumer Commodity, ORM-D

ICAO/IATA (air): Consumer Commodity, ID 8000, 9

- IMO/IMDG (water): Flammable solids, organic, N.O.S. (Petroleum Hydrocarbons), UN1325, 4.1, PGIII, Limited Quantity
- Special Provisions: None

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA): All ingredients are either listed on the TSCA inventory or are exempt.

<u>Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)</u>: Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III: Section 302 Extremely Hazardous Substances (EHS): None

Re	Release of Pressure Acute Health Hazard	No No Yes No
----	--	-----------------------

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

None

<u>Clean Air Act:</u> Section 112 Hazardous Air Pollutants (HAPs): None

U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65): This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: None

<u>Consumer Products VOC Regulations</u>: This product is not regulated.

State Right to Know:

New Jersey:	1317-95-9, 8012-95-1
Pennsylvania:	1317-95-9, 7631-86-9, 8012-95-1
Massachusetts:	1317-95-9, 8012-95-1
Rhode Island :	1317-95-9, 8012-95-1

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: Not Regulated

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

<u>RoHS Compliance</u>: This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

NFPA

0

Additional Regulatory Information: None

Section 16: Other Information

HMIS® (II)		
Health:	1	
Flammability:	1	
Reactivity:	0	
PPE:	В	

Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By:Michelle RudnickCRC #:MK64Revision Date:02/01/2010

Changes since last revision: Section 14: IMDG Shipping Information revised

Product Name: MARYKATE® Rubbing Compound

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

- ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstract Service
- CFR: Code of Federal Regulations
- DOT: Department of Transportation
- DSL: Domestic Substance List
- g/L: grams per Liter
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods
- IMO: International Maritime Organization
- lbs./gal: pounds per gallon
- LC: Lethal Concentration
- LD: Lethal Dose

- NA: Not Applicable
- ND: Not Determined
- NIOSH: National Institute of Occupational Safety & Health
- NFPA: National Fire Protection Association
- NTP: National Toxicology Program
- OSHA: Occupational Safety and Health Administration
- PMCC: Pensky-Martens Closed Cup
- PPE: Personal Protection Equipment
- ppm: Parts per Million
- RoHS: Restriction of Hazardous Substances
- STEL: Short Term Exposure Limit
- TCC: Tag Closed Cup
- TWA: Time Weighted Average
- WHMIS: Workplace Hazardous Materials Information System