

MATERIAL SAFETY DATA SHEET

FICHE SIGNALÉTIQUE

CRC CANADA INC.

1246 LORIMAR DRIVE UNIT #2, MISSISSAUGA, ONT. (905) 670-2291 FAX (905) 670-5941

PRODUCT IDENTIFIER: Marine Dry Lube (Aerosol)

PART NO: 76114

PRODUCT USE: Lubricant

PROPER SHIPPING NAME: N.ap

UN NUMBER: N.ap

TDG CLASS: N.ap

WHMIS CLASS: B5, D2B

MANUFACTURED BY: CRC INDUSTRIES INC.

885 LOUIS DRIVE

WARMINSTER, PA. 18974

USA

EMERGENCY PHONE NUMBER: (215) 674-4300

PAGE 1 OF 2

SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	CAS NUMBER	LD 50 OF INGREDIENT (SPECIES & ROUTE)	LC 50 OF INGREDIENT (SPECIES & ROUTE)
Polytetrafluoroethylene	<2	9002-84-0	N.av	N.av
Hexane isomers	20-30	various	N.av	N.av
n-Hexane	1.8	110-54-3	N.av	N.av
Isopropyl Alcohol	25-35	67-63-0	N.av	N.av
Hydrocarbon propellant	40-50	68476-86-8	N.av	N.av

SECTION 3 - PHYSICAL DATA

PHYSICAL STATE: Liquid

BOILING POINT: 60°C

VAPOUR PRESSURE: N.av

EVAPOURATION RATE: Fast

ODOUR & APPEARANCE: Hazy white suspension, alcohol odour.

COEFF. WATER / OIL DIST.: Negligible in water.

SPECIFIC GRAVITY: 0.73

FREEZING POINT: N.av

VAPOUR DENSITY (AIR=1): >1

PH: N.av

SECTION 4 - FIRE & EXPLOSION DATA

FLAMMABILITY: Yes

MEANS OF EXTINCTION: Carbon dioxide, dry chemical, foam.

FLASH POINT (°C): <-6°C

FLAMMABILITY LIMITS (% BY VOLUME)

AUTOIGNITION TEMP.: N.av

SENSITIVITY TO STATIC DISCHARGE: N.av

HAZARDOUS COMBUSTION PRODUCTS : Carbon dioxide, carbon monoxide.

UNDER WHAT CONDITIONS: Class B, Div 5

METHOD: TCC

UPPER: 9.5 **LOWER:** 1.9

SENSITIVITY TO IMPACT: N.av

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: Stable

INCOMPATIBILITY WITH OTHER SUBSTANCES: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: See HAZARDOUS COMBUSTION PRODUCTS.

REACTIVITY AND UNDER WHAT CONDITIONS: N.av

PRODUCT IDENTIFIER: Marine Dry Lube (Aerosol)

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY: Inhalation, skin, eyes.

EFFECTS OF ACUTE EXPOSURE: Inhalation - headaches, nausea, dizziness, anaesthesia, unconsciousness and other central nervous system effects including death.. Skin - irritation. Eyes - may cause mild irritation and redness. Ingestion - -main hazard is aspiration into the respiratory system during swallowing or vomiting.

EFFECTS OF CHRONIC EXPOSURE: Prolonged overexposure may cause liver and kidney effects and nervous system damage.

EXPOSURE LIMITS: TLV

CARCINOGENICITY: None known

TERATOGENICITY: None known

MUTANOGENICITY: None known

IRRITANCY OF PRODUCT:

SYNERGISTIC PRODUCTS: None known

REPRODUCTIVE TOXICITY: None known

SENSITIZATION TO PRODUCT: None known

SECTION 7 - PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

GLOVES: Solvent resistant

FOOTWEAR: No

RESPIRATOR: Self contained above TLV.

ENGINEERING CONTROLS: Use mechanical means to keep concentration below TLV.

LEAK & SPILL PROCEDURE: Remove sources of ignition, ventilate, absorb with absorbent, place in closed container.

WASTE DISPOSAL: Dispose of in accordance with Local, Provincial, and Federal Regulations.

HANDLING PROCEDURES & EQUIPMENT: N.ap

STORAGE REQUIREMENTS: Cool dry area

SPECIAL SHIPPING INFORMATION: Consumer Commodity by road or rail only.

EYES (SPECIFY): Safety glasses

CLOTHING: No

SECTION 8 - FIRST AID MEASURES

1. INHALATION : Remove to fresh air, apply artificial respiration if necessary.

2. EYE : Flush for 15 minutes with large amounts of water.

3. SKIN : Wash affected area with soap and water.

4. INGESTION : **DO NOT INDUCE VOMITING.** Call physician or poison control centre.

SECTION 9 - PREPARATION DATE OF MSDS

PREPARED BY: Michelle Rudnick

PHONE NUMBER: (905) 670-2291

CRC# 670A

DATE: May 16, 2008

FAX NUMBER: (905) 670-5941