

# MATERIAL SAFETY DATA SHEET

## Section 1: Product & Company Identification

**Product Name:** Briggs & Stratton Battery Terminal Protector  
**Product Number (s):** 100068 (CRC Part #09729)

Manufactured By: CRC Industries, Inc. (215) 674-4300  
885 Louis Drive, Warminster, PA 18974  
24-Hour Emergency Information: CHEMTREC (800) 424-9300

## Section 2: Composition/Information on Ingredients

Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Inhibited Paraffinic Oil	Mixture	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	(mist)	5 - 15
Petrolatum	8009-03-8	NE	NE	NE	10 - 20
Xylene	1330-20-7	100 ppm	100 ppm	NE	2 - 6
Petroleum Distillate	8052-41-3	100 ppm	100 ppm	NE	10-20
Isohexanes	107-83-5	500 ppm	500 ppm	NE	20 - 30
n-Hexane	110-54-3	50 ppm	50 ppm	NE	2.1
Heptane	142-82-5	400 ppm	400 ppm	NE	5 - 10
Ethylbenzene	100-41-4	100 ppm	100 ppm	NE	0.8
Hydrocarbon propellant	68476-86-8	1000 ppm	1000 ppm	NE	25-35

## Section 3: Hazards Identification

### Emergency Overview

Appearance & Odor: Red viscous liquid.

Danger: Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

### Potential Health Effects:

Inhalation: Headaches, dizziness, nausea and anesthesia.  
Eyes: Irritation, burning  
Skin: Irritation, drying  
Ingestion: Gastrointestinal discomfort

Carcinogenicity: OSHA: Yes IARC: Yes NTP: No  
Chronic Overexposure: Dermatitis  
Medical Conditions Aggravated by Exposure: NA

## Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.

Eyes: Flush with large amounts of water for 15 minutes.

Skin: Remove contaminated clothing and wash area with soap and water.

Ingestion: Call a physician. Do not induce vomiting.

---

--  
Section 5: Fire-Fighting Measures

Flashpoint: <0 °F      Method: TCC      LEL: 1.7      UEL: 9.0  
Extinguishing Media: CO<sub>2</sub>, dry chemical and foam  
Hazardous Combustion Products: Thermal – carbon monoxide  
Fire-fighting Instructions: Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting. Aerosol cans may explode if heated above 120°F.

NFPA:      Health:      2      Flammability:      4      Reactivity:      0  
HMIS:      Health:      2      Flammability:      4      Reactivity:      0      PPE:      B

---

--  
Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

---

--  
Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Aerosol Level: III

---

--  
Section 8: Exposure Controls/Personal Protection

Engineering Controls: Provide local ventilation adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Not necessary for normal conditions of use. Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus if vapors are above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

---

--  
Section 9: Physical & Chemical Properties

CRC Part #09729

Physical State:	Liquid	Appearance & Odor:	Red viscous liquid
Specific Gravity:	0.745	Boiling Point:	138°F - 144 °F approximate
Freezing Point:	ND	Vapor Pressure:	ND
Evaporation Rate:	NA	Vapor Density (air = 1)	> air
pH:	NA	Solubility:	Negligible in water

Volatile Organic Compounds:%: 78.3      g/L: 583      lbs./gal: 4.86

---

--  
Section 10: Stability and Reactivity

Stability: Stable      Hazardous Polymerization: No  
Chemical Incompatibilities: Strong oxidizers.  
Conditions to Avoid: Temperature extremes  
Hazardous Decomposition Products: None

---

--  
Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

---

--  
Section 12: Ecological Information

Ecotoxicity: No data available.  
Environmental Fate: No data available for biodegradation.

---

--  
Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

---

--  
Section 14: Transportation Information

Shipping Name: Consumer Commodity  
Hazard Class: ORM-D      UN Number: NA      Packing Group: NA  
Label: NA      Placard: NA  
Special Provisions: NA

---

--  
Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.  
SARA Title III: Section 311/312: Acute, Fire, Pressure  
Section 313\*: n-Hexane, Xylene, Ethylbenzene  
CERCLA/Superfund (RQ): NA

CRC Part #09729

Extremely Hazardous Substances:

No

California Prop 65:

This product contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm.

\* See section 2 for percentage

-----  
--

Section 16: Additional Information

Prepared By: Michelle Rudnick

Date: November 21, 2006

Technical Information: (800) 521-3168

CRC #: 00597L

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service

NA: Not Applicable

ppm: Parts per Million

ND: Not Determined

TCC: Tag Closed Cup

NE: Not Established

LEL: Lower Explosive Limit

g/L: grams per Liter

UEL: Upper Explosive Limit

lbs./gal: pounds per gallon

PPE: Personal Protection Equipment

RQ: Reportable Quantity

COC: Cleveland Closed Cup