



I. Product Description

Label & Adhesive Remover is a unique, biodegradable, formula that is extremely effective for removing adhesives and contaminants without requiring water wash off and without leaving a residue. **Label & Adhesive Remover** evaporates quickly and is non-corrosive, non-abrasive and non-staining. It features a pleasant citrus scent and has a 360° spray valve which allows the user to spray in any direction.

II. Applications

Recommended for the effective removal of labels, adhesives, inks, grease, oil, and tar. Removes adhesive residue from computers, keyboards, printers, telephones, fax machines, and various other types of office equipment.

III. Features & Benefits

- **Pleasant citrus odor.**
- **360° Valve.** Product can be sprayed from any position.
- **Leaves No Residue.** Prevents harmful buildup on equipment and eliminates wiping and rinsing.
- **Fast Evaporation.**
- **Biodegradable.**
- **No Class I or II Ozone Depleting Chemicals.** Offers strong alternative to 1,1,1-Trichloroethane products while complying with the EPA regulations on the use of ozone depleting chemicals.

IV. Physical Properties without propellant

Flash Point	110° F TCC		Boiling Point	315-325°F	
Odor	Pleasant Citrus		Freezing Point	Not determined	
Appearance	Colorless liquid		Solubility	Negligible	
VOC Content (Fed)	<u>Aerosol</u> 790 g/L	<u>Bulk</u> 820 g/L	VOC %	<u>Aerosol</u> 96.5%	<u>Bulk</u> 100%
Vapor Density	ND		Specific Gravity	0.82	
Sara Title III, Sect. 313 Chemicals	No		Evaporation Rate	4-5 minutes (conductor dependent)	
Prop 65	No		pH	N/A	

V. Specifications and Approvals

- N/A

VI. Performance Characteristics

ASTM D-1130 (KB Value)	54
ASTM D-877 (Dielectric Strength)	35,000 volts
ASTM D-56 (Flash Point)	110°F (TCC)

VII. Directions

- May be harmful to some plastics or paints.
- Test on small area before using.
- If in doubt, call the manufacturer of the equipment.
- Do not use on sensitive electronic equipment such as computers, tape decks or VCRs. Use a CRC precision contact cleaner.
- To remove grease, oil, glue, tar and other contaminants, spray product directly onto label or surface to be treated.
- Allow the solvent to penetrate the label or adhesive residue.
- Gently scrape label or adhesive from surface.
- If necessary, repeat application until area is clean.
- **For personal safety, do not use while equipment is energized.**

VIII. Package Description

Part Number	Container Size
04045	16 oz Aerosol

IX. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

X. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120° F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.