



I. Product Description

Anti-Static Screen & Keyboard Cleaner controls static, and cleans in one application. It's formulated to be versatile and safe enough to use on your most delicate glass surfaces. **Anti-Static Screen & Keyboard Cleaner** is strong enough to quickly cut through the toughest dirt, dust, fingerprint and haze deposits. Additionally, its professional strength formula even contains a foaming agent that allows for greater coverage and less run-off when cleaning vertical surfaces.

Anti-Static Screen & Keyboard Cleaner is biodegradable, ready to use, foaming, non-abrasive, non-flammable, industrial strength & non-ozone depleting.

II. Applications

Recommended for use on computers, computer screens, keyboards, printers, copiers, fax machines, cabinets and most other office equipment.

NOTE: Not for use on LCD, Anti-glare and mesh screens.

III. Features & Benefits

- **Foaming Spray Pattern.** Clings to vertical surfaces & minimizes run-off.
- Removes fingerprints, grease, oils, inks and smoke film.
- Compatible with plastics, glass and stainless steel.
- **Non-Abrasive.** Will not scratch or score equipment finish.
- **Non-Flammable.** Aqueous formulation reduces risk of fire (see MSDS for details).
- **Non-Streaking**

IV. Physical Properties

Flash Point	None	Boiling Point	212°F (initial)
Odor	Alcohol	Freezing Point	30°F
Appearance	Clear liquid	Solubility	Soluble in H ₂ O
Vapor Density	Not Determined	% Solids	ND
VOC Content (Fed)	118 g/L	VOC %	12%
Sara Title III, Sect. 313 Chemicals	No	Specific Gravity	0.987
Prop 65	No	pH	10.5

V. Specifications and Approvals

- N/A

VI. Directions

- Shake can well.
- Apply **Anti-Static Screen & Keyboard Cleaner** to a soft cloth and wipe surface to be cleaned.
- Wipe clean with a lint-free cloth, sponge or paper towel.
- For very dirty surfaces, allow product to penetrate the soil for 30 to 60 seconds.

VII. Package Description

Part Number	Container Size
04050	16 oz Aerosol

VIII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations. DO NOT dump in sewers, floor drains, on the ground or into any body of water.

IX. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120° F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short-term and long-term exposure, review the Material Safety Data Sheet for this product.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.
Technical Service: (800)521-3168

Industrial Products Division
Customer Service: (800)272-4620

Warminster, PA 18974
CRC On-Line: (215)442-6260