

I. Product Description

CRC Blue Layout Fluid applies a smooth even coat for all layout work. The dark blue fluid dries very quickly, sticks to both metal and glass and allows you to scribe sharp precise lines. CRC Blue Layout Fluid is non-flaking, non-etching and will not peel.

II. Applications

Recommended for use by tool and die makers, machinists, pattern makers and maintenance mechanics.

III. Features & Benefits

- Dries very quickly
- Sticks to metal and glass
- Allows user to scribe sharp, precise lines
- Prevents glare with a uniform deep color
- Non-flaking, Non-peeling

IV. Physical Properties

Flash Point	<0°F TCC	Boiling Point	<0-395°F
Odor	Aromatic/Ketone	Freezing Point	ND
Appearance	Blue, Clear Liquid	Solubility	NA
Vapor Density	>1 (air = 1)	% Solids	4.7% by wt
VOC Content (Fed)	329 g/L	VOC %	44.3
Sara Title III, Sect. 313 Chemicals	Yes	Specific Gravity	0.75
Prop 65	Yes		

V. Specifications and Approvals

- N/A

VI. Directions

1. Clean surface thoroughly with CRC Layout Fluid Remover.
2. Mask area not to be sprayed.
3. Shake can well until actuator ball breaks loose.
4. For best results use at temperature (70°F).
5. Spray from 6" to 8" from surface to be coated.
6. Use short fan strokes. A thin coating is best for clean, sharp lines.
7. When finished spraying, clean valve by turning can upside down and pressing actuator

VII. Package Description

Part Number	Container Size
03066	16 oz Aerosol

VIII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations. DO NOT dump in sewers, floor drains, on the ground or into any body of water.

IX. Special Use Warnings

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short-term and long-term exposure, review the Material Safety Data Sheet for this product.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.
Technical Service: (800)521-3168

Industrial Products Division
Customer Service: (800)272-4620

Warminster, PA 18974
CRC On-Line: (215)442-6260