



I. Product Description

CRC Anti-Stat is an extremely effective surface active spray that dissipates static electricity and also prevents it from returning. A light coating of Anti-Stat eliminates static charges immediately. It dries instantly, is non-staining and will not attract dust or other contaminants.

II. Applications

Recommended for use on circuit boards, work surfaces, electronic equipment, test equipment, metal rollers, drive belts, scanners, printing presses, sheet cutters, paper machinery and various other applications where static electricity can cause problems.

III. Features & Benefits

- Dissipates static electricity
- Retards static build-up
- Dries Quickly
- Will not attract dust or other contaminants
- Suitable for glass, most plastics, metal and fiber surfaces

IV. Physical Properties

Flash Point	<20°C	Boiling Point	131°-142°F
Odor	Solvent	Freezing Point	ND
Appearance	Colorless	Solubility	Not Soluble in Water
Vapor Density	ND	% Solids	0.56
VOC Content (Fed)	660 g/L	VOC %	99.4%
Sara Title III, Sect. 313 Chemicals	Yes	Specific Gravity	0.664
Prop 65	No	pH	NA

V. Specifications and Approvals

N/A

VI. Directions

1. Safe on most plastics. Test on sensitive plastics like Lexan.
2. Hold can 8" to 12" away from surface to be treated.
3. Spray surface with a light even film.
4. Do not apply while equipment is energized.

VII. Package Description

Part Number	Container Size
14501	16 oz Aerosol

VIII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations. DO NOT dump in sewers, floor drains, on the ground or into any body of water.

IX. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120° F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short-term and long-term exposure, review the Material Safety Data Sheet for this product.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.
Technical Service: (800)521-3168

Industrial Products Division
Customer Service: (800)272-4620

Warminster, PA 18974
CRC On-Line: (215)442-6260