



I. Product Description

Insta-Solv™ is a low VOC, non-chlorinated degreaser for use in industrial and electrical applications. Its fast-evaporating formula aggressively dissolves grease, dirt, and oils from most non-plastic surfaces. **Insta-Solv™** is chemically stable, non-conductive and non-corrosive. **Insta-Solv™** evaporates rapidly and leaves no residue.

II. Applications

Recommended for effective cleaning and degreasing of oils, dirt, and grease from motors, chains, cables, gears, generators, power tools and heavy equipment. Not recommended for use on some sensitive plastics and painted surfaces, test first.

III. Features & Benefits

- **Excellent all around metal parts cleaner**
- **Extremely Low VOC Content**
- **Complies with SCAQMD Rule 1171**
- **CARB/OTC Compliant**
- **Fast Evaporation, No Residue.** Minimizes downtime associated with “clean-in-place” cleaning methods
- **Non-Conductive.** Product will not conduct potentially harmful static electricity
- **Non-Corrosive.** Product will not corrode sensitive or high-tech metals
- **NSF K1 Registered for use in meat and poultry plants.**
- **M.S.D.[L.]™ - Material Safety Data Label.** Provides instant access to current safety information should an accident or OSHA inspections occur. Helps comply with **OSHA Hazard Communications Standard 29 CFR 1910.1200**

IV. Physical Properties

Flash Point	<0° F	Boiling Point	132° F
Odor	Ketone	Freezing Point	<-100°F
Appearance	Clear, colorless	Solubility	Slightly in water
Vapor Density	2 (air=1)	VOC %	2.7%
Vapor Pressure	~186 mmHg @ 68°F	Specific Gravity	0.789 @ 70°F
VOC Content (Fed)	21.3 g/L	Propellant	CO ₂
Sara Title III, Sect. 313 Chemicals	No		
Prop 65	Yes		

V. Specifications and Approvals

- NSF Registration #140887, Category Codes K1 for use in meat and poultry plants.

VI. Performance Characteristics

ASTM D-1130 (KB Value)

| 112

VII. Directions

- **For personal safety, do not apply while equipment is energized.**
- May be harmful to some plastics and painted surfaces. Test on small area before using. Do not use on sensitive electronic equipment such as tape decks, VCRs, computers, etc. Use one of CRC's precision cleaner products.
- To remove grease, oil, hydraulic fluids and related contaminants, spray until clean. For hard to reach areas, use the extension tube. For heavier soils, apply product and allow to penetrate for several minutes. Re-apply and soil should lift off.
- Air dry or dry with a clean absorbent cloth.
- If necessary, repeat application.
- Allow to dry thoroughly and vent before reactivating system.

VIII. Package Description

Part Number	Container Size
03100	20 oz Aerosol

IX. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

X. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120° F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

Flammability

CAUTION: Liquid product may collect and pool during use. Vapors and/or liquid from pooled material may ignite when exposed to an ignition source. Isolate all ignition sources before and during use. Follow all directions carefully before reactivating system.

General

Use only in well-ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.
Technical Service: (800) 521-3168

Industrial Products Division
Customer Service: (800) 272-4620

Warminster, PA 18974
CRC On-Line: (215) 442-6260