



## ***I. Product Description***

**CRC Inner Slide Lube** is specially formulated to cohere to fork lift inner slide rails, providing long lasting smooth operation over extended periods. It is designed to lubricate, increase slide motion, and protect against rust and corrosion of fork lift inner slide rails.

## ***II. Applications***

Designed specifically for use on fork lift inner slides.

## ***III. Features & Benefits***

- **Contains Moly** which provides cling ability to avoid sling-off or excess dripping.
- **Withstands Extreme Pressure.** Will not break down or separate at extreme pressure.
- **Heavy Duty Formula** lowers friction and prevents galling.
- **Extends Equipment Life** by preventing destructive metal-to-metal contact.

## ***IV. Physical Properties***

<b>Flash Point</b>	20°F (TCC)	<b>Boiling Point</b>	175°F (Initial)
<b>Odor</b>	Solvent	<b>Solubility</b>	Slight in water
<b>Appearance</b>	Black liquid	<b>Specific Gravity</b>	0.70
<b>Vapor Density</b>	>1 (air=1)	<b>Type of Film</b>	Non-Drying
<b>VOC Content (Fed)</b>	61.4%	<b>Propellant</b>	Hydrocarbon
<b>Sara Title III, Sect. 313 Chemicals</b>	None	<b>Prop 65</b>	None

## ***V. Specifications and Approvals***

- Not Applicable

## ***VI. Directions.***

**Read entire label before using this product**

- Do not apply while equipment is energized
- Shake well before use
- Spray in generous even coats
- Completely cover fork lift inner slide rails

## ***VII. Package Description***

<b>Part Number</b>	<b>Container Size</b>
05305	16 Oz. Aerosol

## ***VIII. Disposal***

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

## ***IX. Special Use Warnings***

### **Aerosol Cans**

Do not puncture, incinerate or store above 120°F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

### **General**

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

**DISCLAIMER:** This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.  
Technical Service: (800)521-3168

Industrial Products Division  
Customer Service: (800)272-4620

Warminster, PA 18974  
CRC On-Line: (215)442-6260