



I. Product Description

CRC Food Grade Hydraulic Oil is formulated with USP grade white oils. This NSF H1 Registered food grade hydraulic oil is engineered to meet the demanding requirements of severe hydraulic systems using high pressure and high output pumps.

II. Applications

- Great for use in all types of food processing facilities
- Hydraulic Systems
- Gears
- Bearings
- Vacuum Pumps
- Slide Ways & Chains

III. Features & Benefits

- NSF H1 Registered for incidental food contact
- Excellent compatibility with elastomers, seals, plastics, and paints
- Complies with FDA 21 CFR 178.3570

IV. Physical Properties

| | | | |
|--------------------------|--------------|--|-------------|
| Flash Point | 505°F TCC | Pour Point | 10°F |
| Odor | Mild | Specific Gravity | 0.88 |
| Appearance | Clear Liquid | Prop 65 | No |
| ISO Grade | 100 | Sara Title III, Sect. 313 Chemicals | No |
| Viscosity @ 40°C | 103 | VOC | 0% |
| Viscosity @ 100°C | 10.6 | Working Temperature | 5°F – 375°F |

V. Specifications and Approvals

- NSF Registration #145592 Category Code H1 for use in meat and poultry plants
- This product is certified OU Kosher Pareve
- This product is Halal certified

VI. Directions

Fill to manufacturer's recommendations.

VII. Package Description

| Part Number | Container Size |
|--------------------|-----------------------|
| 04228 | 5 gallon pail |
| 04229 | 55 gallon drum |

VIII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

IX. Special Use Warnings

General

Use only in well-ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure; review this product's Material Safety Data Sheet.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

*CRC Industries, Inc.
Technical Service: (800)521-3168*

*Industrial Division
Customer Service: (800)272-4620*

*Warminster, PA 18974
CRC On-Line: (215)442-6260*