



## ***I. Product Description***

**HydroForce® Foaming Degreaser** uses an exclusive formula that blends the power of HydroForce® with a rich, foamy, aqueous-based cleaner. Using a super foaming formula, **HydroForce® Foaming Degreaser** clings to tough vertical or inverted surface soils without runs or drips. Its foaming action covers dirt, dust, grease, ink and grime with powerful cleaning agents that instantly begin to lift-off and eliminate the deposits. With a quick, easy wipe, **HydroForce® Foaming Degreaser** cleans the surface and leaves behind a non-sticky, squeaky clean surface with no annoying odors.

**HydroForce® Foaming Degreaser** is non-corrosive (pH = 9), non-abrasive, non-flammable, industrial strength & non-ozone depleting. It is aggressive enough to remove rubber marks, grease and grime while remaining gentle enough for painted and plastic surfaces.

## ***II. Applications***

**HydroForce® Foaming Degreaser** is perfect for maintenance equipment, painted surfaces, chrome & stainless steel metallic parts and heavy machinery.

## ***III. Features & Benefits***

- **Foaming.** Aqueous cleaner dispenses in a rich foam.
- **Maximum Clingability.** Minimizes runs and drips by clinging to vertical or inverted surfaces.
- **No Fragrance.**
- **Non-Abrasive.** Will not scratch or score equipment finish.
- **Non-Flammable.** Aqueous formulation reduces risk of fire (see SDS for details).
- **Low VOC Content.** Reduces contributions to ground smog by volatile organic compounds.
- **No Class I or II Ozone Depleting Chemicals.** Offers exceptional cleaning alternative to chlorinated products while complying with EPA regulations on the use of CFCs.

## ***IV. Physical Properties***

<b>Flash Point</b>	None	<b>Boiling Point</b>	212°F (initial)
<b>Odor</b>	Mild	<b>Freezing Point</b>	-103°F (-75°C)
<b>Appearance</b>	White foam	<b>Solubility</b>	Soluble in H <sub>2</sub> O
<b>Vapor Density</b>	Not Determined	<b>VOC %</b>	9.7%
<b>VOC Content (Fed)</b>	100.2 g/L	<b>% Solids</b>	4.6%
<b>Sara Title III, Sect. 313 Chemicals</b>	Yes	<b>Specific Gravity</b>	1.04
<b>Prop 65</b>	No	<b>pH</b>	9.1

## V. Directions

- Before applying, pre-test on a hidden section of surface to be cleaned for color fastness and surface integrity.
- Shake well and spray **HydroForce® Foaming Degreaser** on surface to be cleaned.
- Allow foam to set for 10 to 30 seconds.
- Wipe or rinse clean with water or a lint-free cloth, sponge or paper towel.

## VI. Package Description

Part Number	Container Size
14428	20 oz Aerosol

## VII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations. DO NOT dump in sewers, floor drains, on the ground or into any body of water.

## VIII. Special Use Warnings

### Aerosol Cans

Do not puncture, incinerate or store above 120°F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

**DISCLAIMER:** This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.  
Technical Service: (800)521-3168

Industrial Products Division  
Customer Service: (800)272-4620

Warminster, PA 18974  
CRC On-Line: (215)442-6260