



### ***I. Product Description***

**CRC® Battery Cleaner with Acid Indicator** cleans battery cases, connectors, terminals, hold downs and carriers. Its water-soluble formula is designed to remove corrosion quickly and economically while neutralizing acid. It easily identifies acid leaks by turning from yellow to pink.

### ***II. Applications***

Recommended to effectively clean battery cases, connectors, terminals, hold downs, and carriers.

### ***III. Features & Benefits***

- **Effectively Eliminates Corrosion.** Promotes longer battery life while neutralizing acid spills.
- **Water Soluble Formula.** Aids in ease of clean-up.
- **Reduces Voltage Leakage.** Lowers amount of related contaminants.
- **Assures Maximum Battery Current Flow.** Ensures optimum performance.
- Available in **12 oz. aerosol** cans for controlled application of product.

### ***IV. Physical Properties without propellant***

Flash Point	None	Boiling Point	approx 212°F/100°C
Odor	No odor	Freezing Point	approx 32°F/0°C
Appearance	Yellow Liquid	Solubility	Soluble in Water
Sara Title III, Sect. 313 Chemicals	Yes	VOC %	7.9%
Prop 65	No	pH	8.5
Specific Gravity	1.04	Propellant	Hydrocarbon
VOC Content (Fed)	82.16 g/L		

### ***V. Packaging Descriptions***

05023	11 t oz
-------	---------

### ***VI. Directions***

- Shake can well before using.
- Spray liberally over battery surface and all corroded areas.
- Do not spray into battery cells.
- If any acid is present, foam will turn to pink.
- Allow CRC® Battery Cleaner with Acid Indicator to soak for a few minutes.
- Use wire brush to remove heavy deposits on terminal or protectors.
- Flush with water.
- Reapply to ensure that all acid has been removed and rinse again.
- Wipe dry with cloth or paper towel.
- For extended protection, spray clean terminals with CRC® Battery Terminal Protector #05046.

## VII. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state, and federal regulations.

## VIII. Special Use Warnings

### Aerosol Cans

Do not puncture, incinerate or store above 120°F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

### General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Safety Data Sheet.

**DISCLAIMER:** This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.  
Technical Service: (800)521-3168

Automotive Products Division  
Customer Service: (800)272-8963

Warminster, PA 18974  
CRC On-Line: (215)442-6260