

CRC Fast Dry Degreaser

DIRECTIONS: Read entire label before using this product. 1. For personal safety, do not apply while equipment is energized. 2. Do not use on modern plastics such as LEXAN®, ABS and Noryl®. Do not use on sensitive electronic equipment. Use a CRC Precision Cleaner. 3. Shut-off or disconnect power supply and be sure all stored energy has been drained from the system. 4. For heavily soiled or corroded surfaces, brush with a mild abrasive before using Fast Dry Degreaser. 5. Spray until clean and allow cleaner to run off surface. Use an intermittent spray pattern to dislodge trapped contaminants. 6. Air dry or wipe with a dry, absorbent cloth. 7. Allow electrical equipment to dry thoroughly and vent before reenergizing system.

INSTRUCCIONES: Lea la etiqueta completa antes de usar este producto. 1. Por razones de seguridad personal, no aplique el producto mientras el equipo esté conectado. 2. No utilice sobre plásticos modernos tales como LEXAN®, ABS y Noryl®. No lo utilice en equipos electrónicos delicados. Utilice un limpiador de precisión de CRC. 3. Corte o desconecte el suministro de energía y asegúrese de haber eliminado del sistema toda la energía almacenada. 4. Para superficies extremadamente sucias o corroídas, cepille con un producto abrasivo suave antes de usar Desengrasante de secado rápido. 5. Rocíe hasta que quede limpio y deje que el limpiador desaparezca de la superficie. Utilice un patrón de rocío intermitente para desprender los contaminantes que hayan quedado atrapados. 6. Seque al aire o con un trapo seco y absorbente. 7. Deje que el equipo eléctrico seque completamente y ventile antes de conectar nuevamente el sistema.

Danger: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes skin and serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility. May cause damage to organs (nervous system, upper respiratory tract, skin, eyes) through prolonged or repeated exposure.



Precautionary Statements: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not apply while equipment is energized. Pressurized container. Do not pierce or burn, even after use. Extinguish all flames, pilot lights and heaters. Vapors will accumulate readily and may ignite. Use only with adequate ventilation; maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not breathe gas. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. Dispose of contents/container in accordance with local/regional/national regulations.

First Aid: If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If exposed or concerned: Get medical attention.

Contains Acetone (67-64-1), Hydrotreated light naphtha (64742-49-0), 2-Methylpentane (107-83-5), Carbon dioxide (124-38-9) and n-Hexane (110-54-3). Deliberate abuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

Electrical Shock Hazard: This can will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

Peligro: Aerosol extremadamente inflamable. Contiene gas a presión; puede explotar si se calienta. Puede ser mortal en caso de ingestión y de penetración en las vías respiratorias. Provoca irritación cutánea. Provoca irritación ocular grave. Puede provocar somnolencia o vértigo. Susceptible de perjudicar la fertilidad. Puede provocar daños en los órganos (sistema nervioso, vías respiratorias superiores, piel, ojos) tras exposiciones prolongadas o repetidas.

Consejos de prudencia: Recabar instrucciones especiales antes de su uso. No manipular antes de haber leído y comprendido todas las precauciones de seguridad. Mantener lejos de calor/chispas/lamas al descubierto/superficies calientes. - No fumar. No rocíe sobre una llama abierta u otra fuente de ignición. No aplique el producto sobre un equipo conectado. Recipiente presurizado: No perforar ni quemar, aun después del uso. Apague todas las llamas, pilotos y calefactores. El vapor se acumulará rápidamente y puede inflamarse. Utilice solo con ventilación adecuada; mantenga la ventilación durante la utilización del producto hasta que el vapor haya desaparecido. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se esté secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. No respire gases. No respire neblina o vapor. Lávese cuidadosamente después de la manipulación. Usar guantes /documentaria protectora/equipo de protección para los ojos/la cara. Almacenar en lugar bien ventilado. Guardar bajo llave. Proteger de la luz solar. No exponer a temperaturas superiores a 50 °C/122 °F. La exposición a altas temperaturas puede provocar que la lata estalle. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes.

Primeros Auxilios: En caso de ingestión: Llamar inmediatamente a un centro de toxicología o a un médico. No provoque vómitos. En caso de contacto con la piel: Lavar con abundante agua. Si ocurre irritación de la piel: Busque atención médica. Quitar la ropa contaminada y lavarla antes de volver a usarla. En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGÍA o a un médico si la persona se encuentra mal. En caso de contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si persiste la irritación de los ojos: Busque atención médica. En caso de exposición demostrada o supuesta: Busque atención médica.

Su mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto.

Peligro de Descarga Eléctrica: Esta lata conduce la electricidad. Mantenga fuera del alcance de todas las fuentes eléctricas vivas, incluso bornes de baterías, solenoides, tableros eléctricos y otros componentes electrónicos. Pasar por alto esta advertencia puede derivar en lesiones graves provocadas por fuego explosivo y/o descarga eléctrica.

Not for use in California. See SDS for additional state sales restrictions.

©2016 CRC Industries, Inc., 885 Louis Dr., Warminster, PA 18974 Made in USA. 16A CRC# 463D/E
800-321-3168 (Technical Information) • 800-272-4620 (Customer Care) • 215-442-6260 (SDS) www.crcindustries.com



Fast Dry Degreaser

Desengrasante de secado rápido

Non-Chlorinated
Fast Evaporation
Leaves No Residue
Removes Grease and Oil

No Clorado
Rápida Evaporación
No Deja Residuos
Elimina la Grasa y el Aceite



Nonfood Compounds
Program Listed
Category Code: K2
Reg.# 017214



DANGER: EXTREMELY
FLAMMABLE. HARMFUL
OR FATAL IF SWALLOWED.
CAUSES SKIN AND EYE IRRITATION.
CONTENTS UNDER PRESSURE.
KEEP AWAY FROM CHILDREN.
Read warnings on back panel.

PELIGRO: EXTREMAMENTE
INFLAMABLE. SU INGESTIÓN ES
PERJUDICIAL O MORTAL. PROVoca
IRRITACIÓN CUTÁNEA Y OCULAR.
CONTENIDO BAJO PRESIÓN.
MANTENGA FUERA
DEL ALCANCE DE LOS NIÑOS.
Lea las advertencias en el dorso.



No. 02185

Net Wt. / Peso Neto
14 oz (397 g)

To review S.D.S.: Tear (DO NOT CUT) label along these perforations and fold back label. After viewing, reattach label. Do not completely remove label until can is empty. Para revisar la Hoja de Datos de Seguridad (HDS): Rasgue (NO CORTE) la etiqueta siguiendo estas perforaciones y obbiela hacia atrás. Al terminar, vuelva a pegar la etiqueta. No la retire completamente hasta que la lata esté vacía.

1. Identification

Product identifier: Fast Dry Degreaser

Product code 02185

Recommended use General purpose degreaser

Restrictions None known.

Manufactured or sold by: CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

Phone: 215-674-4300

Emergency phone number CHEMTREC - 24 HOURS: 800-424-9300

2. Hazard(s) identification

Physical hazards Flammable aerosols (Category 1)
Gases under pressure (Compressed gas)

Health hazards Skin corrosion/irritation (Category 2)
Serious eye damage/eye irritation (Category 2)
Reproductive toxicity (Category 2 fertility)
Specific target organ toxicity, single exposure (Category 3 narcotic effects)
Specific target organ toxicity, repeated exposure (Category 2)
Aspiration hazard (Category 1)

Label elements (see front side of label)

3. Composition/information on ingredients

Hazardous components

Chemical name	CAS number	%
Acetone	67-64-1	40 – 50
Hydrotreated light naphtha	64742-49-0	30 – 40
2-Methylpentane	107-83-5	5 – 10
Carbon dioxide	124-38-9	5 – 10
n-Hexane	110-54-3	1 – 3

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects May cause drowsiness, dizziness, headache, nausea and vomiting. Skin and severe eye irritation. Aspiration may cause pulmonary edema and pneumonitis.

Special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Water fog. Carbon dioxide (CO₂). Dry chemical powder. Sand. Earth.

Unsuitable extinguishing media None known.

Specific hazards Extremely flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur.

Special protective equipment and precautions for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions Do not touch damaged containers or spilled material unless wearing appropriate protective equipment. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

Containment and cleaning up Eliminate all ignition sources. Keep combustibles away from spilled material. Absorb in vermiculite, dry sand, earth or other absorbent material and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

7. Handling and storage

Handling Pressurized container: Do not pierce or burn, even after use. When using, do not eat, drink or smoke. Do not get in eyes, on skin, or on clothing. Avoid breathing gas, mist or vapor. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

Storage Store in a cool, dry place (below 122°F/50°C) and out of direct sunlight. Store in a well-ventilated place. Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Avoid spark promoters.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value
Acetone	TWA	500 ppm
Carbon dioxide	TWA	5000 ppm
n-Hexane	TWA	50 ppm
2-Methylpentane	TWA	500 ppm

Appropriate engineering controls Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures:

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection Wear protective gloves such as nitrile, Viton®, PVC. Wear appropriate clothing to prevent skin contact.

Respiratory protection If needed, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Wear positive pressure self-contained breathing apparatus (SCBA) in case of emergency.

9. Physical and chemical properties

Appearance Clear colorless liquid.

Odor threshold Not available.

Melting point/freezing point -245 °F (-154 °C)

Flash point < 0 °F (< -18 °C) Tag Closed Cup

Explosive limit - lower (%) 1

Vapor pressure 4544 hPa

Relative density 0.77

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature 489 °F (254 °C)

Decomposition temperature Not available.

VOC (Weight %): 46.3% (2.8 lbs/gal, 332.5 g/l)

Odor Solvent.

pH Not available.

Initial boiling point 118°F (48 °C)

Evaporation rate Fast

Explosive limit - upper (%) 12.8

Vapor density > 1 (Air = 1)

Solubility(ies) Negligible.

Viscosity Not available.

10. Stability and reactivity

Reactivity Non-reactive

Possibility of hazardous reactions No

Conditions to avoid Heat, flames and sparks. Incompatible materials.

Incompatible materials Acids and bases. Amines. Ammonia. Halogens. Peroxides. Reducing agents. Strong oxidizing agents.

Hazardous decomposition products Carbon oxides.

Chemical stability Stable

11. Toxicological information

Information on likely routes of exposure:

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness, dizziness, headache, nausea and vomiting.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Skin and severe eye irritation. Narcotic effects. Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects:

Acute toxicity May be fatal if swallowed and enters airways. Narcotic effects.

Respiratory sensitization Not available.

Skin sensitization Not expected to cause skin sensitization.

Carcinogenicity Not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

Reproductive toxicity Suspected of damaging fertility.

Aspiration hazard If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.

12. Ecological information

See full SDS for additional information

13. Disposal considerations

Disposal instructions This material must be disposed of as hazardous waste.

Hazardous waste code D001: Waste Flammable liquid

14. Transport information

DOT shipping description: UN1950, Aerosols, flammable, 2.1, limited quantity

15. Regulatory information

SARA 313 n-Hexane

See full SDS for additional information

16. Other information

Issue date 8/19/2014

CRC #463D/E

Version # 01