



# Spray Adhesive

## Spray Adhesivo

Minimal Soak-In  
High Tack Formula  
Good Water Resistance

Absorción mínima  
Fórmula de alto poder  
de fijación  
Buena resistencia al agua

Recommended for foam, foils, plastics,  
papers, cardboard, and cloths  
Recomendado para poliestireno, papel  
metálico, plástico, papel, cartón y tela

**DIRECTIONS: Read entire label before using this product. 1. Do not use on energized equipment. 2. Shake well before using. 3. Always direct spray tip toward the surface to be bonded. 4. Hold can 6-8 inches from surface to be sprayed. 5. Apply a light uniform coat of adhesive to surface. 6. For POROUS substrates, apply two coats in opposite directions. 7. For PERMANENT bonds, apply a heavy coat to both surfaces, let dry for 3 to 5 minutes and press substrates together. 8. For NON-PERMANENT bonds, apply a light coating to one surface only, let dry for 5 minutes and bond. 9. After use, invert can and depress spray tip until spray is free of adhesive. 10. If clogged, clean with petroleum distillate.**

**INSTRUCCIONES: Lea la etiqueta completa antes de usar este producto. 1. No use este producto en equipos con corriente eléctrica. 2. Agitar bien antes de usar. 3. Siempre dirija la punta de pulverización hacia la superficie a ser adherida. 4. Sujete la lata de 6 a 8 pulgadas de la superficie a pulverizarse. 5. Aplicar una capa ligera uniforme de adhesivo a la superficie. 6. Para sustratos POROSOS, aplicar dos capas en direcciones opuestas. 7. Para adherencias PERMANENTES, aplicar una capa gruesa a ambas superficies, secar durante 3 a 5 minutos y apretar los sustratos el uno contra el otro. 8. Para adherencias NO PERMANENTES, aplicar una capa ligera a solo una superficie, dejar secar durante 5 minutos y unir. 9. Después del uso, invierta la lata y libere la punta de pulverización hasta que el spray esté libre de adhesivo. 10. Si se tapa, limpiar con destilado de petróleo.**

**Danger:** Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of damaging fertility. May cause damage to organs (Brain, Central nervous system) through prolonged or repeated exposure.



**Precautionary Statements:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not apply while equipment is energized. Pressurized container: Do not pierce or burn, even after use. Extinguish all flames, pilot lights and heaters. Vapors will accumulate readily and may ignite. Use only with adequate ventilation; maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not breathe gas, mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. Dispose of contents/container in accordance with local/regional/national regulations.

**First Aid:** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If exposed or concerned: Get medical attention.

Contains n-Hexane (110-54-3), Acetone (67-64-1), n-Butane (106-97-8) and Propane (74-98-6). This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

**Electrical Shock Hazard:** This can will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

**Peligro:** Aerosol extremadamente inflamable. Contiene gas a presión; puede explotar si se calienta. Provoca irritación ocular grave. Puede irritar las vías respiratorias. Puede provocar somnolencia o vértigo. Susceptible de perjudicar la fertilidad. Puede provocar daños en los órganos (Bárin, Sistema nervioso central) tras exposiciones prolongadas o repetidas.

**Consejos de Prudencia:** Recabar instrucciones especiales antes de su uso. No manipular antes de haber leído y comprendido todas las precauciones de seguridad. Mantener lejos de calor/chispas/lamas al descubierto/superficies calientes. - No fumar. No rocíe sobre una llama abierta u otra fuente de ignición. No aplique el producto sobre un equipo conectado. Recipiente presurizado: No perforar ni quemar, aun después del uso. Apague todas las lamas, pilotos y calefactores. El vapor se acumulará rápidamente y puede inflamarse. Utilice solo con ventilación adecuada; mantenga la ventilación durante la utilización del producto hasta que el vapor haya desaparecido. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se esté secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. No respire gases. No respire neblina o vapor. Lávese cuidadosamente después de la manipulación. Usar guantes /indumentaria protectora/equipo de protección para los ojos/la cara. Almacenar en lugar bien ventilado. Guardar bajo llave. Proteger de la luz solar. No exponer a temperaturas superiores a 50 °C/122 °F. La exposición a altas temperaturas puede provocar que la lata estalle. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes.

**Primeros Auxilios:** En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGÍA o a un médico si la persona se encuentra mal. En caso de contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si persiste la irritación de los ojos: Busque atención médica. En caso de exposición demostrada o supuesta: Busque atención médica.

Este producto contiene componentes químicos que en el Estado de California se conoce como una causa de cáncer y defectos de nacimiento u otros daños reproductivos. Su mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto.

**Peligro de Descarga Eléctrica:** Esta lata conduce la electricidad. Mantenga fuera del alcance de todas las fuentes eléctricas vivas, incluso bormes de baterías, solenoides, tableros eléctricos y otros componentes electrónicos. Pasar por alto esta advertencia puede derivar en lesiones graves provocadas por fuego explosivo y/o descarga eléctrica.



No. 03018

1 lb .25 oz (461 g)

To review S.D.S.: Tear DO NOT CUT label along these perforations and fold back label. After viewing, reattach label. Do not completely remove label until can is empty. Para revisar la Hoja de Datos de Seguridad (HDS): Rasgue (NO CORTE) la etiqueta, siguiendo estas perforaciones y dóblala hacia atrás. Al terminar, vuelva a pegar la etiqueta. No la retire completamente hasta que la lata esté vacía.

03018-15A LC29353000

## 1. Identification

**Product identifier:** Spray Adhesive

**Product code** 03018

**Recommended use** General purpose aerosol adhesive

**Restrictions** None known.

**Manufactured or sold by:**

CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

**Phone:** 215-674-4300

**Emergency phone number** CHEMTREC - 24 HOURS: 800-424-9300

## 2. Hazard(s) identification

<b>Physical hazards</b>	Flammable aerosols (Category 1) Gases under pressure (Liquefied gas)
<b>Health hazards</b>	Serious eye damage/eye irritation (Category 2) Reproductive toxicity (Category 2 fertility) Specific target organ toxicity, single exposure (Category 3 narcotic effects, respiratory tract irritation) Specific target organ toxicity, repeated exposure (Category 2)

Label elements (see front side of label)

## 3. Composition/information on ingredients

**Hazardous components**

Chemical name	CAS number	%
n-Hexane	110-54-3	30 – 40
Acetone	67-64-1	20 – 30
n-Butane	106-97-8	10 – 20
Propane	74-98-6	10 – 20

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

## 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention.

**Skin contact** Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation occurs: Get medical attention.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

**Ingestion** Rinse mouth. If the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Most important symptoms/effects** Severe eye irritation. May cause drowsiness, dizziness, headache, nausea and vomiting. May cause respiratory tract irritation. Adverse symptoms due to inhalation, ingestion or skin contact may include the following: Reduced fetal weight. Increase in fetal deaths. Skeletal malformations.

**Special treatment needed** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## 5. Fire-fighting measures

**Suitable extinguishing media** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media** None known.

**Specific hazards** Extremely flammable aerosol. Pressurized container may rupture when exposed to heat or flame. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

**Special protective equipment and precautions for firefighters** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Do not touch damaged containers or spilled material unless wearing appropriate protective equipment. Ventilate closed spaces before entering them. Do not breathe gas, mist or vapor.

**Containment and cleaning up** Eliminate all ignition sources. Keep combustibles away from spilled material. Absorb in vermiculite, dry sand, earth or other absorbent material and place into containers. Clean surface thoroughly to remove residual contamination. Avoid discharge into drains, water courses or onto the ground. Local authorities should be advised if significant spillages cannot be contained.

## 7. Handling and storage

**Handling** Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not breathe gas, mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands after handling and before eating.

**Storage** Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place, away from incompatible materials. Store locked up.

## 8. Exposure controls/personal protection

**Occupational exposure limits**

Components	Type	Value
Acetone	TWA	500 ppm
n-Hexane	TWA	50 ppm
Propane	PEL	1000 ppm
n-Butane	STEL	1000 ppm

**Appropriate engineering controls** Mechanical ventilation or local exhaust ventilation is recommended.

**Individual protection measures:**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection** Wear protective gloves such as nitrile or rubber. Wear appropriate clothing to prevent skin contact.

**Respiratory protection** If needed, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Wear positive pressure self-contained breathing apparatus (SCBA) in case of emergency.

## 9. Physical and chemical properties

**Appearance** Off-white liquid.

**Odor** Solvent.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** -139 °F (-95 °C)

**Initial boiling point** 133 °F (56 °C)

**Flash point** -20 °F (-29 °C) Pensky-Martens Closed Cup

**Evaporation rate** 9.1 (BuAc = 1)

**Explosive limit - lower (%)** 1.1

**Explosive limit - upper (%)** 12.8

**Vapor pressure** 13.5 kPa

**Vapor density** 1.55 (Air = 1)

**Relative density** 0.7

**Solubility(ies)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** 437 °F (225 °C)

**Decomposition temperature** Not available.

**Viscosity** Not available.

**VOC (Weight %):** 62.4% (3.5 lbs/gal, 422 g/l)

## 10. Stability and reactivity

**Reactivity** Non-reactive

**Chemical stability** Stable

**Possibility of hazardous reactions** No

**Conditions to avoid** Heat, flames and sparks. Incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** Carbon oxides.

## 11. Toxicological information

**Information on likely routes of exposure:**

**Ingestion** May cause central nervous system depression. Irritating to mouth, throat, and stomach.

**Inhalation** May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness, dizziness, headache, nausea and vomiting. May cause irritation to the respiratory system.

**Skin contact** Prolonged skin contact may cause temporary irritation.

**Eye contact** Causes serious eye irritation.

**Information on toxicological effects:**

**Acute toxicity** Narcotic effects. May cause respiratory irritation.

**Respiratory sensitization** Not available.

**Skin sensitization** Not expected to cause skin sensitization.

**Carcinogenicity** Not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity** Suspected of damaging fertility. Adverse symptoms due to inhalation, ingestion or skin contact may include the following: Reduced fetal weight. Increase in fetal deaths. Skeletal malformations.

**Aspiration hazard** Not expected to be an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs (brain, central nervous system) through prolonged or repeated exposure.

## 12. Ecological information

See full SDS for additional information

## 13. Disposal considerations

**Disposal instructions** This material must be disposed of as hazardous waste.

**Hazardous waste code** D001: Waste Flammable liquid

## 14. Transport information

**DOT shipping description:** UN1950, Aerosols, flammable, 2.1, limited quantity

## 15. Regulatory information

**SARA** 313 n-Hexane

See full SDS for additional information

## 16. Other information

**Issue date** 3/31/2015

**Version #** 02