

**CRC** Food Grade Chain Lube

**NSF H1**

**DIRECTIONS: Read entire label before using this product.**

1. Do not apply while equipment is energized. 2. Apply by spraying an even film at each bushing. 3. Wipe off excess. 4. Repeat application when necessary. 5. Only use the necessary amount to achieve results.

**INSTRUCCIONES: Lea la etiqueta completa antes de usar este producto.**

1. No aplicar con el equipo con corriente eléctrica. 2. Aplique pulverizando una película uniforme en cada cojinete. 3. Limpie el exceso con un paño. 4. Repita la aplicación cuando sea necesario. 5. Solo use la cantidad mínima para lograr resultados.

**Warning**

Flammable aerosol. Contains gas under pressure; may explode if heated.



**Precautionary Statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. Dispose of contents/container in accordance with local/regional/national regulations.

**First Aid**

Wash hands after handling.

Contains White mineral oil (8042-47-5) and Liquefied petroleum gas (68476-86-8). Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

**Electrical Shock Hazard**

This can will conduct electricity. Keep away from all live electrical sources including Battery Terminals, Solenoids, Electrical Panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

**Peligro**

Aerosol inflamable. Contiene gas a presión; puede explotar si se calienta.

**Consejos de Prudencia**

Mantener lejos de calor/chispas/llamas al descubierto/superficies calientes. - No fumar. No rocíe sobre una llama abierta u otra fuente de ignición. Recipiente presurizado: No perforar ni quemar, aun después del uso. Usar con ventilación adecuada. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se esté secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. Almacenar en lugar bien ventilado. Proteger de la luz solar. No exponer a temperaturas superiores a 50°C/122°F. La exposición a altas temperaturas puede provocar que la lata estalle. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes.

**Primeros Auxilios**

Lávese las manos después del uso.

Su mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto.

**Peligro de Descarga Eléctrica**

Esta lata conduce la electricidad. Mantenga fuera del alcance de todas las fuentes eléctricas vivas, incluso bornes de baterías, solenoides, tableros eléctricos y otros componentes electrónicos. Pasar por alto esta advertencia puede derivar en lesiones graves provocadas por fuego explosivo y/o descarga eléctrica.



# Food Grade Chain Lube

## Lubricante para Cadenas de Grado Alimenticio

**Heavy Duty • Rapid Penetration**  
**Alta Resistencia • Penetración Rápida**



Nonfood Compounds Program Listed  
Category Code: H1 Reg.# 126481



**WARNING:**  
CONTENTS UNDER PRESSURE.  
KEEP AWAY FROM CHILDREN.  
Read warnings on back panel.

**PELIGRO:**  
CONTENIDO BAJO PRESIÓN.  
MANTENGA FUERA DEL  
ALCANCE DE LOS NIÑOS.  
Lea las advertencias en el dorso.

**No. 03055**  
**Net Wt./Peso Neto**  
**12 oz. (340 g)**

To review SDS: Tear (DO NOT CUT) label along these perforations and fold back label.  
After viewing, reattach label. Do not completely remove label until can is empty.  
Para revisar la Hoja de Datos de Seguridad (HDS): Rasgue (NO CORTE) la etiqueta siguiendo estas perforaciones y dóblela hacia atrás. Al terminar, vuelva a pegar la etiqueta.  
No la retire completamente hasta que la lata está vacía.

## 1. Identification

**Product identifier:** Food Grade Chain Lube

**Product code:** 03055

**Recommended use:** Chain Lubricant

**Restrictions:** None known.

**Manufactured or sold by:**

CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

**Phone:** 215-674-4300

**Emergency phone number:** CHEMTREC - 24 HOURS: 800-424-9300

## 2. Hazard(s) identification

**Physical hazards:** Flammable aerosols (Category 2)

Gases under pressure (Liquefied gas)

**Health hazards:** Not classified.

**Label elements (see front side of label)**

## 3. Composition/information on ingredients

**Hazardous components**

Chemical name	CAS number	%
White mineral oil	8042-47-5	80 - 90
Liquefied petroleum gas	68476-86-8	10 - 20

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

## 4. First-aid measures

**Inhalation:** If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

**Skin contact:** Remove contaminated clothing and wash skin with soap and water.

**Eye contact:** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion:** Call a physician or poison control center. Rinse mouth. Do not induce vomiting without advice from poison control center.

**Most important symptoms/effects:** Direct contact with eyes may cause temporary irritation.

**Special treatment needed:** Provide general supportive measures and treat symptomatically.

## 5. Fire-fighting measures

**Suitable extinguishing media:** Water. Foam. Dry chemicals. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards:** Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Special protective equipment and precautions for firefighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions:** Do not touch damaged containers or spilled material unless wearing appropriate protective equipment. Ventilate closed spaces before entering them.

**Containment and cleaning up:** Eliminate all ignition sources. Keep combustibles away from spilled material. Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. Avoid release to the environment.

## 7. Handling and storage

**Handling:** Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not smoke while using this product. Avoid breathing gas, mist or vapor. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment.

**Storage:** Store in a cool, dry place (below 122°F/50°C) and out of direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Store away from incompatible materials.

## 8. Exposure controls/personal protection

**Occupational exposure limits**

Components	Type	Value
White mineral oil	TWA	5 mg/m <sup>3</sup>

**Appropriate engineering controls:** Mechanical ventilation or local exhaust ventilation is recommended.

**Individual protection measures:**

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin protection:** Wear protective gloves such as nitrile or neoprene. Wear appropriate clothing to prevent skin contact.

**Respiratory protection:** In case of inadequate ventilation, use respiratory protection.

## 9. Physical and chemical properties

**Appearance:** Transparent, water-white liquid.

**Odor:** Odorless.

**Odor threshold:** Not available.

**pH:** Not available.

**Melting point/freezing point:** Not available.

**Initial boiling point:** 632 °F (333 °C)

**Flash point:** > 370 °F (> 188 °C) Tag Closed Cup

**Evaporation rate:** Very slow.

**Explosive limit - lower (%):** Not available.

**Explosive limit - upper (%):** Not available.

**Vapor pressure:** 726 hPa

**Vapor density > 1 (Air = 1)**

**Relative density:** 0.82

**Solubility(ies):** Insoluble in water

**Partition coefficient (n-octanol/water):** Not available.

**Auto-ignition temperature:** 500 °F (260 °C)

**Decomposition temperature:** Not available.

**Viscosity:** Not available.

**VOC (Weight %):** 15% (1.1 lbs/gal, 130.9 g/l)

## 10. Stability and reactivity

**Reactivity:** Non-reactive

**Chemical stability:** Stable

**Possibility of hazardous reactions:** No

**Conditions to avoid:** Heat, flames and sparks. Temperatures exceeding the flash point. Incompatible materials.

**Incompatible materials:** Strong oxidizing agents, acids and bases.

**Hazardous decomposition products:** Carbon oxides.

## 11. Toxicological information

**Information on likely routes of exposure:**

**Ingestion:** Ingestion of large amounts may produce gastrointestinal disturbances.

**Inhalation:** Prolonged or excessive inhalation may cause respiratory tract irritation.

**Skin contact:** No adverse effects are expected.

**Eye contact:** Direct contact with eyes may cause temporary irritation.

**Information on toxicological effects:**

**Acute toxicity:** Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

**Respiratory sensitization:** Not available.

**Skin sensitization:** Not expected to cause skin sensitization.

**Carcinogenicity:** Not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

**Reproductive toxicity:** Not expected to cause reproductive or developmental effects.

**Aspiration hazard:** Acute aspirations of large amounts of oil-laden material may produce serious aspiration pneumonia.

**Chronic effects:** Prolonged inhalation may be harmful.

## 12. Ecological information

See full SDS for additional information

## 13. Disposal considerations

**Disposal instructions:** The dispensed liquid product is not a RCRA hazardous waste. Empty container can be recycled.

**Hazardous waste code:** Not regulated.

## 14. Transport information

**DOT shipping description:** UN1950, Aerosols, flammable, 2.1, limited quantity

## 15. Regulatory information

**SARA 313:** None

See full SDS for additional information

## 16. Other information

**Issue date:** 2/12/2014

**CRC #656**

**Version # 01**