

Read entire label before
using this product.




Nonfood Compounds Program
Listed (H2) (147459)

SP-400™

Corrosion Inhibitor



Part No. 03286



NET WEIGHT 36.5 lbs. (16.5 kg)



DANGER

Flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs (skin, eyes, central nervous system, respiratory system) through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not breathe the mist or vapor. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection. Store in a well-ventilated place. Keep cool. Store locked up. Do not store container above 100 °F. Dispose of contents/container in accordance with local/regional/national regulations. In case of fire: Do not use water jet as an extinguisher, as this will spread the fire.

FIRST AID

If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

HEALTH	2*	REACTIVITY	0
FLAMMABILITY	2	PERSONAL PROTECTION	B

HAZARD: MINIMAL=0 SEVERE=4

Do not apply while equipment is energized.

DIRECTIONS: Surfaces to be protected should be dry and free of dirt, grease, oil and corrosion. Apply by brush, spray or dip tank. Conventional spray equipment may be used when SP-400™ is diluted with petroleum solvents. Allow coated parts or assemblies to dry prior to handling.

REMOVAL: For removal use steam or petroleum solvents.

Meets the performance requirements of MIL-C-16173-D-Grade 4, Class I.

Contains Stoddard solvent (8052-41-3), Calcium carbonate (471-34-1), Hydrotreated petroleum distillates (64742-54-7 / 64742-47-8 / 64742-55-8) and petrolatum (8009-03-8).

©2014 CRC Industries, Inc.

Warminster, PA 18974

800-521-3168 (Technical information)

800-272-4620 (Customer Service)

215-442-6260 (SDS)

www.crcindustries.com

14A CRC#523B Made in U.S.A.

FOR EMERGENCIES CALL CHEMTREC

1-800-424-9300

DATE
CODE:

