



## COMPONENT WASH PRECISION CLEANER

- **HIGH PURITY FORMULA** is chemically stable, non-conductive and non-corrosive.
- **EVAPORATES VERY RAPIDLY** without residue.
- **DISSOLVES** tough grease, oil, dust, dirt, synthetic flux and fingerprints.
- **EXCELLENT FOR USE** on polar soils such as rosin-based flux and other charged contaminants.
- **EFFECTIVE** on electronics, contacts, relays, switches and circuits.

### Directions: Read entire label before using this product.

1. May be harmful to some plastics. Do not use on polycarbonate plastics, such as LEXAN®. If in doubt call the manufacturer of the equipment. Do not use on sensitive electronic equipment such as tape decks, VCR's, computers, fax machines, copiers, printers etc.
  2. Spray until clean. Use extension tube for pinpoint cleaning.
  3. Use an abrasive on surfaces with heavy carbon deposits or corrosion - remove residue with intermittent spray before reactivating system.
  4. **ALLOW TO DRY THOROUGHLY AND VENT BEFORE REACTIVATING.** Product may collect and pool in unseen areas. Use a combustible gas detector to be certain there are no flammable vapors remaining before reactivation.
  5. Periodic planned maintenance prolongs life expectancy of components and helps eliminate deposits that cause leakage. Use resistance measurements to determine frequency of application.
  6. **Do not apply while equipment is energized.**
- ELECTRICAL SHOCK HAZARD:** This can will conduct electricity. Do not touch can to live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from electrical shock.

**HMS:** Health: 2 Flammability: 1 Reactivity: 0 PPE: 0



# Electronic

# COMPONENT WASH

## PRECISION CLEANER

### High Purity Formula Fast Evaporation

### Removes Flux & Polar Soils

**WARNING:** Contains 1,1-Dichloro-1-fluoroethane 1717-00-6, Isopropyl Alcohol 67-63-0 and Carbon Dioxide 724-38-9. Do not puncture, incinerate, or store can above 120°F. Exposure to high temperature may cause can to burst. Do not place in direct sunlight or near any heat source. Use only in a well ventilated area. Some work areas (such as control panels), have poor airflow and do not dissipate flammable vapors readily. Ventilation is important for two reasons. First, vapors may be flammable. To avoid a fire, get rid of vapors. Second, breathing vapors may be harmful. Respiratory protection should be used. Avoid continuous breathing of vapor and spray mist. Overexposure to vapor may cause irritation to eyes and respiratory tract, dizziness, and loss of concentration. With high exposure levels, effects can include central nervous system depression and irregular heartbeats. Avoid contact with skin and eyes. Deliberate misuse by concentrating and inhaling the contents can be harmful or fatal. Vapors displace oxygen available for breathing and can cause asphyxiation. Vapors are heavier than air and can collect in low areas, pits, small rooms or other unventilated areas. (Chlorinated Products) Small rooms may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene. Response to any chemical varies from person to person. If you suspect you are sensitive, consult a physician. **FIRST AID:** In case of eye or skin contact flush with water for 15 minutes. If swallowed may be harmful or fatal. Do not induce vomiting. If too much to breathe, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. For severe overexposure call a physician immediately. For additional information, consult the Material Safety Data Sheet for this product. **CAUTION:** Liquid product may collect and pool during use. Vapors and/or liquid from pooled material may ignite when exposed to an ignition source. Isolate all ignition sources before and during use. Follow all directions carefully before reactivating system.

### KEEP AWAY FROM CHILDREN

All used and unused product should be disposed of in accordance with local, state and federal regulations.

© 2004 CRC Industries, Inc.,  
Warminster, PA 18974

800-521-3168

(Technical Information)

800-272-4620

(Customer Service)

215-442-6260

(MSDS)

[www.crcindustries.com](http://www.crcindustries.com)

04A

Made in U.S.A.

CRC# 410



**No. 04005**

**Net Wt. 14 oz. (397g)**

**WARNING: VAPOR HARMFUL. EYE IRRITANT.  
CONTENTS UNDER PRESSURE.**

Read warnings on back panel.