



NO CLEAN FLUX REMOVER

- Designed specifically for the removal of No-Clean Flux.
- SAFE FOR USE ON MOST PLASTICS.
- EVAPORATES RAPIDLY and leaves no residue.
- NON-FLAMMABLE

Directions: Read entire label before using this product.

1. Spray until clean. Use extension tube for pinpoint cleaning.
2. This product is safe on most plastics but should be tested on a small area before use.
3. Use an abrasive on surfaces with heavy carbon deposits or corrosion – remove residue with intermittent spray before reactivating system.
4. For personal safety, do not apply while equipment is energized.

All used and unused product should be disposed of in conformance with local, state and federal regulations.

ELECTRICAL SHOCK HAZARD: This can will conduct electricity. Do not touch can to live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from electrical shock.

HMSIS: Health: 2 Flammability: 0 Reactivity: 1 PPE: B

WARNING: Contains Decaloropentane 138495-42-8, C₂₀H₃₄ (Proprietary mixture) and 1,1,1,2-Tetrafluoroethane 811-97-2. Do not puncture, incinerate or store can above 120°F. Exposure to high temperature may cause can to burst. Do not place in direct sunlight or near any heat source. Use only in a well ventilated area. Avoid continuous breathing of vapors and spray mist. Avoid contact with skin and eyes. Overexposure to vapor may cause irritation to eyes and respiratory tract, dizziness and loss of consciousness. With high exposure levels, effects can include central nervous system depression and irregular heartbeats. Deliberate misuse by concentrating and inhaling the contents may be harmful or fatal. This product has no flash or fire point at normal handling temperatures. In high concentrations, this product can be made to burn. Do not apply while equipment is energized or near flame or arc. Make sure equipment is thoroughly dry and vented before restarting. Vapors displace oxygen available for breathing and can cause asphyxiation. Vapors are heavier than air and can collect in low areas, pits, small rooms or other unventilated areas. If ventilation is not adequate, respiratory protection should be used. **FIRST AID:** In case of eye and skin contact, flush with water for 15 minutes. If swallowed, may be harmful or fatal. Do not induce vomiting. If too much is breathed, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. For severe overexposure, call a physician immediately. For Additional Information, Consult MSDS for this product.

KEEP AWAY FROM CHILDREN

© 2004 CRC Industries, Inc.,
Warminster, PA 18974

800-524-3168

(Technical Information)

800-272-4620

(Customer Service)

215-442-6260

(MSDS)

www.crcindustries.com

04A

Made in U.S.A.

CRC# 754



Electronic

NO CLEAN FLUX REMOVER

Safe On Most Plastics

Non-Flammable

Fast Evaporation

No Residue



No. 04030

Net Wt. 12 oz. (340 g)

WARNING: VAPOR HARMFUL. EYE IRRITANT. HARMFUL OR FATAL IF SWALLOWED. CONTENTS UNDER PRESSURE. Read warnings on back panel.