

**DIRECTIONS:** Read entire label before using this product. 1. For personal safety, do not apply while equipment is energized. 2. Use Layout Fluid Remover in a well ventilated area. For best results, container should be used and stored at room temperature. 3. Hold can upright and depress actuator holding can 8-10 inches from surface to be cleaned. 4. Spray Layout Fluid Remover evenly across surface to be cleaned. 5. Wipe surface off with a clean cloth. **INSTRUCCIONES:** Lea la etiqueta completa antes de usar este producto. 1. Para seguridad personal, no aplicar en equipos con corriente eléctrica. 2. Use el Removedor de líquidos de layout en un área bien ventilada. Para mejores resultados, se debe utilizar y almacenar el recipiente a temperatura ambiente. 3. Sujete la lata en posición vertical y oprima el accionador sujetando la lata de 8 a 10 pulgadas del artículo a limpiarse. 4. Pulverice el Removedor de líquidos de layout uniformemente sobre la superficie a limpiarse. 5. Limpie la superficie con un paño limpio.

**Danger:** Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Toxic if swallowed. May be fatal if swallowed and enters airways. Causes skin and serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. Causes damage to organs (central nervous system, eyes) by ingestion. May cause damage to organs (central nervous system, kidney, peripheral nervous system) through prolonged or repeated exposure. **Precautionary Statements:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe mist or vapor. Do not apply while equipment is energized. Extinguish all flames, pilot lights and heaters. Vapors will accumulate readily and may ignite. Use only with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national regulations. **First Aid:** If swallowed: Immediately call a poison center/doctor. Rinse mouth. Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If exposed or concerned: Get medical attention.



Contains acetone 67-64-1, toluene 108-88-3, methanol 67-56-1, and carbon dioxide 124-38-9. Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product. **Electrical Shock Hazard:** This metal can will conduct electricity. Keep away from all live electrical sources. Failure to observe this warning may result in serious injury and/or flash fire.

**Peligro:** Aerosol extremadamente inflamable. Contiene gas a presión; puede explotar si se calienta. Tóxico en caso de ingestión. Puede ser mortal en caso de ingestión y de penetración en las vías respiratorias. Provoca irritación cutánea y ocular grave. Puede provocar somnolencia o vértigo. Susceptible de perjudicar la fertilidad o dañar al feto. Provoca daños en los órganos (sistema nervioso central, ojos) en caso de ingestión. Puede provocar daños en los órganos (sistema nervioso central, riñón, sistema nervioso periférico) tras exposiciones prolongadas o repetidas.

**Consejos de Prudencia:** Procurarse las instrucciones antes del uso. No manipular antes de haber leído y comprendido todas las precauciones de seguridad. Mantener alejado del calor/de chispas/de llamas al descubierto/de superficies calientes. - No fumar. No vaporizar sobre una llama al descubierto o cualquier otra fuente de ignición. Recipiente a presión: No perforar ni quemar, incluso después del uso. No respirar neblinas o vapores. No aplique el producto sobre un equipo conectado. Apague todas las llamas, pilotos y calefactores. El vapor se acumulará rápidamente y puede inflamarse. Utilice solo con ventilación adecuada. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se esté secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. Lávese cuidadosamente después de la manipulación. No comer, beber o fumar mientras se manipula este producto. Usar cuantos/ropa de protección/equipo de protección para los ojos/la cara. Almacenar en un lugar bien ventilado. Guardar bajo llave. Proteger de la luz solar. No exponer a una temperatura superior a 50 °C/122 °F. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes. **Primeros Auxilios:** En caso de ingestión: Llamar inmediatamente a un centro de toxicología o a un médico. Enjuagarse la boca. NO provocar el vómito. En caso de contacto con la piel: Lavar con abundante agua. En caso de irritación cutánea: Consultar a un médico. Quitar la ropa contaminada y lavarla antes de volverla a usar. En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGIA o a un médico si la persona se encuentra mal. En caso de contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico. En caso de exposición demostrada o sospecha: consultar a un médico.

Si mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto. **Peligro de Descarga Eléctrica:** Esta lata de metal puede conducir la electricidad. Manténgala alejada de todas las fuentes eléctricas vivas. El incumplimiento de esta advertencia puede resultar lesiones graves y/o incendio repentino.

©2017 CRC Industries, Inc., 885 Louis Dr., Warminster, PA 18974 Made in U.S.A. 17A  
800-521-3168 (Technical Information) • 800-272-4620 (Customer Care) www.crcindustries.com

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.  
**ADVERTENCIA:** Cáncer y Daño Reproductivo - www.P65Warnings.ca.gov.



# Layout Fluid Remover

## Removedor de Medios Superficiales

Super Strength Formula  
Leaves No Residue, Non-Chlorinated  
Fórmula súper potente  
No deja residuos, No clorado



No. 03069  
Item# 1003331

Net Wt./Peso Neto  
12 oz (340 g)



To review S.D.S.: Tear (DO NOT CUT) label along these perforations and fold back label. After viewing, reattach label. Do not completely remove label until can is empty. Para revisar la Hoja de Datos de Seguridad (HDS): Rasgue (NO CORTE) la etiqueta siguiendo estas perforaciones y doblela hacia atrás. Al terminar, vuelva a pegar la etiqueta. No la retire completamente hasta que la lata esté vacía.

## 1. Identification

**Product identifier:** Layout Fluid Remover

**Product code:** No. 03069 (Item# 1003331)

**Recommended use:** Layout fluid remover

**Restrictions:** None known.

**Manufactured or sold by:** CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

**Phone:** 215-674-4300

**Emergency phone number:** CHEMTREC - 24 HOURS: 800-424-9300

## 2. Hazard(s) identification

**Physical hazards** Flammable aerosols (Category 1)  
Gases under pressure (Compressed gas)

**Health hazards** Acute toxicity, oral (Category 3)  
Skin corrosion/irritation (Category 2)  
Serious eye damage/eye irritation (Category 2A)  
Reproductive toxicity (Category 2 fertility, the unborn child)  
Specific target organ toxicity, single exposure (Category 1 central nervous system, eyes)  
Specific target organ toxicity, single exposure (Category 3 narcotic effects)  
Specific target organ toxicity, repeated exposure (Category 2 central nervous system, kidney, peripheral nervous system)  
Aspiration hazard (Category 1)

**Label elements (see front side of label)**

## 3. Composition/information on ingredients

**Hazardous components**

Chemical name	CAS number	%
acetone	67-64-1	40 – 50
toluene	108-88-3	20 – 30
methanol	67-56-1	10 – 20
carbon dioxide	124-38-9	5 – 10

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

## 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin contact** Remove contaminated clothing. Rinse skin with water. If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance.

**Most important symptoms/effects** May cause drowsiness, dizziness, headache, nausea and vomiting. Irritation of nose and throat. Severe eye irritation. Aspiration may cause pulmonary edema and pneumonitis. May cause blindness if swallowed.

**Special treatment needed** Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

## 5. Fire-fighting measures

**Suitable extinguishing media** Water fog, Alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Dry chemical powder, Sand, Earth.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards** Extremely flammable aerosol. Pressurized container may rupture when exposed to heat or flame. This product is a poor conductor of electricity and can become electrostatically charged. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions** Remove all possible sources of ignition in the surrounding area. Do not breathe gas, mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

**Containment and cleaning up** Eliminate all ignition sources. Keep combustibles away from spilled material. Absorb in vermiculite, dry sand, earth or other absorbent material and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

**Handling** Do not pierce or burn, even after use. Do not use if spray button is missing or defective.

Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

**Storage** Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source.

## 8. Exposure controls/personal protection

**Occupational exposure limits**

Components	Type	Value
acetone	TWA	250 ppm
carbon dioxide	TWA	5000 ppm
methanol	TWA	200 ppm
toluene	TWA	20 ppm

**Appropriate engineering controls** Mechanical ventilation or local exhaust ventilation is recommended.

**Individual protection measures:**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection** Wear protective gloves such as nitrile, neoprene, and PVA. Wear appropriate clothing to prevent skin contact.

**Respiratory protection** If needed, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Wear positive pressure self-contained breathing apparatus (SCBA) in case of emergency.

## 9. Physical and chemical properties

**Appearance** Clear liquid.

**Odor threshold** Not available.

**Melting point/freezing point** -144 °F (-98 °C)

**Flash point** < 0 °F (< -18 °C) Tag Closed Cup

**Explosive limit - lower (%)** 1.2

**Vapor pressure** 5153 hPa

**Relative density** 0.88

**Partition coefficient (n-octanol/water)** Not available.

**Decomposition temperature** Not available.

**VOC (Weight %):** 43.2% (2.9 lb/gal, 350.6 g/L)

**Odor** Solvent.

**pH** Not available.

**Initial boiling point** 133 °F (56 °C)

**Evaporation rate** Fast.

**Explosive limit - upper (%)** 36

**Vapor density** > 1 (Air = 1)

**Solubility(ies)** Slightly soluble.

**Auto-ignition temperature** 725 °F (385 °C)

**Viscosity** Not available.

## 10. Stability and reactivity

**Reactivity** Non-reactive

**Chemical stability** Stable

**Possibility of hazardous reactions** No

**Conditions to avoid** Heat, flames and sparks. Incompatible materials.

**Incompatible materials** Acids. Alkalies. Amines. Ammonia. Halogens. Aluminum. Magnesium.

Zinc. Peroxides. Strong oxidizing agents. Reducing agents.

**Hazardous decomposition products** Carbon oxides. Formaldehyde.

## 11. Toxicological information

**Information on likely routes of exposure:**

**Ingestion** Toxic if swallowed. Causes damage to organs (central nervous system, eyes) by ingestion. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

**Inhalation** May cause damage to organs by inhalation. May cause drowsiness and dizziness.

Headache. Nausea, vomiting.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Aspiration hazard. Narcotic effects. Skin irritation. Severe eye irritation. Swallowing may cause blindness.

**Information on toxicological effects:**

**Acute toxicity** May be fatal if swallowed and enters airways.

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** Not expected to cause skin sensitization.

**Carcinogenicity** Not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity** Suspected of damaging fertility. Suspected of damaging the unborn child.

**Aspiration hazard** May be fatal if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.

**Chronic effects** May cause damage to organs (central nervous system, kidney, peripheral nervous system) through prolonged or repeated exposure.

## 12. Ecological information

See full SDS for additional information

## 13. Disposal considerations

**Disposal instructions** This material must be disposed of as hazardous waste.

**Hazardous waste code** D001: Waste Flammable liquid; F003 & F005: Waste Non-halogenated Solvent

## 14. Transport information

**DOT shipping description:** UN1950, Aerosols, flammable, 2.1(6.1), limited quantity

## 15. Regulatory information

SARA 313 methanol, toluene

See full SDS for additional information

## 16. Other information

Issue date 12-DEC-17

CRC #594M/1002623

Version # 02