

**DIRECTIONS: Read entire label before using this product. 1. Use caution when using on or around energized equipment. 2. Do not spray directly on plastics. 3. Hold can 10" to 12" from mold surface. 4. For best results, do not overspray. 5. Apply a light, even film to mold surface as needed when sticking occurs. 6. To avoid marked parts, do not over apply.**  
**INSTRUCCIONES: Lea toda la etiqueta antes de usar este producto. 1. Actúe con cautela al utilizar en un equipo conectado a la energía eléctrica o cerca de éste. 2. No rocíe directamente sobre superficies plásticas. 3. Mantenga la lata a una distancia de 10" a 12" de la superficie a rociar. 4. Para obtener mejores resultados, no rocíe una cantidad excesiva de producto. 5. Aplique una capa fina y pareja sobre la superficie del molde en caso de adherencia. 6. Para evitar marcas, no aplique el producto en exceso.**

**Danger:** Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs (kidney, liver, nervous system) through prolonged or repeated exposure.



**Precautionary Statements:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide. Dispose of contents/container in accordance with local/regional/national regulations.

**First Aid:** If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If exposed or concerned: Get medical attention.

Contains dimethyl ether 115-10-6, n-propyl bromide 106-94-5, and polydimethylsiloxane 63148-62-9. Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

**Electrical Shock Hazard:** This metal can will conduct electricity. Keep away from all live electrical sources. Failure to observe this warning may result in serious injury and/or flash fire.

**Peligro:** Aerosol inflamable. Contiene gas a presión; puede explotar si se calienta. Provoca irritación cutánea. Provoca irritación ocular grave. Puede irritar las vías respiratorias. Puede provocar somnolencia o vértigo. Susceptible de provocar cáncer. Puede perjudicar la fertilidad o dañar al feto. Puede provocar daños en los órganos (riñón, hígado, sistema nervioso) tras exposiciones prolongadas o repetidas.  
**Consejos de Prudencia:** Procurarse las instrucciones antes del uso. No manipular antes de haber leído y comprendido todas las precauciones de seguridad. Mantener alejado del calor/de chispas/de llamas al descubrimiento/de superficies calientes. - No fumar. No vaporizar sobre una llama al descubrimiento o cualquier otra fuente de ignición. Recipiente a presión: No perforar ni quemar, incluso después del uso. Usar con ventilación adecuada. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se esté secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. No respirar nieblas o vapores. Usar guantes/ropa de protección/equipo de protección para los ojos/la cara. Lávese cuidadosamente después de la manipulación. Almacénalo en un lugar bien ventilado. Guardar bajo llave. Proteger de la luz solar. No exponer a una temperatura superior a 50 °C/122 °F. La exposición a altas temperaturas puede provocar que la lata estalle. Al exponerlo al calor extremo o superficies calientes, los vapores pueden descomponerse en gases corrosivos y tóxicos como el bromuro de hidrógeno. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes.

**Primeros Auxilios:** En caso de contacto con la piel: Lavar con abundante agua. Si ocurre irritación de la piel: Busque atención médica. Quitar la ropa contaminada y lavarla antes de volverla a usar. En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGÍA o a un médico si la persona se encuentra mal. En caso de contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si persiste la irritación de los ojos: Busque atención médica. En caso de exposición demostrada o supuesta: Busque atención médica.

Su mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto.  
**Peligro de Descarga Eléctrica:** Esta lata de metal puede conducir la electricidad. Manténgala alejada de todas las fuentes eléctricas vivas. El incumplimiento de esta advertencia puede resultar lesiones graves y/o incendio repentino.

©2017 CRC Industries, Inc., 885 Louis Dr., Warminster, PA 18974  
 800-521-3168 (Technical Info) • 800-272-4620 (Customer Care) • 215-442-6260 (SDS) • www.crcindustries.com Made in U.S.A.

VOC Category: Mold Release Coating | MIR Limit: 1.10



# General Purpose Silicone Mold Release Desmoldante de Silicón

Fast Drying, Prevents Sticking  
Excellent Lubrication  
Meets FDA Reg. 21 CFR 175.300

Secado Rápido, Evita la Adherencia  
Excelente Lubricación



No. 03300

Net Wt./Peso Neto  
12 oz (340 g)

Industrial Use Only  
Not Labeled for Household Use

To review S.D.S.: Tear (DO NOT CUT) label along these perforations and fold back label. After viewing, reattach label. Do not completely remove label until can is empty. Para revisar la Hoja de Datos de Seguridad (HDS): Rasgue (NO CORTE) la etiqueta siguiendo estas perforaciones y dóblala hacia atrás. Al terminar, vuelva a pegar la etiqueta. No la retire completamente hasta que la lata esté vacía.

## 1. Identification

**Product identifier:** Silicone Mold Release

**Product code:** 03300

**Recommended use:** Mold release

**Restrictions:** None known.

**Manufactured or sold by:**

CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

**Phone:** 215-674-4300

**Emergency phone number:** CHEMTREC - 24 HOURS: 800-424-9300

## 2. Hazard(s) identification

<b>Physical hazards</b>	Flammable aerosols (Category 2) Gases under pressure (Liquefied gas)
<b>Health hazards</b>	Skin corrosion/irritation (Category 2) Serious eye damage/eye irritation (Category 2) Carcinogenicity (Category 2) Reproductive toxicity (Category 1B) Specific target organ toxicity, single exposure (Category 3) respiratory tract irritation, narcotic effects) Specific target organ toxicity, repeated exposure (Category 2)

**Label elements (see front side of label)**

## 3. Composition/information on ingredients

**Hazardous components**

Chemical name	CAS number	%
dimethyl ether	115-10-6	60 – 70
n-propyl bromide	106-94-5	20 – 30
polydimethylsiloxane	63148-62-9	3 – 5

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

## 4. First-aid measures

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin contact:** Remove contaminated clothing and wash skin with soap and water. If skin irritation occurs: Get medical attention.

**Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion:** In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.

**Most important symptoms/effects:** Skin and severe eye irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause respiratory irritation.

**Special treatment needed:** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## 5. Fire-fighting measures

**Suitable extinguishing media:** Foam. Dry chemical. Carbon dioxide (CO2).

**Unsuitable extinguishing media:** None known.

**Specific hazards:** When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide.

**Special protective equipment and precautions for firefighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Containers should be cooled with water to prevent vapor pressure build up.

## 6. Accidental release measures

**Personal precautions:** Do not touch damaged containers or spilled material unless wearing appropriate protective equipment. Do not breathe mist or vapor. Ventilate closed spaces before entering them.

**Containment and cleaning up:** Eliminate all ignition sources. Keep combustibles away from spilled material. Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. Avoid release to the environment.

## 7. Handling and storage

**Handling:** Pressurized container: Do not pierce or burn, even after use. Do not smoke while using this product. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

**Storage:** Store in a cool, dry place (below 122°F/50°C) and out of direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place, away from incompatible materials.

## 8. Exposure controls/personal protection

**Occupational exposure limits**

Components	Type	Value
n-propyl bromide	TWA	0.1 ppm
dimethyl ether	TWA	1000 ppm

**Appropriate engineering controls:** Mechanical ventilation or local exhaust ventilation is recommended.

**Individual protection measures:**

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin protection:** Wear protective gloves such as PVA, Viton/butyl, or laminate film. Wear appropriate clothing to prevent skin contact.

**Respiratory protection:** Use a NIOSH-approved cartridge respirator with an organic vapor cartridge unless exposure is below the TLV. Use a self-contained breathing apparatus in confined spaces and for emergencies.

## 9. Physical and chemical properties

<b>Appearance:</b> Colorless liquid.	<b>Odor:</b> Slight.
<b>Odor threshold:</b> Not available.	<b>pH:</b> Not available.
<b>Melting point/freezing point:</b> < -50 °F (< -45 °C)	<b>Initial boiling point:</b> 160 °F (71 °C)
<b>Flash point:</b> Not available.	<b>Evaporation rate:</b> Not available
<b>Explosive limit - lower (%):</b> Not available.	<b>Explosive limit - upper (%):</b> Not available.
<b>Vapor pressure:</b> 139 mm Hg	<b>Vapor density:</b> Not available.
<b>Relative density:</b> 0.78	<b>Solubility(ies):</b> Insoluble in water
<b>Partition coefficient (n-octanol/water):</b> Not available.	<b>Decomposition temperature:</b> Not available.
<b>Auto-ignition temperature:</b> 914 °F (490 °C)	<b>MIR:</b> 0.68
<b>Viscosity:</b> Not available.	

## 10. Stability and reactivity

**Reactivity:** Non-reactive

**Chemical stability:** Stable

**Possibility of hazardous reactions:** No

**Conditions to avoid:** Heat, flames and sparks. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide. Incompatible materials.

**Incompatible materials:** Alkaline earth metals. Oxidizing agents. Bases. Reactive metals. Natural rubber.

**Hazardous decomposition products:** Hydrogen bromide. Carbon oxides.

## 11. Toxicological information

**Information on likely routes of exposure:**

**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Inhalation:** May cause drowsiness, dizziness, headache, nausea, and vomiting. May cause irritation to the respiratory system.

**Skin contact:** Causes skin irritation.

**Eye contact:** Causes serious eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics:** Skin and severe eye irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause respiratory irritation.

**Information on toxicological effects:**

**Acute toxicity:** None known.

**Respiratory sensitization:** Not a respiratory sensitizer.

**Skin sensitization:** Not expected to cause skin sensitization.

**Carcinogenicity:** Suspected of causing cancer.

n-Propyl bromide: NTP (Reasonably Anticipated to be a Human Carcinogen)  
IARC 2B (Possibly carcinogenic to humans.)

**Reproductive toxicity:** May damage fertility or the unborn child.

**Aspiration hazard:** Not an aspiration hazard.

**Chronic effects:** May cause damage to the following organs through prolonged or repeated exposure: kidney, liver, nervous system.

## 12. Ecological information

See full SDS for additional information

## 13. Disposal considerations

**Disposal instructions:** The dispensed liquid product is not a RCRA hazardous waste. Empty container can be recycled.

**Hazardous waste code:** Not regulated.

## 14. Transport information

**DOT shipping description:** UN1950, Aerosols, flammable, 2.1, limited quantity

## 15. Regulatory information

SARA 313 n-propyl bromide

See full SDS for additional information

## 16. Other information

Issue date 12/27/2016

Version # 03