

CRC® T-Force® PowerJet® Degreaser MUO

DIRECTIONS: Read entire label before using this product.

1. For personal safety, do not apply while equipment is energized. 2. Remove mechanical plates, covers, etc. to expose equipment interior. For best results, remove heavy deposits of contaminants by scraping with a knife or wire brush. 3. Spray until clean. Use extension tube for hard to reach areas. 4. Allow equipment to fully dry and vent before using. 5. Drying time can be accelerated by using a dry, absorbent cloth or CRC Duster™. 6. Do not use on modern plastics. If uncertain, check with the manufacturer or test on a small area before using. 7. Not for use on sensitive electronics or computers. Use a CRC precision cleaner.

INSTRUCCIONES: Lea toda la etiqueta antes de usar este producto.

1. Por razones de seguridad personal, no aplique el producto mientras el equipo esté conectado. 2. Quite las placas metálicas, las cubiertas, etc. para exponer el interior del equipo. Para obtener mejores resultados, quite los depósitos difíciles de contaminantes raspando con un cuchillo o un cepillo de alambre. 3. Rocíe hasta que quede limpio. Utilice el tubo de extensión para alcanzar las áreas difíciles. 4. Deje secar y ventilar el equipo por completo antes de ser utilizado. 5. Se puede acelerar el tiempo de secado utilizando un paño seco y absorbente o el aerosol antihumedad Duster™ de CRC. 6. No utilice sobre plásticos modernos. Si no está seguro, consulte con el fabricante o realice una prueba sobre una superficie pequeña antes de utilizar el producto. 7. No apto para utilizar en productos electrónicos delicados o computadoras. Utilice un limpiador de precisión CRC.

Danger: Flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.



Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear eye protection/face protection. Wear protective gloves. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene. Dispose of contents / container in accordance with local/regional/national regulations.

First Aid: If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Contains trans-1,2-dichloroethylene 156-60-5, decafluoropentane 138495-42-8, carbon dioxide 124-38-9, and isopropyl alcohol 67-63-0. Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

Electrical Shock Hazard: This metal can will conduct electricity. Keep away from all live electrical sources. Failure to observe this warning may result in serious injury and/or flash fire.

Peligro: Aerosol inflamable. Contiene gas a presión; puede explotar si se calienta. Nocivo en caso de ingestión. Puede ser mortal en caso de ingestión y de penetración en las vías respiratorias. Provoca irritación cutánea. Provoca irritación ocular grave. Puede provocar somnolencia o vértigo.

Consejos de Prudencia: Mantener alejado del calor/de chispas/de llamas al descubierto/de superficies calientes. - No fumar. No vaporizar sobre una llama al descubierto o cualquier otra fuente de ignición. Recipiente a presión: No perforar ni quemar, incluso después del uso. Usar con ventilación adecuada. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se está secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. Evitar respirar nieblas o vapores. Lávese cuidadosamente después de la manipulación. No comer, beber o fumar mientras se manipula este producto. Usar equipo de protección para los ojos/la cara. Usar guantes de protección. Almacenar en un lugar bien ventilado. Guardar bajo llave. Proteger de la luz solar. No exponer a una temperatura superior a 50 °C/122 °F. La exposición a altas temperaturas puede provocar que la lata estalle. Al exponerlo al calor extremo, los vapores pueden descomponerse en gases corrosivos y tóxicos como el fluoruro de hidrógeno, el cloruro de hidrógeno y, posiblemente, el fosgeno. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes.

Primeros Auxilios: En caso de ingestión: Llamar inmediatamente a un centro de toxicología o a un médico. NO provocar el vómito. Enjuagarse la boca. En caso de contacto con la piel: Lavar con abundante agua. En caso de irritación cutánea: Consultar a un médico. Quitar la ropa contaminada y lavarla antes de volverla a usar. En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGIA o a un médico si la persona se encuentra mal. En caso de contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

Su mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto.

Peligro de Descarga Eléctrica: Esta lata de metal puede conducir la electricidad. Manténgala alejada de todas las fuentes eléctricas vivas. El incumplimiento de esta advertencia puede resultar lesiones graves y/o incendio repentino.

NOT FOR RETAIL SALE. FOR USE IN THE MANUFACTURING PROCESS ONLY.

©2017 CRC Industries, Inc., 885 Louis Dr., Warminster, PA 18974
800-521-3168 (Technical Information) • 800-272-4620 (Customer Care)

Made in U.S.A. 17B
www.crcindustries.com



T-Force® PowerJet® Degreaser MUO Desengrasante MUO



Revolutionary Technology

No Flash or Fire Point
Evaporates Rapidly
Removes Grease and Oil

No posee punto de inflamación
ni de incendio
Se Evapora Rápidamente
Elimina la Grasa y el Aceite



Nonfood Compounds
Program Listed: K1
Reg.# 146291



No. 03915
Item# 1003516

Net Wt. / Peso Neto
1 lb 2 oz (510 g)



To review S.D.S.: Tear (DO NOT CUT) label along these perforations and fold back label. After viewing, reattach label. Do not completely remove label until can is empty. Para revisar la Hoja de Datos de Seguridad (HDS): Rasgue (NO CORTE) la etiqueta siguiendo estas perforaciones y dobléela hacia atrás. Al terminar, vuelva a pegar la etiqueta. No la retire completamente hasta que la lata esté vacía.

1. Identification

Product identifier: T-Force® PowerJet® Degreaser MUO

Product code No. 03915 (Item# 1003516)

Recommended use General purpose degreaser

Restrictions None known.

Manufactured or sold by:

CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

Phone: 215-674-4300

Emergency phone number CHEMTREC - 24 HOURS: 800-424-9300

2. Hazard(s) identification

Physical hazards	Flammable aerosols (Category 2) Gases under pressure (Compressed gas)
Health hazards	Acute toxicity, oral (Category 4) Skin Corrosion/Irritation (Category 2) Serious eye damage/eye irritation (Category 2) Specific target organ toxicity, single exposure (Category 3 narcotic effects) Aspiration hazard (Category 1)

Label elements (see front side of label)

3. Composition/information on ingredients

Hazardous components

Chemical name	CAS number	%
trans-1,2-dichloroethylene	156-60-5	80 – 90
decafluoropentane	138495-42-8	10 – 20
carbon dioxide	124-38-9	3 – 5
isopropyl alcohol	67-63-0	1 – 3

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

4. First-aid measures

Inhalation Remove victim to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion Call a physician or poison control center immediately. DO NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Skin irritation. Narcotic effects.
Special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry Chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards Pressurized container may rupture when exposed to heat or flame. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.
Special protective equipment and precautions for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.
Containment and cleaning up Eliminate all ignition sources. Keep combustibles away from spilled material. Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination. Avoid discharge into drains, water courses, or onto the ground.

7. Handling and storage

Handling Pressurized container: Do not pierce or burn, even after use. Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.
Storage Do not expose to heat or store at temperatures above 122°F/50°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place and away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value
carbon dioxide	TWA	5000 ppm
isopropyl alcohol	TWA	200 ppm
trans-1,2-dichloroethylene	TWA	200 ppm

Appropriate engineering controls Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures:

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection Wear protective gloves such as nitrile, PVA, or viton/butyl. Wear appropriate clothing to prevent skin contact.

Respiratory protection If needed, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Wear positive pressure self-contained breathing apparatus (SCBA) in case of emergency.

9. Physical and chemical properties

Appearance Colorless liquid.

Odor threshold Not available.

Melting point/freezing point -119 °F (-84 °C)

Flash point None (Tag Closed Cup)

Explosive limit - lower (%) 2

Vapor pressure 2682 hPa

Relative density 1.28

Partition coefficient (n-octanol/water) Not available.

Decomposition temperature Not available.

VOC (Weight %): 96.1% (10.3 lb/gal, 1230 g/L) CARB

81.7% (8.7 lb/gal, 1046 g/L) OTC

Odor Slight ethereal.

pH Not available.

Initial boiling point 120 °F (49 °C)

Evaporation rate Fast.

Explosive limit - upper (%) 18

Vapor density Not available.

Solubility(ies) Not available.

Auto-ignition temperature 860 °F (460 °C)

Viscosity Not available.

10. Stability and reactivity

Reactivity Non-reactive

Chemical stability Stable

Possibility of hazardous reactions No

Conditions to avoid Heat, flames and sparks. Incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids and bases. Alkali and alkaline earth metals. Powdered metal.

Hazardous decomposition products Carbon oxides. Hydrogen chloride. Phosgene. Hydrogen fluoride.

11. Toxicological information

Information on likely routes of exposure:

Inhalation Vapors have a narcotic effect and may cause drowsiness, dizziness, headache, nausea, and vomiting.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Information on toxicological effects:

Acute toxicity May be fatal if swallowed and enters airways. Narcotic effects.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not expected to cause skin sensitization.

Carcinogenicity Not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

Reproductive toxicity Not expected to cause reproductive or developmental effects.

Aspiration hazard May be fatal if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

See full SDS for additional information

13. Disposal considerations

Disposal instructions The dispensed liquid product is not a RCRA hazardous waste. Empty container can be recycled.

Hazardous waste code Not regulated.

14. Transport information

DOT shipping description: UN1950, Aerosols, flammable, 2.1, Limited Quantity

15. Regulatory information

SARA 313 None

See full SDS for additional information

16. Other information

Issue date 10-OCT-17

CRC #697/1002744

Version # 02