



# Battery Cleaner Spray

**with Acid Indicator**

- Penetrates, loosens and neutralizes all acid corrosion deposits
- Yellow colored spray changes to pink upon contact with acid

NET WT. 11 oz (311 g)

**WARNING: CONTENTS UNDER PRESSURE.**  
Read warnings on back panel.



PROUDLY MADE IN USA

Contains water 7732-18-5, liquefied petroleum gas 68476-86-8 and 2-butoxyethanol 111-76-2.

**WARNING:** Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F/49°C. Exposure to high temperature may cause can to burst. Do not place in direct sunlight or near any heat source. Avoid contact with eyes. Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use.

**FIRST AID:** In case of eye or skin contact, flush with water for 15 minutes. If swallowed, call your poison control center at 1-800-222-1222. If too much is breathed, remove to fresh air. For severe overexposure, call physician immediately.

**DISPOSAL:** All used and unused product should be disposed of in conformance with local, state and federal regulations. DO NOT dump in sewers, floor drains, on the ground or into any body of water.

**ELECTRICAL SHOCK HAZARD:** This metal can will conduct electricity. Do not touch can to live electrical sources as this may result in serious injury.

**KEEP AWAY FROM CHILDREN**

 **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Battery cleaner with acid indicator locates harmful acid and cleans up battery cases, connectors, terminals, hold-downs, and carriers. Neutralizes acid spills. Helps prevent corrosion.

- Color changing foam instantly identifies acid leaks.
- Reduces voltage leakage due to contaminants.
- Assures maximum battery current flow.
- Helps eliminate energy loss with regular maintenance.
- Promotes longer battery life.

**INSTRUCTIONS:** *Read entire label before using this product.*

1. Shake can well before using.
2. Spray liberally over battery surface and all corroded areas. Do not spray into battery cells. If acid is present, foam will turn to pink.
3. Allow spray to soak for a few minutes.
4. Use wire brush to remove heavy deposits on terminal or protectors.
5. Flush with water.
6. Reapply to ensure all acid has been removed and rinse again.
7. Wipe dry with cloth or paper towel.

