

WARNING: Contains Water 7732-18-5, Inhibitors (Proprietary), Detergent 127087-87-0, Hydrocarbon propellant 68476-86-8. Contents under pressure. Do not puncture, incinerate or store can above 120°F. Exposure to high temperature may cause can to burst. Do not place in direct sunlight or near any heat source. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase the ventilation or leave the area. Avoid continuous breathing of spray mist. Avoid continuous exposure to skin and eyes. Deliberate misuse by concentrating and inhaling the contents may be harmful or fatal. Progressively higher exposure can cause eye irritation. **FIRST AID:** In case of eye or skin contact, flush with water for 15 minutes. If swallowed, drink large amounts of water. Call a physician if irritation occurs. For Additional Information, Consult Material Safety Data Sheet for this product.

KEEP AWAY FROM CHILDREN

To view Emergency M.S.D.S.: Tear (DO NOT CUT) label by running fingernail between perforations. Fold back label. Do not remove until can is empty.

- Modern blend of detergents and corrosion inhibitors designed to safely clean aircraft glass windows, plexiglass and other hard surfaces.
- Penetrates through film and other surface contaminants to get glass windows and mirrors sparkling clean.
- Removes grease, fingerprints, scum and smoke haze from surface.
- Noncaustic. Will not harm paint finish.
- Removes labels from metal and glass.
- Helps eliminate glare and leaves no film.
- Material Safety Data Sheet printed on back of label for your convenience and safety (the CRC MSD[L]TM is a proprietary label removal system patented under U.S. Patent No. 5,056,827)

DIRECTIONS: Read entire label before using this product.

1. Shake well. No dilution necessary.
2. Hold can about 8 to 10 inches away from surface.
3. Spray on and wipe clean with cloth, sponge or towel.
4. For heavily soiled areas, let cleaner remain for a minute before wiping.

ELECTRICAL SHOCK HAZARD: This can will conduct electricity. Keep away from all live electrical sources including Battery Terminals, Solenoids, Electrical Panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN CONFORMANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.



07A
CRC#486B
Made in U.S.A.



A V I A T I O N

Window Cleaner

MEETS AMS 1534A
LEAVES NO FILM
STOPS GLARE



CAUTION: CONTENTS UNDER PRESSURE.
READ WARNINGS ON BACK PANEL.
Net Wt. 15 oz. (425 g) No. 10420

©2007 CRC Industries, Inc., Warminster, PA 18974
800-521-3168 (Technical Information)
800-272-4620 (Customer Service)
215-442-6260 (MSDS)
CRC#486B

Aviation Window Cleaner
Part # 10420 07A
Net Wt. 15 oz. (425 g)
www.crcindustries.com

CAUTION: CONTENTS UNDER PRESSURE.



M.S.D.[L].™

Material Safety Data Label from CRC
U.S. Patent Number 5,056,827



AVIATION WINDOW CLEANER

- MSDS10420

MANUFACTURED BY: CRC INDUSTRIES, INC.
885 LOUIS DRIVE, WARMINSTER, PA 18974
PHONE: (215) 674-4300

PRODUCT - 10420

24 HOUR EMERGENCY INFORMATION - CALL CHEMTREC 1-800-424-9300

1 HAZARDOUS INGREDIENT INFORMATION						
	CAS #	ACGIH	OSHA	OTHER	%	SARA 313
Inhibitors	proprietary	NE	NE	NE	<1	NO
Detergent	127087-87-0	NE	NE	NE	<1	NO
Water	7732-18-5	NA	NA	NA	90.99	NO
Hydrocarbon propellant	68476-86-8	1000ppm	1000ppm	NE	3.8	NO

2 CHEMICAL AND PHYSICAL PROPERTIES	
Appearance and Odor: Clear liquid, mild odor.	
Specific Gravity: 0.99	Boiling Point: 212°F
Freezing Point: 30°F	Vapor Pressure: ND
Evaporation Rate: <1 (ether = 1)	Vapor Density: >1 (air = 1)
pH: 10.3	Solubility: In water - complete
VOC%: 5.2%	g/L: 51 lbs./gal: 0.43

3 FIRE AND EXPLOSION DATA	
Flashpoint: None	Method: TCC
Flammable limits:	LEL: NA UEL: NA
Extinguishing Media: as appropriate for surrounding fire	
Unusual Hazards: Aerosol cans may explode above 120° F.	

4 REACTIVITY AND STABILITY	
Stability: Stable	
Hazardous Decomposition products: Oxides of carbon	
Materials to avoid: strong oxidizers	

5 PROTECTION INFORMATION	
Ventilation: Use in a well ventilated area.	
Respiratory: None required for normal work.	
Gloves: Nitrile or rubber.	Eye & Face: Safety goggles
Other Protective Equipment: None generally required	

6 POTENTIAL HEALTH EFFECTS	
Signs and Symptoms of Exposure	
1. Acute Overexposure: Mild eye irritation	
2. Chronic Overexposure: Skin sensitivities; throat irritation	
Medical Conditions Generally Aggravated by Exposure: None known.	
Chemical Listed as Carcinogen or Potential Carcinogen	
OSHA: NO IARC Monographs: No	NTP: No

7 EMERGENCY AND FIRST AID MEASURES	
(if symptoms persist, call a physician)	
Inhalation: Remove to fresh air. Call physician.	
Eyes: Wash with water.	
Skin: Wash with water.	
Ingestion: Drink large amounts of water. Call a physician.	

8 ACCIDENTAL RELEASE MEASURES	
Precautions to be taken in Handling and Storage: Store in a cool, dry area. Aerosols may explode when heated above 120°F. Be sure to use this product with adequate ventilation.	

Steps to be taken in case material is released or spilled: Ventilate area, absorb spill with inert material.

Waste Disposal: All used and unused product should be disposed of in conformance with local, state and federal regulations.

9 NFPA/HMIS HAZARD RATINGS			
Health: 1	Flammability: 0	Reactivity: 0	PPPE: B

10 ADDITIONAL INFORMATION	
Prepared By : Michelle Rudnick	Date 9/10/07
Technical Information : (800) 521-3168	CRC#486B
This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.	

NA=Not Applicable	ND=Not Determined
CAS=Chemical Abstract Service	PPM=Parts Per Million
NE=Not Established	TCC=Tag Closed Cup
LEL=Lower Exposure Limit	UEL=Upper Exposure Limit
g/L=grams per liter	PPE=Personal Protection Equipment
lbs./gal. pounds per gallon	RG=Reportable Quantity