

DIRECTIONS: Read entire label before using this product.

1. Do not use on energized equipment. 2. May be harmful to some plastics. Test on a small area before using. Do not use on sensitive electronic equipment or their internal parts which may be coated in plastic. Use a CRC precision cleaning product. 3. To remove C.I.C. (Corrosion Inhibiting Compounds), grease, oil, hydraulic fluids and related contaminants, spray liberally and allow to run off. For hard-to-reach areas use the extension tube. 4. Allow to soak in and soften material for 1-3 minutes. 5. Spray again, using the mechanical force of the spray to soften and remove C.I.C. and other contaminants. 6. Wipe to remove C.I.C. material or other soils. 7. If necessary, repeat application.

INSTRUCCIONES: Lea la etiqueta completa antes de usar este producto.

1. No usar en equipos con corriente eléctrica. 2. Puede ser dañino para algunos plásticos. Probar en un área pequeña antes de utilizarlo. No usar en equipos electrónicos delicados u otras piezas internas que puedan estar recubiertas con plástico. Utilizar un producto de limpieza de CRC de precisión. 3. Para remover C.I.C. (compuestos inhibidores de la corrosión), grasa, aceite, líquidos hidráulicos y contaminantes relacionados, pulverizar generosamente y permitir que se escurra. Para áreas con acceso difícil, usar el tubo alargador. 4. Permitir que el material lo absorba y se ablande durante de 1 a 3 minutos. 5. Pulverizar nuevamente, utilizando la fuerza mecánica de la pulverización para ablandar y remover los C.I.C. y otros contaminantes. 6. Pasar un paño para remover material de C.I.C. u otra suciedad. 7. Si fuera necesario, repetir la aplicación.

Danger: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.



Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not apply while equipment is energized. Pressurized container: Do not pierce or burn, even after use. Extinguish all flames, pilot lights and heaters. Vapors will accumulate readily and may ignite. Use only with adequate ventilation; maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. - If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Avoid breathing gas. Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. Dispose of contents/container in accordance with local/regional/national regulations.

First Aid: If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Contains Hydrotreated light distillates (64742-47-8), Dipropylene glycol monopropyl ether (29911-27-1), Dipropylene glycol monopropyl ether acetate (88917-22-0) and Carbon dioxide (124-38-9). Deliberate misuse by concentrating and inhaling the contents is illegal and can be harmful or fatal. Inhalation abuse can cause death. For additional information, consult SDS for this product.

Electrical Shock Hazard: This can will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

Peligro: Aerosol extremadamente inflamable. Contiene gas a presión; puede explotar si se calienta. Puede ser mortal en caso de ingestión y de penetración en las vías respiratorias. Provoca irritación cutánea. Provoca irritación ocular grave. Puede provocar somnolencia o vértigo.

Consejos de prudencia: Mantener lejos de calor/chispas/lamas al descubierto/superficies calientes. - No fumar. No rocíe sobre una llama abierta u otra fuente de ignición. No aplique el producto sobre un equipo conectado. Recipiente presurizado: No perforar ni quemar, aun después del uso. Apague todas las llamas, pilotos y calefactores. El vapor se acumulará rápidamente y puede inflamarse. Utilice solo con ventilación adecuada; mantenga la ventilación durante la utilización del producto hasta que el vapor haya desaparecido. Abra las puertas y ventanas y utilice otros medios para asegurar la provisión de aire fresco al utilizar el producto y mientras se este secando. Si presenta algunos de los síntomas enumerados en esta etiqueta, aumente la ventilación o deje el área. Evite la inhalación de neblina o vapor. Evite la inhalación de gases. Lávese cuidadosamente después de la manipulación. Use quantes de protección. Usar protección para los ojos/la cara. Almacene en lugar bien ventilado. Guardar bajo llave. Proteger de la luz solar. No exponer a temperaturas superiores a 50 °C/122 °F. La exposición a altas temperaturas puede provocar que la lata estalle. Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales pertinentes.

Primeros Auxilios: En caso de ingestión: Llamar inmediatamente a un centro de toxicología o a un médico. No provoque vómitos. En caso de contacto con la piel: Lavar con abundante agua. Si ocurre irritación de la piel: Busque atención médica. Quitar la ropa contaminada y lavarla antes de volver a usarla. En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar a un CENTRO DE TOXICOLOGIA o a un médico si la persona se encuentra mal. En caso de contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si persiste la irritación de los ojos: Busque atención médica.

Su mal uso deliberado, concentrando e inhalando su contenido es ilegal y puede ser perjudicial o fatal. La inhalación abusiva puede causar la muerte. Para mayor información, consulte la Hoja de Datos de Seguridad para este producto. **Peligro de Descarga Eléctrica:** Esta lata conduce la electricidad. Mantenga fuera del alcance de todas las fuentes eléctricas vivas, incluso bornes de baterías, solenoides, tableros eléctricos y otros componentes electrónicos. Pasar por año esta advertencia puede derivar en lesiones graves provocadas por fuego explosivo y/o descarga eléctrica.



Aviation CIC Remover

Eliminador de CIC

**Removes Corrosion Inhibiting Compounds
Non Chlorinated
No Residue
Zero VOC**

**Remueve compuestos inhibidores
de la corrosión
No clorado
No deja residuo
Cero COV**



**DANGER: FLAMMABLE.
HARMFUL OR FATAL IF SWALLOWED.
CAUSES SKIN AND EYE IRRITATION.
CONTENTS UNDER PRESSURE.
KEEP AWAY FROM CHILDREN.
Read warnings on back panel.**

**PELIGRO: INFLAMABLE.
SU INGESTIÓN ES PERJUDICIAL
O MORTAL. PROVOCA IRRITACIÓN
CUTÁNEA Y OCULAR.
CONTENIDO BAJO PRESIÓN.
MANTENGA FUERA DEL
ALCANCE DE LOS NIÑOS.
Lea las advertencias en el dorso.**



**No. 10480
Net Wt./Peso Neto
15 oz (425 g)**

To review S.D.S.: Tear (DO NOT CUT) label along these perforations and fold back label. After viewing, reattach label. Do not completely remove label until can is empty. Para revisar la Hoja de Datos de Seguridad (HDS): Rasque (NO CORTE) la etiqueta siguiendo estas perforaciones y dóblela hacia atrás. Al terminar, vuelva a pegarla a la etiqueta. No la retire completamente hasta que la lata este vacía.

1. Identification

Product identifier: CIC Remover

Product code 10480

Recommended use Corrosion inhibiting compounds remover

Restrictions None known.

Manufactured or sold by: CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974

Phone: 215-674-4300

Emergency phone number CHEMTREC - 24 HOURS: 800-424-9300

2. Hazard(s) identification

Physical hazards	Flammable aerosols (Category 1) Gases under pressure (Compressed gas)
Health hazards	Skin corrosion/irritation (Category 2) Serious eye damage/eye irritation (Category 2A) Specific target organ toxicity, single exposure (Category 3 narcotic effects) Aspiration hazard (Category 1)

Label elements (see front side of label)

3. Composition/information on ingredients

Hazardous components

Chemical name	CAS number	%
Hydrotreated light distillates	64742-47-8	50 – 60
Dipropylene glycol monopropyl ether	29911-27-1	20 – 30
Dipropylene glycol monopropyl ether acetate	88917-22-0	5 – 10
Carbon dioxide	124-38-9	3 – 5

(Specific chemical identity and/or percentage of composition has been withheld as a trade secret.)

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation occurs: Get medical attention.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects Diarrhea. May cause drowsiness, dizziness, headache, nausea and vomiting. Skin irritation. Severe eye irritation. Aspiration may cause pulmonary edema and pneumonitis.

Special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO₂).

Unsuitable extinguishing media None known.

Specific hazards Extremely flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions Do not touch damaged containers or spilled material unless wearing appropriate protective equipment. Ventilate closed spaces before entering them. Avoid breathing gas, mist or vapor.

Containment and cleaning up Eliminate all ignition sources. Keep combustibles away from spilled material. Wipe up with absorbent material (e.g. cloth, fleece) and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

7. Handling and storage

Handling Pressurized container: Do not pierce or burn, even after use. When using, do not eat, drink or smoke. Avoid breathing gas, mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

Storage Store in a cool, dry place (below 122°F/50°C) and out of direct sunlight. Store in a well-ventilated place. Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value
Carbon dioxide	TWA	9000 mg/m3
Hydrotreated light distillates	TWA	100 mg/m3

Appropriate engineering controls Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures:

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection Wear protective gloves such as nitrile or neoprene. Wear appropriate clothing to prevent skin contact.

Respiratory protection If needed, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Wear positive pressure self-contained breathing apparatus (SCBA) in case of emergency.

9. Physical and chemical properties

Appearance Clear water-white liquid.

Odor Slight hydrocarbon.

Odor threshold Not available.

pH Not available.

Melting point/freezing point -121 °F (-85 °C)

Initial boiling point 392 °F (200 °C)

Flash point 185 °F (85 °C) Tag Closed Cup

Evaporation rate Slow

Explosive limit - lower (%) 0.6

Explosive limit - upper (%) 5.5

Vapor pressure 2266 hPa

Vapor density > 1 (Air = 1)

Relative density 0.87

Solubility(ies) Slightly soluble.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature 401 °F (205 °C)

Decomposition temperature Not available.

Viscosity Not available.

VOC (Weight %): 0%

10. Stability and reactivity

Reactivity Non-reactive

Chemical stability Stable

Possibility of hazardous reactions No

Conditions to avoid Heat, flames and sparks. Incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products None known.

11. Toxicological information

Information on likely routes of exposure:

Ingestion Ingestion or vomiting may cause a serious chemical pneumonia.

Inhalation May cause drowsiness, dizziness, headache, nausea and vomiting. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Diarrhea. Narcotic effects. Severe eye irritation. Skin irritation.

Information on toxicological effects:

Acute toxicity May be fatal if swallowed and enters airways. Narcotic effects.

Respiratory sensitization Not available.

Skin sensitization Not expected to cause skin sensitization.

Carcinogenicity Not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

Reproductive toxicity Not expected to cause reproductive or developmental effects.

Aspiration hazard May be fatal if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

See full SDS for additional information

13. Disposal considerations

Disposal instructions This product is not a RCRA hazardous waste. Empty containers may be recycled.

Hazardous waste code Not regulated

14. Transport information

DOT shipping description: UN1950, Aerosols, flammable, 2.1, limited quantity

15. Regulatory information

SARA 313 Cyclohexane

See full SDS for additional information

16. Other information

Issue date 8/12/2014

CRC #490C

Version # 01