



A V I A T I O N

# C.I.C. Remover (Formerly Super Degreaser™)

REMOVES CORROSION INHIBITING COMPOUNDS  
NON-CHLORINATED  
NO CFC's/NO RESIDUE



Part No. 10481  
Net Contents: 1 gal. (3.78L)  
**DANGER: COMBUSTIBLE. HARMFUL OR FATAL  
IF SWALLOWED.** Read warnings on back panel.

## CRC C.I.C. Remover

### APPLICATIONS:

- Contains no 1,1,1 Trichloroethane, Perchloroethylene or any other chlorinated solvents.
- Low odor formulation.
- Helps prevent mechanical problems and improves performance by removing corrosion inhibiting compounds (C.I.C.'s), grease, oil, dirt and other contaminants.
- Helps extend equipment life by removing foreign materials that lower operational efficiency.
- High flash point: 142°F.
- Meets or exceeds the following specifications:  
CSD #1 - Category II, Pratt & Whitney, SPOP 208 & SPOP 6.  
Call CRC for additional specification listings.

### DIRECTIONS: Read entire label before using this product.

1. DO NOT use on polycarbonate plastics such as LEXAN®. If in doubt, call the manufacturer of the equipment. MAY ALSO BE HARMFUL TO OTHER PLASTICS.
  2. Protect all rubber parts and painted surfaces. DO NOT apply directly to painted surfaces.
  3. Apply product liberally on C.I.C. surface or surface to be cleaned.
  4. Allow to soak in and soften material for 1-3 minutes.
  5. Apply again to further soften and remove C.I.C.
  6. Wipe to remove C.I.C. material or soil.
  7. Repeat if necessary.
  8. Do not apply while equipment is energized.
- Also available in aerosol cans for spraying.

**WARNING:** Contains Petroleum Distillates 64742-88-7, 64771-72-8, 64742-48-9, DPM Acetate 88917-22-0, and Glycol Ether DPM 34590-94-8. Harmful or fatal if swallowed. Progressively higher exposure to vapor may cause irritation to eyes and respiratory tract, headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects. Product should be kept from all flames and other ignition sources. Deliberate misuse by concentrating and inhaling the contents can be harmful or fatal. This product contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm. Use only in a well ventilated area. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. Vapors are heavier than air and can collect in low areas.

**FIRST AID:** In case of eye or skin contact flush with water for 15 minutes. If swallowed do not induce vomiting, if too much is breathed remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. For severe overexposure call a physician immediately.

**HANDLING AND SPILL PRECAUTIONS:** Keep container closed. Wash thoroughly after handling. Do not enter where vapors are suspected in high concentration unless air supplied positive pressure breathing apparatus is used and trained observer is present and equipped with rescue gear. Vapors of this product may develop a flammable atmosphere in contact with flames, sparks or ignition sources. Do not cut or weld containers due to explosion hazard.

**FOR SPILLS,** use proper protective equipment. Take precautions as necessary to prevent contamination of ground or surface water. For small spills, use absorbent and sweep into closed containers for disposal. For large spills, evacuate the area, dike and transfer into containers for disposal.

**DISPOSAL:** Unused contents and containers must be disposed of in accordance with all federal, state and local regulations. EMPTY containers may be offered to a qualified reconditioner. Unused contents may be offered to a licensed reclaimer. DO NOT DUMP IN SEWERS. ON THE GROUND OR INTO ANY BODY OF WATER.

For additional information, consult the Material Safety Data Sheet for this product.

**KEEP AWAY FROM CHILDREN**



©2001 CRC Industries, Inc.  
Warminster, PA 18974  
800-521-3168 (Tech. Information)  
800-272-4620 (Customer Service)  
215-442-6260 (MSDS)  
www.crcindustries.com  
Made in U.S.A. CRC#490A