

Parcel Glide Silicone Lubricant 食品级硅质润滑剂
2-甲基戊烷: 50 – 60% 加氢处理轻石脑油: 30 – 40%
正己烷: 5 – 10% 聚二甲基硅氧烷: 3 – 5%

危 险



高度易燃液体和蒸气。 吞咽及进入呼吸道可能致命。 皮肤接触可能有害。 造成皮肤刺激。 可能造成昏昏欲睡或眩晕。 怀疑对生育能力或胎儿造成伤害。 长期或反复接触可能损害器官。 对水生生物有毒。 对水生生物有毒并具有长期持续影响。

[预防措施]

在使用前获取特别指示。 在读懂所有安全防范措施之前切勿搬运。 远离热源/火花/明火/热表面。 禁止吸烟。 保持容器密闭。 只能使用不产生火花的工具。 采取防止静电放电的措施。 使用防爆的电气/通风照明/设备。 不要吸入烟雾或蒸气。 只能在室外或通风良好之处使用。 戴防护手套/穿防护服/戴防护眼罩/戴防护面具。 作业后彻底清洗。 避免释放到环境中。

[事故响应]

如误吞咽: 立即呼叫解毒中心/医生。 不要诱导呕吐。 如皮肤 (或头发) 沾染: 立即脱掉所有沾染的衣服。 用水清洗皮肤/淋浴。 如发生皮肤刺激: 求医/就诊。 沾染的衣服清洗后方可重新使用。 如误吸入: 将受害人转移到空气新鲜处, 保持呼吸舒适的休息姿势。 如果您感觉不适, 呼叫解毒中心/医生。 如接触到或有疑虑: 求医/就诊。 火灾时: 禁止使用直流水灭火, 否则会引起火势蔓延。 收集溢出物。

[安全储存]

保持低温。 存放在通风良好的地方。 保持容器密闭。 存放处须加锁。

[废弃处置]

按照地方/区域/国家/国际规章处置内装物/容器。

参见安全数据表。

供应商: CRC Industries Trading (Shanghai) Co., Ltd.

电话: 86 (0) 21 6236 6035

地址: 武宁南路488号2408室, 静安区 - 200042 上海, 中国

化学事故应急电话码: +86 532 83889090

DIRECTIONS: Read entire label before using this product.

- 1. Do not apply while equipment is energized.**
- 2. Spray in light, even coats to chutes, dead plates and rails requiring lubrication.**
- 3. Repeat step 2 until adequate lubrication or protection is achieved.**
- 4. Re-apply as needed to maintain performance.**