# SAFETY DATA SHEET

## 1. Identification

Spray Away™ All Purpose Cleaner - 1 gal **Product identifier** 

Other means of identification

No. MK28128 (Item# 1007588) **Product Code** Recommended use General purpose cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

CRC Industries. Inc. Company name 885 Louis Dr. **Address** 

Warminster, PA 18974 US

**Telephone** 

**General Information** 215-674-4300 **Technical Assistance** 800-521-3168 **Customer Service** 800-272-4620 24-Hour Emergency 800-424-9300 (US)

(CHEMTREC)

Website www.crcindustries.com

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1

Specific target organ toxicity, repeated

exposure (inhalation)

**Environmental hazards** Not classified.

Label elements

**OSHA** defined hazards



Not classified.



Signal word Danger

**Hazard statement** Causes skin irritation. Causes serious eye damage. May cause damage to organs (respiratory

system) through prolonged or repeated exposure by inhalation.

**Precautionary statement** 

Prevention Do not breathe mist/vapors. Use with adequate ventilation. Open doors and windows or use other

> means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after

Category 2 (respiratory system)

handling. Wear eye protection/face protection. Wear protective gloves.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing, Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and

wash it before reuse. Get medical advice/attention if you feel unwell.

**Storage** Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: Spray Away™ All Purpose Cleaner - 1 gal

No. MK28128 (Item# 1007588) Version #: 01 Issue date: 11-15-2019

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	70 - 80
sodium xylenesulphonate		1300-72-7	5 - 10
alcohols, C6-10, ethoxylated propoxylated		68987-81-5	1 - 3
alcohols, C8-10, ethoxylated propoxylated		68603-25-8	1 - 3
dioctyl sodium sulfosuccinate		577-11-7	1 - 3
tetrasodium ethylenediaminetetraacetate		64-02-8	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed **General information** 

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

**Precautions for safe handling** Do not breathe mist/vapors. Do not get this material in contact with eyes. Avoid contact with eyes,

skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. For product usage

instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from

incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.

## Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear protective gloves such as: Nitrile. Rubber.Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Blue green.
Odor Surfactant.
Odor threshold Not available.

**pH** 12.2

Melting point/freezing point -121 °F (-85 °C) estimated Initial boiling point and boiling 212 °F (100 °C) estimated

range

Flash point None.

Evaporation rate Slow.

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

0.7 % estimated

(%)

Flammability limit - upper

23.5 % estimated

(%)

Vapor pressure 20.4 hPa estimated

Vapor density > 1 (air = 1)

Relative density 1.06

Solubility(ies)

Solubility (water) Soluble.

Partition coefficient Not available.

(n-octanol/water)

401 °F (205 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. Percent volatile 87.9 % estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with Conditions to avoid

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides. Sulfur oxides. Potassium oxide. Nitrogen oxides (NOx). Ammonia. Aldehydes.

Ketones. Hydrogen cyanide (hydrocyanic acid). Formaldehyde.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

Skin contact Causes skin irritation. **Eve contact** Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

**Test Results** Components **Species** 

dioctyl sodium sulfosuccinate (CAS 577-11-7)

**Acute** Oral

LD50 Mouse 2.64 g/kg

sodium xylenesulphonate (CAS 1300-72-7)

Acute Dermal

Rabbit > 2000 mg/kg LD50

Oral

LD50 Rat > 3356 mg/kg

tetrasodium ethylenediaminetetraacetate (CAS 64-02-8)

Acute Oral

LD50 Rat > 2000 mg/kg

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

No. MK28128 (Item# 1007588) Version #: 01 Issue date: 11-15-2019

Not listed.

Material name: Spray Away™ All Purpose Cleaner - 1 gal

SDS US

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (respiratory system) through prolonged or repeated exposure by

inhalation.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

dioctyl sodium sulfosuccinate (CAS 577-11-7)

**Aquatic** 

Fish LC50 Rainbow trout, donaldson trout 20 - 40 mg/l, 96 hours

(Oncorhynchus mykiss)

sodium xylenesulphonate (CAS 1300-72-7)

**Aquatic** 

Acute

Crustacea EC50 Water flea (Daphnia magna) > 1020 mg/l, 48 hours

tetrasodium ethylenediaminetetraacetate (CAS 64-02-8)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 100 mg/l, 96 hours

Acute

Crustacea EC50 Invertebrates (Invertebrates) > 100 mg/l, 48 hours

Persistence and degradability

**Idability** No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** 

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Hazardous waste code Not regulated.

**Disposal instructions** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty

containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all

applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

No. MK28128 (Item# 1007588) Version #: 01 Issue date: 11-15-2019

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Not listed

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### **US state regulations**

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Massachusetts RTK - Substance List

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not listed.

#### California Proposition 65



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

## California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-dioxane (CAS 123-91-1)Listed: January 1, 1988diethanolamine (CAS 111-42-2)Listed: June 22, 2012ethylene oxide (CAS 75-21-8)Listed: July 1, 1987formaldehyde (CAS 50-00-0)Listed: January 1, 1988propylene oxide (CAS 75-56-9)Listed: October 1, 1988

California Proposition 65 - CRT: Listed date/Developmental toxin

ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

Material name: Spray Away™ All Purpose Cleaner - 1 gal No. MK28128 (Item# 1007588) Version #: 01 Issue date: 11-15-2019 California Proposition 65 - CRT: Listed date/Female reproductive toxin

ethylene oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

Volatile organic compounds (VOC) regulations

**EPA** 

VOC content (40 CFR 4.1 %

51.100(s))

**Consumer products** 

(40 CFR 59, Subpt. C)

Compliant

State

Consumer products This product is regulated as a General Purpose Cleaner (non-aerosol). This product is compliant

for use in all 50 states.

**VOC** content (CA) 0.5 % 0.5 % VOC content (OTC)

**International Inventories** 

On inventory (yes/no)\* Country(s) or region Inventory name Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) No Canada Non-Domestic Substances List (NDSL) Yes China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of Existing Commercial Chemical No Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

11-15-2019 Issue date Prepared by Allison Yoon

Version #

**Further information** CRC # 660B/1002687

Disclaimer The information contained in this document applies to this specific material as supplied. It may not

> be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

This document has undergone significant changes and should be reviewed in its entirety. Revision information

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).